(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 1 August 2002 (01.08.2002)

(51) International Patent Classification7:

(10) International Publication Number WO 02/059381 A2

- C07K 14/47, C12N 15/63, 15/10, A01K 67/027
- (21) International Application Number: PCT/US02/00473
- (22) International Filing Date: 7 January 2002 (07.01.2002)
- (25) Filing Language: (26) Publication Language:

English English

'30) Priority Data: 60/260,080

6 January 2001 (06.01.2001)

- 1) Applicant (for all designated States except US): THE GENERAL HOSPITAL CORPORATION [US/US]: 55 Fruit Street, Boston, MA 02114 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SLAUGENHAUPT, Susan [US/US]: 23 Thomas Street, Quincy, MA 02169 (US). GUSELLA, James, F. [US/US]; 7 Woodstock Drive, Framingham, MA 01701 (US).
- (74) Agent: SONNENFELD, Kenneth, H.; Morgan & Finnegan, L.I.P. 345 Park Avenue, New York, NY 10154 (US).

- C12Q 1/68, (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, Fl, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
 - (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GENE FOR IDENTIFYING INDIVIDUALS WITH FAMILIAL DYSAUTONOMIA

(57) Abstract: This invention relates to methods and compositions useful for detecting mutations which cause Familial Dysautonomia. Familial dysautonomia (FD; Riley-Day syndrome), an Ashkenazi Jewish disorder, is the best known and most frequent of a group of congenital sensory neuropathies and is characterized by widespread sensory and variable autonomic dysfunction. Previously, we mapped the FD gene, DYS, to a 0.5 cM region of chromosome 9q31 and showed that the ethnic bias is due to a founder effect, with >99.5% of disease alleles sharing a common ancestral haplotype. To investigate the molecular basis of FD, we sequenced the minimal candidate region and cloned and characterized its 5 genes. One of these, IKBKAP, harbors two mutations that can cause FD. The major haplotype mutation is located in the donor splice site of intron 20. This mutation can result in skipping of exon 20 in the mRNA from FD patients, although they continue to express varying levels of wild-type message in a tissue-specific manner. RNA isolated from patient lymphoblasts is primarily wild-type, whereas only the deleted message is seen in RNA isolated from brain. The mutation associated with the minor haplotype in four patients is a missense (R696P) mutation in exon 19 that is predicted to disrupt a potential phosphorylation site. Our findings indicate that almost all cases of FD are caused by an unusual splice defect that displays tissue-specific expression; and they also provide the basis for rapid carrier screening in the Ashkenazi Jewish population.

WO 02/059381 PCT/US02/00473

GENE FOR IDENTIFYING INDIVIDUALS WITH FAMILIAL DYSAUTONOMIA

This application claims priority to provisional application Serial No. 60/260,080, the entirety of which is incorporated herein by reference.

This invention was made with government support under Grant Number NS36326 awarded by The National Institutes of Health. The U.S. government has certain rights in the invention.

FIELD OF THE INVENTION

This invention relates generally to the gene, and mutations thereto, that are responsible for the disease familial dysautonomia (FD). More particularly, the invention relates to the identification, isolation and cloning of the DNA sequence corresponding to the normal and mutant FD genes, as well as characterization of their transcripts and gene products. This invention also relates to genetic screening methods and kits for identifying FD mutant and wild-type alleles, and further relates to FD diagnosis, prenatal screening and diagnosis, and therapies of FD, including gene therapeutics and protein/antibody based therapeutics.

BACKGROUND OF THE INVENTION

Familial Dysautonomia (FD, Riley-Day Syndrome, Hereditary Sensory and Autonomic Neuropathy Type III) [OMIM 223900] is an autosomal recessive disorder present in 1 in 3,600 live births in the Ashkenazi Jewish population. This debilitating disorder is due to the poor development, survival, and progressive degeneration of the sensory and autonomic nervous system (Axelrod et al., 1974). FD was first described in 1949 based on five children who presented with defective lacrimation, excessive sweating, skin blotching, and hypertension (Riley et al., 1949). The following cardinal criteria have evolved for diagnosis of FD: absence of fungiform papillae on the tongue, absence of flare after injection of intradermal

- 2 -

histamine, decreased or absent deep tendon reflexes, absence of overflow emotional tears, and Ashkenazi Jewish descent (Axelrod and Pearson, 1984, Axelrod 1984).

The loss of neuronal function in FD has many repercussions, with patients displaying gastrointestinal dysfunction, abnormal respiratory responses to hypoxic and hypercarbic states, scoliosis, gastroesophageal reflux, vomiting crises, lack of overflow tears, inappropriate sweating, and postural hypotension (Riley et al. 1949; Axelrod et al. 1974, Axelrod 1996), Despite recent advances in the management of FD, the disorder is inevitably fatal with only 50% of patients reaching 30 years of age. The clinical features of FD are due to a genetic defect that causes a striking. progressive depletion of unmyelinated sensory and autonomic neurons (Pearson and Pytel 1978a; Pearson and Pytel 1978b; Pearson et al. 1978; Axelrod 1995). This neuronal deficiency begins during development, as extensive pathology is evident even in the youngest subjects. Fetal development and postnatal maintenance of dorsal root ganglion (DRG) neurons is abnormal, significantly decreasing their numbers and resulting in DRG of grossly reduced size. Slow progressive degeneration is evidenced by continued neuronal depletion with increasing age. In the autonomic nervous system, superior cervical sympathetic ganglia are also reduced in size due to a severe decrease in the neuronal population.

Previously, the FD gene, DYS, was mapped to an 11-cM region of chromosome 9q31 (Blumenfeld et al. 1993) which was then narrowed by haplotype analysis to <0.5cM or 471 kb (Blumenfeld et al. 1999). There is a single major haplotype that accounts for >99.5% of all FD chromosomes in the Ashkenazi Jewish (AJ) population. The recent identification of several single nucleotide polymorphisms (SNPs) in the candidate interval has allowed for further reduction of the candidate region to 177 kb by revealing a common core haplotype shared by the major and one previously described minor haplotype (Blumenfeld et al. 1999).

SUMMARY OF THE INVENTION

This invention relates to mutations in the *IKBKAP* gene which the inventors of this invention discovered and found to be associated with Familial Dysautonomia. The mutation associated with the major haplotype of FD is a base

pair mutation, wherein the thymine nucleotide located at bp 6 of intron 20 in the IKBKAP gene is replaced with a cytosine nucleotide (T C) (hereinafter "FD1 mutation"). The mutation associated with the minor haplotype is a base pair mutation wherein the guanine nucleotide at bp 2397 (bp 73 of exon 19) is replaced with a cysteine nucleotide (G .C) (hereinafter "FD2 mutation" This base pair mutation causes an arginine to proline missense mutation (R696P) in the amino acid sequence of the IKBKAP gene that is predicted to disrupt a potential phosphorylation site

In accordance with one aspect of the present invention, there is provided an isolated nucleic acid comprising a nucleic acid sequence selected from the group consisting of:

nucleic acid sequences corresponding to the genomic sequence of the FD gene including introns and exons as shown in Figure 6;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the cDNA sequence including the coding sequence of the FD gene as shown in Figure 7;

nucleic acid sequences corresponding to the cDNA sequence shown in Figure 7, wherein the arginine at position 696 is replaced by a proline;

In accordance with another aspect of the present invention, there is provided a nucleic acid probe, comprising a nucleotide sequence corresponding to a portion of a nucleic acid as set forth in any one of the foregoing nucleic acid sequences

WO 02/059381 PCT/US02/00473

In accordance with another aspect of the present invention, there is provided a cloning vector comprising a coding sequence of a nucleic acid as set forth above and a replicon operative in a host cell for the vector.

- 4 -

In accordance with another aspect of the present invention, there is provided an expression vector comprising a coding sequence of a nucleic acid set forth above operably linked with a promoter sequence capable of directing expression of the coding sequence in host cells for the vector.

In accordance with another aspect of the present invention, there is provided host cells transformed with a vector as set forth above.

In accordance with another aspect of the present invention, there is provided a method of producing a mutant FD polypeptide comprising: transforming host cells with a vector capable of expressing a polypeptide from a nucleic acid sequence as set forth above; culturing the cells under conditions suitable for production of the polypeptide; and recovering the polypeptide.

In accordance with another aspect of the present invention, there is provided a peptide product selected from the group consisting of: a polypeptide having an amino acid sequence corresponding to the amino acid sequence shown in Figure 8; a polypeptide containing a mutation in the amino acid sequence shown in Figure 8, wherein the arginine at position 696 is replaced with a proline; a peptide comprising at least 6 amino acid residues corresponding to the amino acid sequence shown in Figure 8, and a peptide comprising at least 6 amino acid residues corresponding to a mutated form of the amino acid sequence shown in Figure 8. In one embodiment, the peptide is labeled. In another embodiment, the peptide is a fusion protein.

In accordance with another aspect of the present invention, there is provided a use of a peptide as set forth above as an immunogen for the production of antibodies. In one embodiment, there is provided an antibody produced in such application. In one embodiment, the antibody is labeled. In another embodiment, the antibody is bound to a solid support. In accordance with another aspect of the present invention, there is provided a method to determine the presence or absence of the familial dysautonomia (FD) gene mutation in an individual, comprising: isolating genomic DNA, cDNA, or RNA from a potential FD disease

carrier or patient; and assessing the DNA for the presence or absence of an FDassociated allele, wherein said FD-associated allele is the FD1 and/or FD2 mutation wherein, the absence of either FD-associated allele indicates the absence of the FD gene mutation in the genome of the individual and the presence of the allele indicates that the individual is either affected with FD or a heterozygote carrier.

In one embodiment, the assessing step is performed by a process which comprises subjecting the DNA to amplification using oligonucleotide primers flanking the FD1 mutation and the FD2 mutation. In another embodiment, the assessing step further comprises an allele-specific oligonucleotide hybridization assay.

In another embodiment, DNA is amplified using the following oligonucleotide primers: 5'- GCCAGTGTTTTTGCCTGAG - 3'; 5'- CGGATTGTCACTGTTGTGC-3'; 5'- GACTGCTCTCATAGCATCGC-3'. In another embodiment, the assessing step further comprises an allele-specific oligonucleotide hybridization assay. In another embodiment, the allele-specific oligonucleotide hybridization assay is accomplished using the following oligonucleotides: 5'- AAGTAAG(T/C)GCCATTG-3' and 5'- GGTTCAC(G/C)GATTGTC. In yet another embodiment, neuronal tissue from an individual is screened for the presence of truncated IKBKAP mRNA or peptides, wherein the presence of said truncated mRNA or peptides indicates that said individual possesses the FD1 and/or FD2 mutation in the IKBKAP gene.

In accordance with another aspect of the present invention, there is provided an animal model for familial dysautonomia (FD), comprising a mammal possessing a mutant or knock-out or knock-in FD gene. In another emodiment, there is provided a method of producing a transgenic animal expressing a mutant IKAP mRNA comprising:

- (a) introducing into an embryonal cell of an animal a promoter operably linked to the nucleotide sequence containing a mutation associated with FD;
- (b) transplanting the transgenic embryonal target cell formed thereby into a recipient female parent; and

WO 02/059381 PCT/US02/00473

(c) identifying at least one offspring containing said nucleotide sequence in said offspring's genome.

- 6 -

In accordance with another aspect of the present invention, there is provided a method for screening potential therapeutic agents for activity, in connection with FD, comprising: providing a screening tool selected from the group consisting of a cell line, and a mammal containing or expressing a defective FD gene or gene product; contacting the screening tool with the potential therapeutic agent; and assaying the screening tool for an activity.

In accordance with another aspect of the present invention, there is provided a method for treating familial dysautonomia (FD) by gene therapy using recombinant DNA technology to deliver the normal form of the FD gene into patient cells or vectors which will supply the patient with gene product in vivo.

In another embodiment, there is provided a method for treating familial dysautonomia (FD), comprising: providing an antibody directed against an FD protein sequence or peptide product; and delivering the antibody to affected tissues or cells in a patient having FD.

In accordance with another aspect of the present invention, there is provided kits for carrying out the methods of the invention. These kits include nucleic acids, polypeptides and antibodies of the present invention. In another embodiment the kit for detecting FD mutations will also contain genetic tests for diagnosing additional genetic diseases, such as Canavan's disease, Tay-Sachs disease, Goucher disease, Cystic Fibrosis, Fanconi anemia, and Bloom syndrome.

It will be appreciated by a skilled worker in the art that the identification of the genetic defect in a genetic disease, coupled with the provision of the DNA sequences of both normal and disease-causing alleles, provides the full scope of diagnostic and therapeutic aspects of such an invention as can be envisaged using current technology.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Genomic structure of *IKBKAP*. The figure illustrates the orientation and placement of the 37 exons within a 68 kb genomic region of

chromosome 9q31. The primers used for analysis of the splice defect are indicated as 18F (exon 18), 19F (exon 19) and 23R (exon 23). Asterick indicates the locations of the two mutations identified; the mutation associated with the major AJ haplotype is located at bp 6 of intron 20, whereas the mutation association with the minor AJ haplotype is located at bp 73 of exon 19. The 4.8 and 5.9 designations at exon 37 indicate the lengths of the two *IKBKAP* messages that differ only in the length of their 3' UTRs.

Figures 2A-2C. Demonstration of mutations in IKBKAP. Figure 2A shows the antisense sequence of the T - C mutation (shown by arrows adjacent to the G and A lanes) at bp 6 of intron 20 that is associated with the major FD haplotype. Lanes 1 and 2 are FD patients homozygous for the major haplotype (homozygous GG), lane 3 is an FD patient heterozygous for the major haplotype and minor haplotype 2 (heterozygous GA), lane 4 is an FD patient heterozygous for the major haplotype and minor haplotype 3 (heterozygous GA), and lanes 5 and 6 are non-FD controls (homozygous AA). Figure 2b shows heterozygosity for the G-C mutation (shown by arrows adjacent to the G and C lanes) at bp 73 of exon 19. Lane 1 is an FD homozygous for the major haplotype (homozygous GG), lanes 2-4 are three patients heterozygous for the major haplotype and minor haplotype 2 (heterozygous GC), lane 5 is a patient heterozygous for the major haplotype and minor haplotype 3 (homozygous GG), and lane 6 is a non-FD control (homozygous GG). Figure 2c shows the sequence of the cDNA generated from the RT-PCR of a patient heterozygous for the major and minor 2 haplotypes. The arrow points to the heterozygous G-C mutation in exon 19. The boundary of exons 19 and 20 is also indicated, illustrating that this patient expresses wild-type message that includes exon 20, despite the presence of the major mutation on one allele.

Figures 3A-3B. Northern blot analysis of *IKBKAP*. Figure 3A is a human multiple tissue northern blot that was hybridized with *IKBKAP* exon 2 and shows the presence of two messages of 4.8 and 5.9 kb (northern blots hybridized with other *IKBKAP* probes yielded similar patterns). Figure 3b is a northern blot generated using mRNA isolated from lymphoblast cell lines: lanes 1, 2, and 5 FD patients homozygous for the major haplotype; lane 3 individual carrying two definitively

non-FD chromososomes, lane 4 FD patient heterozygous for the major haplotype and minor haplotype 2; lane 6 control brain RNA (Clontech). The level of expression of *IKBKAP* mRNA relative to β-actin mRNA is quite variable in lymphoblasts. We observed no consistent increase or decrease in mRNA levels between FD patients homozygous for the major haplotype, those heterozyous for the major haplotype and minor haplotype 2, and non-FD individuals.

Figures 4A-4B: RT-PCR analysis of the exon 20 region of *JKBKAP* showing expression of the wild-type message and protein in patients. Figure 4A was generated using primers 18F (exon 18) and 23R (exon 23). Lanes 1 and 2 are FD patients homozygous for the major haplotype, lane 3 is an FD patient heterozygous for the major haplotype and minor haplotype 2, lanes 4 and 5 are non-FD controls, lane 6 is a water control. Figure 4b is a western blot generated using cytoplasmic protein isolated from patient lymphoblast cell lines and detected with a carboxyl-terminal antibody. Lanes 2, 4, 6, and 8 are patients homozygous for the major haplotype, lanes 3, 5, 7, and 9 are non-FD controls, lane 1 is a patient heterozygous for the major and minor haplotype 3, and lane 10 is a patient heterozygous for the major and minor haplotype 2 and lane 11 is a Hela cell line sample.

Figure 5. RT-PCR analysis of the exon 20 region of *IKBKAP* showing variable expression of the mutant message in FD patients. The analysis was done using primers 19F (exon 19) and 23F (exon 23). Lanes 1 and 2, control fibroblasts; lanes 3, 4, and 5, FD fibroblasts homozygous for the major mutation; lanes 6 and 7 FD lymphoblasts homozygous for the major mutation, lanes 8 and 9 non-FD lymphoblasts, lane 10 FD patient brain stem, lane 11 FD patient temporal lobe (showing a faint 319 bp band and no 393 bp band), lane 12 water control. RT-PCR of control brain RNA (Clontech) showed only the 393 bp band (data not shown).

Figure 6. The genomic sequence for IKBKAP.

Figure 7- The cDNA sequence for IKBKAP

Figure 8- the amino acid sequence of the IKBKAP gene

Figure 9- Comparison of the amino acid sequence of Ikap across several species. Alignment of the amino acid sequence of Ikap (M musculus) with that of

Homo sapiens (H_sapiens), Drosophila melanogaster (D_melanogaster),
Saccharomyces cerevisiae (S_cervisiae), Arabidopsis thaliana (A_thaliana), and
Caenorhabditis elegans (C_elegans).

Figure 10- Comparison of the Novel Mouse Ikbkap Gene with Multiple Species Homologs

Figure 11- Mouse Ikbkap Exon and Intron Boundaries

Figure 12- Comparison of the synthetic regions of mouse chromosome 4 (MMU4) and human chromosome 9 (HSA9q31). This diagram on the left shows the location of *Ikbkap* in relation to mapped and genetic markers (boldface). Distances are given in centimorgans. The positions of the homologous genes that map to human chromosome 9q31 are shown on the right.

DETAILED DESCRIPTION OF THE INVENTION

This invention relates to mutations in the *IKBKAP* gene, which the inventors of the instant application discovered are associated with Familial Dysautonomia. More specifically, the mutation associated with the major haplotype of FD is a T-C change located at bp 6 of intron 20 in the *IKBKAP gene* as shown in Figure 1. This mutation can result in skipping of exon 20 in the mRNA from FD patients, although they continue to express varying levels of wild-type message in a tissue specific manner. The mutation associated with the minor haplotype is a single G-C change at bp 2397 (bp 73 of exon 19) that causes an arginine to proline missense mutation (R696P) that is predicted to disrupt a potential phosphorylation site.

These findings have direct implications for understanding the clinical manifestations of FD, for preventing it and potentially for treating it. The IKAP protein produced from IKBKAP gene was originally isolated as part of a large interleukin-1-inducible IKK complex and described as a regulator of kinases involved in pro-inflammatory cytokine signaling (Cohen et al. 1998). However, a recent report questioned this conclusion, by reporting that cellular IKK complexes do not contain IKAP based on various protein-protein interaction and functional

assays. Rather, IKAP appears to be a member of a novel complex containing additional unidentified proteins of 100, 70, 45, and 39 kDa (Krappmann et al. 2000).

IKAP is homologous to the Elp1 protein of S. cerevisiae, which is encoded by the IKI3 locus and is required for sensitivity to pGKL killer toxin. The human and yeast proteins exhibit 29% identity and 46% similarity over their entire lengths. Yeast Elp1 protein is part of the RNA polymerase II-associated clongator complex, which also contains Elp2, a WD-40 repeat protein, and Elp3, a histone acetyltransferase (Otero et al. 1999). The human ELP3 gene encodes a 60 kDa histone acetyltransferase that shows more than 75% identity with yeast Elp3 protein, but no 60 kDa protein has been found in the human IKAP-containing protein complex. Consequently, it is considered unlikely that IKAP is a member of a functionally conserved mammalian elongator complex (Krappmann et al. 2000). Instead, it has been reported that the protein may play a role in general gene activation mechanisms, as overexpression of IKAP interferes with the activity of both NF-kB-dependent and independent reporter genes (Krappmann et al. 2000). Therefore, the FD phenotype may be caused by aberrant expression of genes crucial to the development of the sensory and autonomic nervous systems, secondary to the loss of a functional IKAP protein in specific tissues.

FD is unique among Ashkenazi Jewish disorders in that one mutation accounts for > 99.5% of the disease chromosomes. As in other autosomal recessive diseases with no phenotype in heterozygous carriers, one might have expected to find several different types of mutations producing complete inactivation of the DYS gene in the AJ population. The fact that the major FD mutation does not produce complete inactivation, but rather allows variable tissue-specific expression of IKAP, may explain this lack of mutational diversity. Mutations causing complete inactivation of IKAP in all tissues might cause a more severe or even lethal phenotype. Indeed, CG10535, the apparent Drosophila melanogaster homologue of IKBKAP, maps coincident with a larval recessive lethal mutation (II3)04629) supporting the essential nature of the protein (FlyBase). Thus, the array of mutations that can produce the FD phenotype may be limited if they must also allow expression of functional or partially functional IKAP in some tissues to permit

survival. With the identification of IKBKAP as DYS, it will now be possible to test this inactivation hypothesis in a mammalian model system.

Despite the overwhelming predominance of a single mutation in FD patients, the disease phenotype is remarkably variable both within and between families. The nature of the major FD mutation makes it tempting to consider that this phenotypic variability might relate to the frequency of exon 20 skipping in specific tissues and at specific developmental stages, which may be governed by variations in many factors involved in RNA splicing. Even a small amount of normal IKAP protein expressed in critical tissues might permit sufficient neuronal survival to alleviate the most severe phenotypes. This possibility is supported by the relatively mild phenotype associated with the presence of the R696P mutation, which is predicted to permit expression of an altered full-length IKAP protein that may retain some functional capacity. To date, this minor FD mutation has only been seen in four patients heterozygous for the major mutation. Consequently, it is uncertain whether homozygotes for the R696P mutation would display any phenotypic abnormality characteristic of FD. The single patient with minor haplotype 3 and mixed ancestry, whose mutation has yet to be found, is also a compound heterozygote with the major haplotype. The existence of minor haplotype 3 indicates that IKBKAP mutations will be found outside the AJ population, but like the R696P mutation, it is difficult to predict the severity of phenotype that would result from homozygosity.

Since FD affects the development and maintenance of the sensory and autonomic nervous systems, the identification of *IKBKAP* as the *DYS* gene allows for further investigation of the role of *IKAP* and associated proteins in the sensory and autonomic nervous systems. Of more immediate practical importance, however, the discovery of the single base mutation that characterizes >99.5% of FD chromosomes will permit efficient, inexpensive carrier testing in the AJ population, to guide reproductive choices and reduce the incidence of FD. The nature of the major mutation also offers some hope for new approaches to treatment of FD. Despite the presence of this mutation, lymphoblastoid cells from patients are capable of producing full-length wild-type mRNA and normal IKAP protein, while in neuronal tissue exon 20 is skipped, presumably leading to a truncated product.

Investigation of the mechanism that permits lymphoblasts to be relatively insensitive to the potential effect of the mutation on splicing may suggest strategies to prevent skipping of exon 20 in other cell types. An effective treatment to prevent the progressive neuronal loss of FD may be one aimed at facilitating the production of wild-type mRNA from the mutant gene rather than exogenous administration of the missing IKAP protein via gene therapy.

FD Screening

With knowledge of the primary mutation and secondary mutation of the FD gene as disclosed herein, screening for presymptomatic homozygotes, including prenatal diagnosis, and screening for heterozygous carriers can be readily carried out.

Nucleic Acid Based Screening

Individuals carrying mutations in the FD gene may be detected at either the DNA or RNA level using a variety of techniques that are well known in the art. The genomic DNA used for the diagnosis may be obtained from an individual's cells, such as those present in peripheral blood, urine, saliva, bucca, surgical specimen, and autopsy specimens. The DNA may be used directly or may be amplified enzymatically in vitro through use of PCR (Saiki et al. Science 239:487-491 (1988)) or other in vitro amplification methods such as the ligase chain reaction (LCR) (Wu and Wallace Genomics 4:560-569 (1989)), strand displacement amplification (SDA) (Walker et al. PNAS USA 89:392-396 (1992)), self-sustained sequence replication (3SR) (Fahy et al. PCR Methods Appl. 1:25-33 (1992)), prior to mutation analysis. in situ hybridization may also be used to detect the FD gene.

The methodology for preparing nucleic acids in a form that is suitable for mutation detection is well known in the art. For example, suitable probes for detecting a given mutation include the nucleotide sequence at the mutation site and encompass a sufficient number of nucleotides to provide a means of differentiating a normal from a mutant allele. Any probe or combination of probes capable of detecting any one of the FD mutations herein described are suitable for use in this

invention. Examples of suitable probes include those complementary to either the coding or noncoding strand of the DNA. Similarly, suitable PCR primers are complementary to sequences flanking the mutation site. Production of these primers and probes can be carried out in accordance with any one of the many routine methods, e.g., as disclosed in Sambrook et al..sup.45, and those disclosed in WO 93/06244 for assays for Goucher disease.

Probes for use with this invention should be long enough to specifically identify or amplify the relevant FD mutations with sufficient accuracy to be useful in evaluating the risk of an individual to be a carrier or having the FD disorder. In general, suitable probes and primers will comprise, preferably at a minimum, an oligomer of at least 16 nucleotides in length. Since calculations for mammalian genomes indicate that for an oligonucleotide 16 nucleotides in length, there is only one chance in ten that a typical cDNA library will fortuitously contain a sequence that exactly matches the sequence of the nucleotide. Therefore, suitable probes and primers are preferably 18 nucleotides long, which is the next larger oligonucleotide fully encoding an amino acid sequence (i.e., 6 amino acids in length).

By use of nucleotide and polypeptide sequences provided by this invention, safe, effective and accurate testing procedures are also made available to identify carriers of mutant alleles of *IKBKAP*, as well as pre- and postnatal diagnosis of fetuses and live born patients carrying either one or two mutant alleles. This affords potential parents the opportunity to make reproductive decisions prior to pregnancy, as well as afterwards, e.g., if chorionic villi sampling or amniocentesis is performed early in pregnancy. Thus, prospective parents who know that they are both carriers may wish to determine if their fetus will have the disease, and may wish to terminate such a pregnancy, or to provide the physician with the opportunity to begin treatment as soon as possible, including prenatally. In the case where such screening has not been performed, and therefore the carrier status of the patient is not known, and where FD disease is part of the differential diagnosis, the present invention also provides a method for making the diagnosis genetically.

Many versions of conventional genetic screening tests are known in the art.

Several are disclosed in detail in WO 91/02796 for cystic fibrosis, in U.S. Pat. No.

5.217.865 for Tay-Sachs disease, in U.S. Pat. No. 5,227,292 for neurofibromatosis and in WO 93/06244 for Goucher disease. Thus, in accordance with the state of the art regarding assays for such genetic disorders, several types of assays are conventionally prepared using the nucleotides, polypeptides and antibodies of the present invention. For example: the detection of mutations in specific DNA sequences, such as the FD gene, can be accomplished by a variety of methods including, but not limited to, restriction-fragment-length-polymorphism detection based on allele-specific restriction-endonuclease cleavage (Kan and Dozy Lancet ii:910-912 (1978)), hybridization with allele-specific oligonucleotide probes (Wallace et al. Nucl Acids Res 6:3543-3557 (1978)), including immobilized oligonucleotides (Saiki et al. PNAS USA 86:6230-6234 (1989)) or oligonucleotide arrays (Maskos and Southern Nucl Acids Res 21:2269-2270 (1993)), allele-specific PCR (Newton et al. Nucl Acids Res 17:2503-25 16 (1989)), mismatch-repair detection (MRD) (Faham and Cox Genome Res 5:474-482 (1995)), binding of MutS protein (Wagner et al. Nucl Acids Res 23:3944-3948 (1995), denaturing-gradient gel electrophoresis (DGGE) (Fisher and Lerman et al. PNAS USA 80:1579-1583 (1983)), single-strand-conformation-polymorphism detection (Orita et al. Genomics 5:874-879 (1983)), RNAase cleavage at mismatched base-pairs (Myers et al. Science 230:1242 (1985)), chemical (Cotton et al. PNAS USA 85:4397-4401 (1988)) or enzymatic (Youil et al. PNAS USA 92:87-91 (1995)) cleavage of heteroduplex DNA, methods based on allele specific primer extension (Syvanen et al. Genomics 8:684-692 (1990)), genetic bit analysis (GBA) (Nikiforoy et al. Nuci Acids Res 22:4167-4175 (1994)), the oligonucleotide-ligation assay (OLA) (Landegren et al. Science 241:1077 (1988)), the allele-specific ligation chain reaction (LCR) (Barrany PNAS USA 88:189-193 (1991)), gap-LCR (Abravaya et al. Nucl Acids Res 23:675-682 (1995)), and radioactive and/or fluorescent DNA sequencing using standard procedures well known in the art.

As will be appreciated, the mutation analysis may also be performed on samples of RNA by reverse transcription into cDNA therefrom. Furthermore, mutations may also be detected at the protein level using, for example, antibodies specific for the mutant and normal FD protein, respectively. It may also be possible

to base an FD mutation assay on altered cellular or subcellular localization of the mutant form of the FD protein.

2. Antibodies

Antibodies can also be used for the screening of the presence of the FD gene, the mutant FD gene, and the protein products therefrom. In addition, antibodies are useful in a variety of other contexts in accordance with this invention. As will be appreciated, antibodies can be raised against various epitopes of the FD protein. Such antibodies can be utilized for the diagnosis of FD and, in certain applications, targeting of affected tissues.

For example, antibodies can be used to detect truncated FD protein in neuronal cells, the detection of which indicates that an individual possesses a mutation in the IKBKAP gene.

Thus, in accordance with another aspect of the present invention a kit is provided that is suitable for use in screening and assaying for the presence of the FD gene by an immunoassay through use of an antibody which specifically binds to a gene product of the FD gene in combination with a reagent for detecting the binding of the antibody to the gene product.

Antibodies raised in accordance with the invention can also be utilized to provide extensive information on the characteristics of the protein and of the disease process and other valuable information which includes but is not limited to:

- 1. Antibodies can be used for the immunostaining of cells and tissues to determine the precise localization of the FD protein. Immunofluorescence and immuno-electron microscopy techniques which are well known in the art can be used for this purpose. Defects in the FD gene or in other genes which cause an altered localization of the FD protein are expected to be localizable by this method.
- 2. Antibodies to distinct isoforms of the FD protein (i.e., wild-type or mutant-specific antibodies) can be raised and used to detect the presence or absence of the wild-type or mutant gene products by immunoblotting (Western blotting) or other immunostaining methods. Such antibodies can also be utilized for therapeutic applications where, for example, binding to a mutant form of the FD protein reduces

the consequences of the mutation.

- 3. Antibodies can also be used as tools for affinity purification of FD protein. Methods such as immunoprecipitation or column chromatography using immobilized antibodies are well known in the art and are further described in Section (II)(B)(3), entitled "Protein Purification" herein.
- 4. Immunoprecipitation with specific antibodies is useful in characterizing the biochemical properties of the FD protein. Modifications of the FD protein (i.e., phosphorylation, glycosylation, ubiquitization, and the like) can be detected through use of this method. Immunoprecipitation and Western blotting are also useful for the identification of associating molecules that may be involved in the mammalian elongation complex.
- 5. Antibodies can also be utilized in connection with the isolation and characterization of tissues and cells which express FD protein. For example, FD protein expressing cells can be isolated from peripheral blood, bone marrow, liver, and other tissues, or from cultured cells by fluorescence activated cell sorting (FACS) Harlow et al., eds., Antibodies: A Laboratory Manual, pp. 394-395, Cold Spring Harbor Press, N.Y. (1988). Cells can be mixed with antibodies (primary antibodies) with or without conjugated dyes. If nonconjugated antibodies are used, a second dye-conjugated antibody (secondary antibody) which binds to the primary antibody can be added. This process allows the specific staining of cells or tissues which express the FD protein.

Antibodies against the FD protein are prepared by several methods which include, but are not limited to:

1. The potentially immunogenic domains of the protein are predicted from hydropathy and surface probability profiles. Then oligopeptides which span the predicted immunogenic sites are chemically synthesized. These oligopeptides can also be designed to contain the specific mutant amino acids to allow the detection of and discrimination between the mutant versus wild-type gene products. Rabbits or other animals are immunized with the synthesized oligopeptides coupled to a carrier such as KLH to produce anti-FD protein polyclonal antibodies. Alternatively, monoclonal antibodies can be produced against the synthesized oligopeptides using

conventional techniques that are well known in the art Harlow et al., eds.,
Antibodies: A Laboratory Manual, pp. 151-154, Cold Spring Harbor Press, N.Y.
(1988). Both in vivo and in vitro immunization techniques can be used. For
therapeutic applications, "humanized" monoclonal antibodies having human
constant and variable regions are often preferred so as to minimize the immune
response of a patient against the antibody. Such antibodies can be generated by
immunizing transgenic animals which contain human immunoglobulin genes. See
Jakobovits et al. Ann NY Acad Sci 764:525-535 (1995).

2. Antibodies can also be raised against expressed FD protein products from cells. Such expression products can include the full length expression product or parts or fragments thereof. Expression can be accomplished using conventional expression systems, such as bacterial, baculovirus, yeast, mammalian, and other overexpression systems using conventional recombinant DNA techniques. The proteins can be expressed as fusion proteins with a histidine tag, glutathione-Stransferase, or other moieties, or as nonfused proteins. Expressed proteins can be purified using conventional protein purification methods or affinity purification methods that are well known in the art. Purified proteins are used as immunogens to generate polyclonal or monoclonal antibodies using methods similar to those described above for the generation of antipeptide antibodies.

In each of the techniques described above, once hybridoma cell lines are prepared, monoclonal antibodies can be made through conventional techniques of, for example, priming mice with pristane and interperitoneally injecting such mice with the hybrid cells to enable harvesting of the monoclonal antibodies from ascites fluid.

In connection with synthetic and semi-synthetic antibodies, such terms are intended to cover antibody fragments, isotype switched antibodies, humanized antibodies (mouse-human, human-mouse, and the like), hybrids, antibodies having plural specificities, fully synthetic antibody-like molecules, and the like.

3. Expression Systems

Expression systems for the FD gene product allow for the study of the

WO 02/059381

function of the FD gene product, in either normal or wild-type form and/or mutated form. Such analyses are useful in providing insight into the disease causing process that is derived from mutations in the gene.

"Expression systems" refer to DNA sequences containing a desired coding sequence and control sequences in operable linkage, so that hosts transformed with these sequences are capable of producing the encoded proteins. In order to effect transformation, the expression system may be included on a vector; however, the relevant DNA may then also be integrated into the host chromosome.

In general terms, the production of a recombinant form of FD gene product typically involves the following:

First a DNA encoding the mature (used here to include all normal and mutant forms of the proteins) protein, the preprotein, or a fusion of the FD protein to an additional sequence cleavable under controlled conditions such as treatment with peptidase to give an active protein, is obtained. If the sequence is uninterrupted by introns it is suitable for expression in any host. If there are introns, expression is obtainable in mammalian or other eukaryotic systems capable of processing them. This sequence should be in excisable and recoverable form. The excised or recovered coding sequence is then placed in operable linkage with suitable control sequences in an expression vector. The construct is used to transform a suitable host, and the transformed host is cultured under selective conditions to effect the production of the recombinant FD protein. Optionally the FD protein is isolated from the medium or from the cells and purified as described in Section entitled "Protein Purification".

Each of the foregoing steps can be done in a variety of ways. For example, the desired coding sequences can be obtained by preparing suitable cDNA from cellular mRNA and manipulating the cDNA to obtain the complete sequence. Alternatively, genomic fragments may be obtained and used directly in appropriate hosts. The construction of expression vectors operable in a variety of hosts are made using appropriate replicons and control sequences, as set forth below. Suitable restriction sites can, if not normally available, be added to the ends of the coding sequences so as to provide an excisable gene to insert into these vectors.

The control sequences, expression vectors, and transformation methods are dependent on the type of host cell used to express the gene. Generally, prokaryotic, yeast, insect, or mammalian cells are presently useful as hosts. Prokaryotic hosts are in general the most efficient and convenient for the production of recombinant proteins. However, eukaryotic cells, and, in particular, yeast and mammalian cells, are often preferable because of their processing capacity and post-translational processing of human proteins.

Prokaryotes most frequently are represented by various strains of E. coli. However, other microbial strains may also be used, such as Bacillus subtilis and various species of Pseudomonas or other bacterial strains. In such prokaryotic systems, plasmid or bacteriophage vectors which contain origins of replication and control sequences compatible with the host are used. A wide variety of vectors for many prokaryotes are known (Maniatis et al. Molecular Cloning: A Laboratory Manual pp. 1.3-1.11, 2.3-2.125, 3.2-3.48, 2-4.64 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1982)); Sambrook et al. Molecular Cloning: A Laboratory Manual pp. 1-54 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1989)); Meth. Enzymology 68: 357-375 (1979); 101: 307-325 (1983); 152: 673-864 (1987) (Academic Press, Orlando, Fla. Pouwells et al. Cloning Vectors: A Laboratory Manual (Elsevier, Amsterdam (1987))). Commonly used prokaryotic control sequences which are defined herein to include promoters for transcription initiation, optionally with an operator, along with ribosome binding site sequences, include such commonly used promoters as the beta-lactamase (penicillinase) and lactose (lac) promoter systems, the tryptophan (trp) promoter system and the lambda derived PL promoter and N-gene ribosome binding, site, which has become useful as a portable control cassette (U.S. Pat. No. 4,711,845). However, any available promoter system compatible with prokaryotes can be used (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. Gene 61: 207-215 (1987).

In addition to bacteria, eukaryotic microbes, such as yeast, may also be used as hosts. Laboratory strain Saccharomyces cerevisiae or Baker's yeast, is most often used although other strains are commonly available.

Vectors employing the 2 micron origin of replication and other plasmid vectors suitable for yeast expression are known (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. supra. (1987). Control sequences for yeast vectors include promoters for the synthesis of glycolytic enzymes. Additional promoters known in the art include the promoters for 3-phosphoglycerate kinase, and those for other glycolytic enzymes, such as glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase. pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase. Other promoters, which have the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, and enzymes responsible for maltose and galactose utilization. See Sambrook et al. supra. (1989); Meth. Enzymology supra. John et al. supra. (1987). It is also believed that terminator sequences at the 3' end of the coding sequences are desirable. Such terminators are found in the 3' untranslated region following the coding sequences in yeast-derived genes. Many of the useful vectors contain control sequences derived from the englase gene containing plasmid peno46 or the LEU2 gene obtained from Yep13, however, any vector containing a yeast compatible promoter, origin of replication, and other control sequences is suitable (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. supra.

It is also, of course, possible to express genes encoding polypeptides in eukaryotic host cell cultures derived from multicellular organisms (Kruse and Patterson Tissue Culture pp. 475-500 (Academic Press, Orlando (1973)); Meth. Enzymology 68: 357-375 (1979); Freshney Culture of Animal Cells; A Manual of Basic Techniques pp. 329-334 (2d ed., Alan R. Liss, N.Y. (1987))). Useful host cell lines include murine myelomas N51, VERO and HeT cells, SF9 or other insect cell lines, and Chinese hamster ovary (CHO) cells. Expression vectors for such cells ordinarily include promoters and control sequences compatible with mammalian cells such as, for example, the commonly used early and later promoters from

Simian Virus 40 (SV 40), or other viral promoters such as those from polyoma, adenovirus 2, bovine papilloma virus, or avian sarcoma viruses, herpes virus family (such as cytomegalovirus, herpes simplex virus, or Epstein-Barr virus), or immunoglobulin promoters and heat shock promoters (Sambrook et al. supra. pp. 16.3-16.74 (1989); Meth. Enzymology 152: 684-704 (1987); John et al. supra. In addition, regulated promoters, such as metallothionine (i.e., MT-1 and MT-2), glucocorticoid, or antibiotic gene "switches" can be used.

General aspects of mammalian cell host system transformations have been described by Axel (U.S. Pat. No. 4,399,216). Plant cells are also now available as hosts, and control sequences compatible with plant cells such as the nopaline synthase promoter and polyadenylation signal sequences are available (Pouwells et al. supra. (1987); Meth Enzymology 118: 627-639 (Academic Press, Orlando (1986); Gelvin et al. J. Bact. 172: 1600-1608.

Depending on the host cell used, transformation is done using standard techniques appropriate to such cells (Sambrook et al. supra. pp. 16.30-16.5 (1989); Meth. Enzymology supra 68:357-375 (1979); 101: 307-325 (1983); 152: 673-864 (1987). U.S. Pat. No. 4,399,216; Meth Enzymology supra 118: 627-639 (1986); Gelvin et al. J. Bact. 172: 1600-1608 (1990). Such techniques include, without limitation, calcium treatment employing calcium chloride for prokaryotes or other cells which contain substantial cell wall barriers; infection with Agrobacterium tumefaciens for certain plant cells; calcium phosphate precipitation, DEAE, lipid transfection systems (such as LIPOFECTIN.TM. and LIPOFFECTAMINE.TM.), and electroporation methods for mammalian cells without cell walls, and, microprojectile bombardment for many cells including, plant cells. In addition, DNA may be delivered by viral delivery systems such as retroviruses or the herpes family, adenoviruses, baculoviruses, or semliki forest virus, as appropriate for the species of cell line chosen.

C. THERAPEUTICS

Identification of the FD gene and its gene product also has therapeutic implications. Indeed, one of the major aims of this invention is the development of

therapies to circumvent or overcome the defect leading to FD disease. Envisioned are pharmacological, protein replacement, antibody therapy, and gene therapy approaches. In addition the development of animal models useful for developing therapies and for understanding the molecular mechanisms of FD disease are envisioned.

1. Pharmacological

In the pharmacological approach, drugs which circumvent or overcome the defective FD gene function are sought. In this approach, modulation of FD gene function can be accomplished by agents or drugs which are designed to interact with different aspects of the FD protein structure or function.

Efficacy of a drug or agent, can be identified in a screening program in which modulation is monitored in vitro cell systems. Indeed, the present invention provides for host cell systems which express various mutant FD proteins (especially the T-C and G-C mutations noted in this application) and are suited for use as primary screening systems.

In vivo testing of FD disease-modifying compounds is also required as a confirmation of activity observed in the in vitro assays. Animal models of FD disease are envisioned and discussed in the section entitled "Animal Models", below, in the present application.

Drugs can be designed to modulate FD gene and FD protein activity from knowledge of the structure and function correlations of FD protein and from knowledge of the specific defect in various FD mutant proteins. For this, rational drug design by use of X-ray crystallography, computer-aided molecular modeling (CAMM), quantitative or qualitative structure-activity relationship (QSAR), and similar technologies can further focus drug discovery efforts. Rational design allows prediction of protein or synthetic structures which can interact with and modify the FD protein activity. Such structures may be synthesized chemically or expressed in biological systems. This approach has been reviewed in Capsey et al., Genetically Engineered Human Therapeutic Drugs, Stockton Press, New York (1988). Further, combinatorial libraries can be designed, synthesized and used in

screening programs.

The present invention also envisions that the treatment of FD disease can take the form of modulation of another protein or step in the pathway in which the FD gene or its protein product participates in order to correct the physiological abnormality.

In order to administer therapeutic agents based on, or derived from, the present invention, it will be appreciated that suitable carriers, excipients, and other agents may be incorporated into the formulations to provide improved transfer, delivery, tolerance, and the like.

A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, (15th Edition, Mack Publishing Company, Easton, Pa. (1975)), particularly Chapter 87, by Blaug, Seymour, therein. These formulations include for example, powders, pastes, ointments, jelly, waxes, oils, lipids, anhydrous absorption bases, oil-inwater or water-in-oil emulsions, emulsions carbowax (polyethylene glycols of a variety of molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax.

Any of the foregoing formulations may be appropriate in treatments and therapies in accordance with the present invention, provided that the active agent in the formulation is not inactivated by the formulation and the formulation is physiologically compatible.

2. Protein Replacement Therapy

The present invention also relates to the use of polypeptide or protein replacement therapy for those individuals determined to have a defective FD gene. Treatment of FD disease could be performed by replacing the defective FD protein with normal protein or its functional equivalent in therapeutic amounts.

FD polypeptide can be prepared for therapy by any of several conventional procedures. First, FD protein can be produced by cloning the FD cDNA into an appropriate expression vector, expressing the FD gene product from this vector in an in vitro expression system (cell-free or cell-based) and isolating the FD protein

from the medium or cells of the expression system. General expression vectors and systems are well known in the art. In addition, the invention envisions the potential need to express a stable form of the FD protein in order to obtain high yields and obtain a form readily amenable to intravenous administration. Stable high yield expression of proteins have been achieved through systems utilizing lipid-linked forms of proteins as described in Wettstein et al. J Exp Med 174:219-228 (1991) and Lin et al. Science 249:677-679 (1990).

FD protein can be prepared synthetically. Alternatively, the FD protein can be prepared from total protein samples by affinity chromatography. Sources would include tissues expressing normal FD protein, in vitro systems (outlined above), or synthetic materials. The affinity matrix would consist of antibodies (polyclonal or monoclonal) coupled to an inert matrix. In addition, various ligands which specifically interact with the FD protein could be immobilized on an inert matrix. General methods for preparation and use of affinity matrices are well known in the art.

Protein replacement therapy requires that FD protein be administered in an appropriate formulation. The FD protein can be formulated in conventional ways standard to the art for the administration of protein substances. Delivery may require packaging in lipid-containing vesicles (such as LIPOFECTIN.TM. or other cationic or anionic lipid or certain surfactant proteins) that facilitate incorporation into the cell membrane. The FD protein formulations can be delivered to affected tissues by different methods depending on the affected tissue.

3. Gene Therapy

Gene therapy utilizing recombinant DNA technology to deliver the normal form, of the FD gene into patient cells or vectors which will supply the patient with gene product in vivo is also contemplated within the scope of the present invention. In gene therapy of FD disease, a normal version of the FD gene is delivered to affected tissue(s) in a form and amount such that the correct gene is expressed and will prepare sufficient quantities of FD protein to reverse the effects of the mutated FD gene. Current approaches to gene therapy include viral vectors, cell-based

delivery systems and delivery agents. Further, ex vivo gene therapy could also be useful. In ex vivo gene therapy, cells (either autologous or otherwise) are transfected with the normal FD gene or a portion thereof and implanted or otherwise delivered into the patient. Such cells thereafter express the normal FD gene product in vivo and would be expected to assist a patient with FD disease in avoiding iron overload normally associated with FD disease. Ex vivo gene therapy is described in U.S. Pat. No. 5,399,346 to Anderson et al., the disclosure of which is hereby incorporated by reference in its entirety. Approaches to gene therapy are discussed below:

a. Viral Vectors

Retroviruses are often considered the preferred vector for somatic gene therapy. They provide high efficiency infection, stable integration and stable expression (Friedman, T. Progress Toward Human Gene Therapy. Science 244:1275 (1989)). The full length FD gene cDNA can be cloned into a retroviral vector driven by its endogenous promoter or from the retroviral LTR. Delivery of the virus could be accomplished by direct implantation of virus directly into the affected tissue.

Other delivery systems which can be utilized include adenovirus, adenoassociated virus (AAV), vaccinia virus, bovine papilloma virus or members of the herpes virus group such as Epstein-Barr virus. Viruses can be, and preferably are, replication deficient.

b. Non-viral gene transfer

Other methods of inserting the FD gene into the appropriate tissues may also be productive. Many of these agents, however, are of lower efficiency than viral vectors and would potentially require infection in vitro, selection of transfectants, and reimplantation. This would include calcium phosphate, DEAE dextran, electroporation, and protoplast fusion. A particularly attractive idea is the use of liposomes (i.e., LIPOFECTIN.TM.), which might be possible to carry out in vivo.

Synthetic cationic lipids and DNA conjugates also appear to show some promise and may increase the efficiency and ease of carrying out this approach.

4. Animal Models

The generation of a mouse or other animal model of FD disease is important for both an understanding the biology of the disease but also for testing of potential therapies.

The present invention envisions the creation of an animal model of FD disease by introduction of the FD disease causing mutations in a number of species including mice, rats, pigs, and primates.

Techniques for specifically inactivating or mutating genes by homologous recombination in embryonic stem cells (ES cells) have been described (Capecci Science 244:1288 (1989)). Animals with the inactivated homologous FD gene can then be used to introduce the mutant or normal human FD gene or for introduction of the homologous gene to that species and containing the T-C, G-C or other FD disease-causing mutations. Methods for these transgenic procedures are well known to those versed in the art and have been described by Murphy and Carter, Curr. Opin. Cell Biol. 4:273-279 (1992)

ILLUSTRATIVE EXAMPLES

The following examples are provided to illustrate certain aspects of the present invention and not intended as limiting the subject matter thereof.

Example 1

Identification of the IKBKAP gene and the mutations associated with FD were obtained as follows:

Patient Samples

Blood samples were collected from two major sources, the Dysautonomia Diagnostic and Treatment Center at New York University Medical Center and the Israeli Center for Familial Dysautonomia at Hadassah University Hospital, with approval from the institutional review boards at these institutions, Massachusetts General Hospital and Harvard Medical School. Either F.A. or C.M. diagnosed all patients using established criteria. Epstein Barr virus transformed lymphoblast lines using standard conditions. Fibroblast cell lines were obtained from the Coriell Cell Repositories, Camden, NJ. RNA isolated from post-mortem FD brain was obtained from the Dysautonomia Diagnostic and Treatment Center at NYU. Genomic DNA, total RNA, and mRNA were prepared using commercial kits (Invitrogen and Molecular Research Center, Inc.). Cytoplasmic protein was extracted from lymphoblasts as previously described (Krappmann et al. 2000).

dentification of IKBKAP and mutation analysis

Exon trapping experiments of cosmids from a physical map of the candidate region yielded 5 exons that were used to screen a human frontal cortex cDNA library. Several cDNA clones were isolated and assembled into a novel transcript encoding a 1332 AA protein that was later identified as IKBKAP (Cohen et al. 1998). The complete 5.9 kb cDNA sequence of IKBKAP has been submitted to GenBank under accession number AF153419. In order to screen for mutations in FD patients, total lymphoblast RNA was reverse transcribed and overlapping sections of IKBKAP were amplified by PCR and sequenced. Evaluation of the splicing defect was performed using the following primers: 18F:

GCCAGTGTTTTTGCCTGAG; 19F: CGGATTGTCACTGTTGTGC; 23R:
GACTGCTCTCATAGCATCGC (Fig. 1).

DNA Sequencing

Sequencing was performed using the AmpliCycle sequencing kit (Applied Biosystems) or on an ABI 377 automated DNA sequencer using the BigDye terminator cycle sequencing kit (Applied Biosystems). The control sequence of the candidate region was obtained by constructing subclone libraries from BACs and sequencing using vector specific primers. The FD sequence was generated by sequencing cosmids from a patient homozygous for the major FD haplotype using sequence specific primers.

Expression Studies

Several human multiple tissue northern blots (Clontech) were hybridized using the following radioactively labeled probes: IKBKAP exon 2, IKBKAP exons 18/19/20, IKBKAP exon 23, and a 400 bp fragment of the IKBKAP 3*UTR immediately following the stop codon. Poly (A)* RNA was isolated from patient and control lymphoblast lines, northern blotted, and hybridized using a probe representing the full coding sequence of IKBKAP. Cytoplasmic protein extracted from lymphoblast cell lines was western blotted and detected using ECL (Amersham) with an antibody raised against a peptide comprising the extreme carboxyl terminus (AA 1313-1332) of human IKAP, the protein encoded by IKBKAP (Krappmann et al. 2000).

To identify DYS, exon trapping and cDNA selection were used to clone and characterize all of the genes in the 471 kb candidate region: EPB41L8 (unpublished data) or EHM2 (Shimizu et al. 2000), C9ORF4 (Chadwick et al. 1999a), C9ORF5 (Chadwick et al. 2000), CTNNAL1 (Zhang et al. 1998), a novel gene with homology to the glycine cleavage system H proteins (CG-8) (unpublished data), IKBKAP (Cohen et al. 1998), and ACTL7A and ACTL7B (Chadwick et al. 1999b). As FD is a recessive disorder, the a priori expectation for the mutation was inactivation of one of these genes. Consequently, each of these were screened for mutations by RT-PCR of patient lymphoblast RNA and direct sequencing of all coding regions. Although many SNPs were identified, there was no evidence for a homozygous inactivating mutation. Thus, it was concluded that the mutation would be found in non-coding sequence and the control genomic sequence of the entire 471 kb candidate region was generated using BACs from a physical map. Direct sequence prediction using GENSCAN and comprehensive searches of the public databases did not reveal any additional genes in the candidate region beyond those found by cloning methods. However, SNPs identified during sequence analysis enabled us to refine the haplotype analysis and narrow the candidate interval to 177 kb shared by the major haplotype and the previously described minor haplotype 1 (Blumenfeld et al. 1999). This reduced interval contains 5 genes, CTNNAL1, CG-8, IKBKAP, ACTL7A and ACTL7B, all previously screened by RT-PCR without yielding a

coding sequence mutation. A cosmid library was constructed from a patient homozygous for the major haplotype, assembled the minimal coverage contig for the now reduced candidate interval, and generated the sequence of the mutant chromosome.

Comparison of the FD and control sequences revealed 152 differences (excluding simple sequence repeat markers), which include 26 variations in the length of dTn tracts, 1 VNTR, and 125 base pair changes. Each of the 125 base pair changes was tested in a panel of 50 individuals known to carry two non-FD chromosomes by segregation in FD families. Of the 125 changes tested, only 1 was unique to patients carrying the major FD haplotype. This T - C change is located at bp 6 of intron 20 in the IKBKAP gene depicted in Figure 1, and is demonstrated in Figure 2A. IKAP was originally identified as an IkB kinase (IKK) complex-associated protein that can bind both NF-kB inducing kinase (NIK) and IKKs through separate domains and assemble them into an active kinase complex (Cohen et al. 1998). Recent work, however, has shown that IKAP is not associated with IKKs and plays no specific role in cytokine-induced NF-kB signaling (Krappmann et al. 2000). Rather, IKAP was shown to be part of a novel multi-protein complex hypothesized to play a role in general transcriptional regulation.

The IKBKAP gene contains 37 exons and encodes a 1332 amino acid protein. The full-length 5.9 kb cDNA (GenBank accession number AF153419) covers 68 kb of genomic sequence, with the start methionine encoded in exon 2. IKBKAP was previously assigned to chromosome 9q34 (GenBank accession number AF044195), but it clearly maps within the FD candidate region of 9q31. Northern analysis of IKBKAP revealed two mRNAs of 4.8 and 5.9 kb (fig. 3a and b). The wild-type 4.8 kb mRNA has been reported previously (Cohen et al. 1998), while the second 5.9 kb message differs only in the length of the 3' UTR and is predicted to encode an identical 150 kDa protein. As seen in figure 3b, the putative FD mutation does not eliminate expression of the IKBKAP mRNA in patient lymphoblasts.

A base pair change at position 6 of the splice donor site might be expected to result in skipping of exon 20 (74 bp), causing a frameshift and therefore producing a

truncated protein. However, initial inspection of our RT-PCR experiments in patient lymphoblast RNA using primers located in exons 18 and 23 (Fig. 1) showed a normal length 500 bp fragment that contained exon 20 (Fig. 4A), indicating that patient lymphoblasts express normal *IKBKAP* message. The Western blot shown in Figure 4B demonstrates that full-length IKAP protein is expressed in these patient lymphoblasts. However, as the antibody used was directed against the carboxyl-terminus of IKAP it would not be expected to detect any truncated protein should it be present. The presence of apparently normal IKAP in patient cells is at odds with the expectation of an inactivating mutation in this recessive disease.

In the absence of any evidence for a functional consequence of the intron 20 sequence change, the only alteration unique to FD chromosomes, additional genetic evidence was sought to support the view that it represents the FD mutation. The 658 FD chromosomes that carry the major haplotype all show the T - C change. In toto, 887 chromosomes have been tested that are definitively non-FD due to their failure to cause the disorder when present in individuals heterozygous for the major FD haplotype. None of these non-FD chromosomes exhibits the T - C mutation, strongly indicating that it is not a rare polymorphism. The frequency of the mutation in random AJ chromosomes was 14/1012 (gene frequency 1/72; carrier frequency 1/36), close to the expected carrier frequency of 1/32 (Maayan et al. 1987).

In view of the strong genetic evidence that this mutation must be pathogenic, it was postulated that its effect might be tissue-specific. RNA extracted from the brain stem and temporal lobe of a post-mortem FD brain sample was therefore examined. In contrast to FD lymphoblasts, RT-PCR of the FD brain tissue RNA using primcrs in exons 19 and 23 (expected to produce a normal product of 393 bp) revealed a 319 bp mutant product, indicating virtually complete absence of exon 20 from the IKBKAP mRNA (Fig. 5, lanes 10-11). As additional FD autopsy material could not be obtained, intensive analyses of additional lymphoblast and fibroblast cell lines were performed to determine whether exon-skipping could be detected. Fibroblast lines from homozygous FD patients yielded variable results. Some primary fibroblast lines displayed approximately equal expression of the mutant and

wild-type mRNAs while others displayed primarily wild-type mRNA. In addition, extensive examination of additional patient lymphoblast lines indicated that the mutant message could sometimes be detected at low levels. An example of the variability seen in FD fibroblasts and the presence of the mutant message in some FD lymphoblasts is shown in Figure 5. In fact, close re-examination of figure 4a shows a trace of the mutant band in 2 (lanes 1 and 2) of the 3 FD samples. The absence of exon 20 in the FD brain RNA and the preponderance of wild-type mRNA in fibroblasts and lymphoblasts indicate that the major FD mutation acts by altering splicing of IKBKAP in a tissue-specific manner.

To identify the mutations associated with minor haplotypes 2 and 3, (Blumenfeld et al. 1999) we amplified each *IKBKAP* exon, including adjacent intron sequence, from genomic DNA. A single G – C change at bp 2397 (bp 73 of exon 19) that causes an arginine to proline missense mutation (R696P) was identified in all 4 patients with minor haplotype 2 (fig. 2b). This was subsequently confirmed by RT-PCR in lymphoblast RNA as shown in figure 2c for a region that crosses the exon 19-20 border. The PCR product, generated from an FD patient who is a compound heterozygote with minor haplotype 2 and the major haplotype, clearly shows that RNA is being expressed equally from both alleles based on heterozygosity of the G – C point mutation in exon 19. However, the RNA from the major haplotype allele shows no evidence for skipping of exon 20 which would be expected to produce a mixture of exon 20 and 21 sequence beginning at the end of exon 19. This confirms our previous observation that lymphoblasts with the major FD mutation produce a predominance of normal *IKBKAP* transcript.

The R696P mutation is absent from 500 non-FD chromosomes, and it has been seen only once in 706 random AJ chromosomes in an individual who also carries the minor haplotype. This mutation is predicted to disrupt a potential threonine phosphorylation site at residue 699 identified by Netphos 2.0 (Blom et al. 1999), suggesting that it may affect regulation of IKAP. Interestingly, the presence of this minor mutation is associated with a relatively mild disease phenotype, suggesting that a partially functional IKAP protein may be expressed from this

allele. No mutation has been identified for minor haplotype 3, which represents the only non-AJ putative FD chromosome.

Example 2- FD Diagnostic Assays

As discussed above, the allele-specific oligonucleotide (ASO) hybridization assay is highly effective for detecting single nucleotide changes in DNA and RNA, such as the T-C or G-C mutations or sequence variations, especially when used in conjunction with allele-specific PCR amplification. Thus, in accordance with the present invention, there is provided an assay kit to detect mutations in the FD gene through use of a PCR/ASO hybridization assay.

PCR Amplification

Genomic DNA samples are placed into a reaction vessel(s) with appropriate primers, nucleotides, buffers, and salts and subjected to PCR amplification.

Suitable genomic DNA-containing samples from patients can be readily obtained and the DNA extracted therefrom using conventional techniques. For example, DNA can be isolated and prepared in accordance with the method described in Dracopoli, N. et al. eds. Current Protocols in Human Genetics pp. 7.1.1-7.1.7 (J. Wiley & Sons, New York (1994)), the disclosure of which is hereby incorporated by reference in its entirety. Most typically, a blood sample, a buccal swab, a hair follicle preparation, or a nasal aspirate is used as a source of cells to provide the DNA.

Alternatively, RNA from an individual (i.e., freshly transcribed or messenger RNA) can be easily utilized in accordance with the present invention for the detection of the FD2 mutation. Total RNA from an individual can be isolated according to the procedure outlined in Sambrook, J. et al. Molecular Cloning—A Laboratory Manual pp. 7.3-7.76 (2nd Ed., Cold Spring Harbor Laboratory Press, New York (1989)) the disclosure of which is hereby incorporated by reference.

In a preferred embodiment, the DNA-containing sample is a blood sample from a patient being screened for FD.

In amplification, a solution containing the DNA sample (obtained either directly or through reverse transcription of RNA) is mixed with an aliquot of each of dATP, dCTP, dGTP and dTTP (i.e., Pharmacia LKB Biotechnology, N.J.), an aliquot of each of the DNA specific PCR primers, an aliquot of Taq polymerase (i.e., Promega, Wis.), and an aliquot of PCR buffer, including MgCl.sub.2 (i.e., Promega) to a final volume. Followed by pre-denaturation (i.e., at 95.degree. C. for 7 minutes), PCR is carried out in a DNA thermal cycler (i.e., Perkin-Elmer Cetus, Conn.) with repetitive cycles of annealing, extension, and denaturation. As will be appreciated, such steps can be modified to optimize the PCR amplification for any particular reaction, however, exemplary conditions utilized include denaturation at 95.degree. C. for 1 minute, annealing at 55.degree. C. for 1 minute, and extension at 12.degree. C. for 4 minutes, respectively, for 30 cycles. Further details of the PCR technique can be found in Erlich, "PCR Technology," Stockton Press (1989) and U.S. Pat. No. 4,683,202, the disclosure of which is incorporated herein by reference.

In a preferred embodiment, the amplification primers used for detecting the T-C mutation and the G-C mutation in the FD gene are 5'-GCCAGTGTTTTTGCCTGAG - 3' / 5'-GACTGCTCTCATAGCATCGC-3' and 5'-CGGATTGTCACTGTTGTGC-3' / 5'-GACTGCTCTCATAGCATCGC-3, respectively.

Hybridization

Following PCR amplification, the PCR products are subjected to a hybridization assay using allele-specific oligonucleotides. In a preferred embodiment, the allele-specific oligonucleotides used to detect the mutatons in the FD gene are as follows:

5'- AAGTAAG(T/C)GCCATTG- 3' and 5'- GGTTCAC(G/C)GATTGTC.

In the ASO assay, when carried out in microtiter plates, for example, one well is used for the determination of the presence of the normal allele and a second well is used for the determination of the presence of the mutated allele. Thus, the results for an individual who is heterozygous for the T-C mutation (i.e. a carrier of FD) will show a signal in each of the wells, an individual who is homozygous for

the T-C allele (i.e., affected with FD) will show a signal in only the C well, and an individual who does not have the FD mutation will show only one signal in the T well

In another embodiment, a kit for detecting the FD mutation by ASO assay is provided. In the kit, amplification primers for DNA or RNA (or generally primers for amplifying a sequence of genomic DNA, reverse transcription products, complementary products) including the T-C mutated and normal alleles are provided. Allele-specific oligonucleotides are also preferably provided. The kit further includes separate reaction wells and reagents for detecting the presence of homozygosity or heterozygosity for the T-C mutation.

Within the same kit, or in separate kits, oligonucleotides for amplification and detection of other differences (such as the G-C mutation) can also be provided. If in the same kit as that used for detection of the T-C mutation, separate wells and reagents are provided, and homozygosity and heterozygosity can similarly be determined.

In another embodiment a kit combining other diseases (i.e., Canavan's)

Example 3- FD Diagnostic: Other Nucleotide Based Assays

As will be appreciated, a variety of other nucleotide based detection techniques are available for the detection of mutations in samples of RNA or DNA from patients. See, for example, the section, above, entitled "Nucleic Acid Based Screening." Any one or any combination of such techniques can be used in accordance with the invention for the design of a diagnostic device and method for the screening of samples of DNA or RNA for FD gene mutations in accordance with the invention, such as the mutations and sequence variants identified herein. Further, other techniques, currently available, or developed in the future, which allow for the specific detection of mutations and sequence variants in the FD gene are contemplated in accordance with the invention.

Through use of any such techniques, it will be appreciated that devices and methods can be readily developed by those of ordinary skill in art to rapidly and accurately screen for mutations and sequence variants in the FD gene in accordance

with the invention.

Thus, in accordance with the invention, there is provided a nucleic acid based test for FD gene mutations and sequence variants which comprises providing a sample of a patient's DNA or RNA and assessing the DNA or RNA for the presence of one or more FD gene mutations or sequence variants. Samples of patient DNA or RNA (or genomic, transcribed, reverse transcribed, and/or complementary sequences to the FD gene) can be readily obtained as described in Example 2. Through the identification and characterization of the FD gene as taught and disclosed in the present invention, one of ordinary skill in the art can readily identify the genomic, transcribed, reverse transcribed, and/or complementary sequences to the FD gene sequence in a sample and readily detect differences therein. Such differences in accordance with the present invention can be the T-C or G-C mutations or sequence variations identified and characterized in accordance herewith. Alternatively, other differences might similarly be detectable.

Kits for conducting and/or substantially automating the process of identification and detection of selected changes, as well as reagents utilized in connection therewith, are therefore envisioned in accordance with the invention of the present invention.

As discussed above, through knowledge of the gene-associated mutations responsible for FD disease, it is now possible to prepare transgenic animals as models of the FD disease. Such animals are useful in both understanding the mechanisms of FD disease as well as use in drug discovery efforts. The animals can be used in combination with cell-based or cell-free assays for drug screening programs.

EXAMPLE 4- Creating Animal Models of FD

The first step in creating an animal model of FD is the identification and cloning of homologs of the IKBKAP gene in other species.

Isolation of Mouse cDNA Clones

The human IKBKAP sequence (GenBank Accession No. AF153419) was used to search the mouse expressed sequence tag database (dbEST) using the BLAST

program (www.ncbi.nlm.nih.gov/BLAST). A single 5' EST from a mouse brain library (GenBank Association No. AU079160) was identified that showed marked similarity to the 5' end of IKBKAP. The corresponding cDNA clone, MNCB-3931, was obtained from the Japanese Collection of the Research Bioresource/National Institute of Infectious Disease. In addition, eight EST's that were similar to the 3' end of the ORF were found to belong to UniGene cluster Mn.46573 (www.ncbi.nlm.nih.gov/Unigene). Examination of this cluster yielded several poly (A+)- containing clones, and we obtained the clone U1-M-CG0p-bhb-g-07-0-U1 (GenBank Accession No. BE994893) from Research Genetics.

RT-PCR Analysis

RNA (1 ug/ml from BALB/c mouse brain was obtained commercially (Clontech). Oligo-dT 15 and random hexamer primers were annealed to the template at 65° C for 10 min in the presence of 1X first-strand buffer, 2mM dNTP mix, and 4 mM DTT. The reaction mixture was incubated at 42° C for 90 min after addition of Suuperscript TM II RT (200 U/uI) and Rnase inhibitor (80 U/uI) (GIBCO).

DNA Sequencing and Analysis

DNA sequencing was performed using the AmpliCycle sequencing kit (Applied Biosystems) for the 33 [P]-labeled dideoxynucleotide chain termination reaction, using the following conditions: 30 sec at 94° C, 30 sec at 60° C, and 30 sec at 72° C for 30 cycles. The radioactively labeled sequence reaction product was denatured at 95° C for 10 min and run on a denaturing 6% polyacrylamide gel for autoradiography. Basic sequencing manipulations and alignments were carried out using a program from Genetics Computer Group (GCC; Madison, WI). The cDNA sequence generated throughout the experiments were aligned and assembled into a 4799-bp cDNA named Ikbkap.

Isolation of Full-Length cDNA

To obtain the full-length cDNA sequence, PCR was performed on the mouse cDNA template using primers designed from the sequence of the 5' - and 3' -cDNA

clones. The PCR conditions were as follows: 15 sec at 95° C, 30 sec at 54° C to 60° C, and 3 min at 68° C for 9 cycles; then 15 sec at 95° C, 30 sec at 54 to 60° C, and 3 min with increment of 5 sec for each succeeding cycle at 68 C for 19 cycles, followed by 7 min at 72° C. The PCR products were electrophoresed on a 1% agarose gel stained with ethidium bromide and were cleaner using a Qiaquick PCR cleaning kit (Qiagen) in the preparation for cycle sequencing. Successive primers were designed in order to obtain the full-length Ikbkap sequence, which was deposited in GenBank under Accession No. AF367244.

Northern Blot Analysis

Expression of Ikbkap was examined using both mouse embryo and adult mouse multiple tissue Northern blots (Clontech). The blots were probed with a 1045-bp PCR fragment that contains exons 2 through 11, which was generated using primer 1 (5' -GGCGTCGTAGAAATTGC-3') and primer 2 (5' - GTGGTGCTGAAGGGGCAGGC-3'). The probe was radiolabeled (Sambrook et al., 1989) and was hybridized according to the manufacturer's instructions.

Chromosome Mapping of the Mouse Ikbkap Gene

Several of the mouse Ikbkap ESTs belogned to the Unigene cluster Mn.46573, which has been mapped to chromosome 4 (UniSTS entry: 253051) between D4Mit287 and D4Mit197. To assess synteny between mouse chromosome 4 and human chromosome 9, we used several resources available at NCBI (www.nbci.nlm.nih.gov/Homology).

Determination of Genomic Structure of the Mouse Ikbkap

The 37 human IKBKAP exons were searched against the Celera database to obtain homologous mouse sequences. Approximately 130 mouse genomic fragements (500-700 bp) were obtained using the Celera Discovery System and Celera's associated database, and these fragements were assembled into seven contigs. In order to assemble the coomplete genomic sequence, we obtained six mouse bacterial artificial chromosomes (BACs) from Researcg Genetics after they

screened an RPCI-23 mouse library using 4300bp human probe that contained exon 2. To verify that these BAC clones contained the entire lkbkap gene, we amplified fragments from the 5' and 3' ends of the gene, as well as a fragment from the 3' flanking gene Act17b (Slaugenhaupt et al., 2001) We designed primers at the ends of each of the seven contigs constructed from the Celera data and generated PCR products from the BACs. Subsequently, we sequenced and closed five of the gaps, with the resulting two contigs assembled and deposited to Celera (Accession No. CSN009).

Creating a Targeting Vector

After cloning and sequencing the mouse homolog of the human IKBKAP gene, a targeting vector can then be constructed from the mouse genomic DNA. The targeting vector would consist of two approximately 3 kb genomic fragments from the mouse FD gene as 5' and 3' homologous arms. These arms would be chosen to flank a region critical to the function of the FD gene product (for example, exon 20).

In place of exon 20, negative and positive selectable markers can be placed, for example, to abolish the activity of the FD gene. As a positive selectable marker a neo gene under control of phosphoglycerate kinase (pgk-1) promoter may be used and as a negative selectable marker the 5' arm of the vector can be flanked by a pgk-1 promoted herpes simplex thymidine kinase (HSV-TK) gene can be used.

The vector is then transfected into R1 ES cells and the transfectants are subjected to positive and negative selection (i.e., G418 and gancyclovir, respectively, where neo and HSV-TK are used). PCR is then used to screen for surviving colonies for the desired homologous recombination events. These are confirmed by Southern blot analysis.

Subsequently, several mutant clones are picked and injected into C57BL/6 blastocytes to produce high-percentage chimeric animals. The animals are then mated to C57BL/6 females. Heterozygous offspring are then mated to produce homozygous mutants. Such mutant offspring can then be tested for the FD gene mutation by Southern blot analysis. In addition, these animals are tested by RT-PCR

to assess whether the targeted homologous recombination results in the ablation of the FD gene mRNA. These results are confirmed by Northern blot analysis and RNase protection assays.

Once established, the FD gene-/-mice can be studied for the development of FD-like disease and can also be utilized to examine which cells and tissue-types are involved in the FD disease process. The animals can also be used to introduce the mutant or normal FD gene or for the introduction of the homologous gene to that species (i.e., mouse) and containing the T-C or G-C mutations, or other disease causing mutations. Methods for the above-described transgenic procedures are well known to those versed in the art and are described in detail by Murphy and Carter supra (1993).

The techniques described above, can also be used to introduce the T-C or G-C mutations, or other homologous mutations in the animal, into the homologous animal gene. As will be appreciated, similar techniques to those described above, can be utilized for the creation of many transgenic animal lines

To the extent that any reference (including books, articles, papers, patents, and patent applications) cited herein is not already incorporated by reference, they are hereby expressly incorporated by reference in their entirety.

While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modification, and this application is intended to cover any variations, uses, or adaptations of the invention following, in general, the principles of the invention and including such departures from the present disclosure as come within known or customary practice in the art to which the invention pertains and as may be applied to the essential features hereinbefore set forth, and as fall within the scope of the invention and the limits of the appended claims.

WE CLAIM:

- An isolated and purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of:
 - (a) the nucleic acid sequence in Figure 6;
- (b) the nucleic acid sequence in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide;
- (c) the nucleic acid sequence in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;
- (d) the nucleic acid sequence in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;
 - (e) the nucleic acid sequence in Figure 7;
- (f) the nucleic acid sequence in Figure 7, wherein the guanine nucleotide at position 2397 is replaced by a cytosine nucleotide.
- An isolated and purified nucleic acid molecule according to claim 1, wherein the nucleic acid molecule has the nucleic acid sequence shown in Figure 6.
- An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide.
- 4. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide.
- An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6,

wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide.

- An isolated and purified nucleic acid molecule according to claim 1, wherein the nucleic acid molecule has the nucleic acid sequence shown in Figure 7.
- 7. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 7, wherein the guanine nucleotide at position 2397 is replaced by a cytosine nucleotide.
- 8. An isolated polypeptide comprising the amino acid sequence in Figure 8.
- An isolated polypeptide comprising the amino acid sequence in Figure 8, wherein the arginine at position 696 is replaced by a proline.
- A recombinant vector comprising a nucleic acid molecule according to claim 1.
- 11. The recombinant vector according to claim 10, wherein said nucleic acid molecule is operably linked to an expression control sequence suitable for expression of said nucleic acid sequence in a host cell.
- 12. A host cell comprising the recombinant vector according to claim 11, wherein said host cell is selected from a group comprising a strain of E.coli, Pseudomonas, Bacillus subtilis, Bacillus stearothermophilus, or other bacilli, other bacteria, yeast, other fungi, insect cells, plant cells, or murine, bovine, porcine, human or other mammalian cells.


- A method of producing a wild-type IKAP polypeptide, comprising:
- (a) culturing a host cell transformed with a vector of claim 10 containing a DNA molecule encoding for a wild-type IKAP polypeptide in a cell culture medium under conditions whereby the IKAP polypeptide is expressed, and
 - (b) isolating the thus-produced wild-type IKAP polypeptide.
 - 14. A method of producing a mutant IKAP polypeptide, comprising:
- (a) culturing a host cell transformed with a vector of claim 10 containing a DNA molecule encoding a mutant IKAP polypeptide in a cell culture medium under conditions whereby the mutant IKAP polypeptide is expressed, and
 - (b) isolating the thus-produced mutant IKAP polypeptide.
- A method of screening a subject to determine if said subject has a mutation associated with FD, comprising:
- (a) providing a biological sample containing the DNA of the subject to be screened;
 - (b) detecting FD mutations in said biological sample.
- 16. The method according to claim 15, wherein the FD mutation is a T-C mutation at position 34,201 in the DNA sequence of Figure 6.
- The method according to claim 15, wherein the FD mutation is a G-C mutation at position 33,714 in the DNA sequence of Figure 6.
- The method according to claim 15, wherein the FD mutation is a T-C mutation at position 34,201 and a G-C mutation at position 33,714.
- 19. The method according to claim 15, wherein the FD mutation is detected by an allele-specific oligonucleotide hybridization assay.


- The method according to claim 15, wherein the DNA from said biological sample is amplified using oligonucleotide primers flanking the mutation.
- The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 18F and 23R.
- The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 19F and 23R.
- The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 18F, 19F and 23R.
- The method according to claim 23, wherein the amplified DNA is screened for FD mutations using an allele-specific oligonucleotide hybridization assay.
- The method according to claim 24, wherein the hybridization assay is accomplished using probes that span the T-C mutation at nucleotide position 34,201 in the IKBKAP gene.
- The method according to claim 24, wherein the hybridization assay is accomplished using probes that span the G-C mutation at nucleotide position 33,714 in the IKBKAP gene.
- 27. The method according to claim 24, wherein the hybridization assay is accomplished using probes selected from the following sequences:
 - (a) 5'- AAGTAAG(T/C)GCCATTG- 3', and
 - (b) 5'- GGTTCAC(G/C)GATTGTC-3'.
- 28. The method according to claim 15, wherein the FD mutation is detected by method selected from the group consisting of:

- (a) restriction-fragment-length-polymorphism detection based on allele-specific restriction-endonuclease cleavage,
- (b) hybridization with allele-specific oligonucleotide probes including immobilized oligonucleotides or oligonucleotide arrays,
 - (c) allele-specific PCR, mismatch-repair detection (MRD),
 - (d) binding of MutS protein,
 - (e) denaturing-gradient gel electrophoresis (DGGE),
 - (f) single-strand-conformation-polymorphism detection,
 - (g) RNAase cleavage at mismatched base-pairs,
 - (h) chemical or enzymatic cleavage of heteroduplex DNA,
 - methods based on allele specific primer extension,
 - (j) genetic bit analysis (GBA),
 - (k) oligonucleotide-ligation assay (OLA),
 - (l) allele-specific ligation chain reaction (LCR)
 - (m) gap-LCR, and
 - (n) radioactive and/or fluorescent DNA sequencing.
- 29. A kit for assaying for the presence of an FD mutation in an individual comprising at least one oligonucleotide probe capable of detecting the FD1 mutation or the FD2 mutation.
- 30. A kit according to claim 29, further comprising primers capable of amplifying the region containing said mutations.
 - 31. A kit according to claim 30, wherein said primers are 18F and 23R.
 - 32. A kit according to claim 30, wherein said primers are 19F and 23R
- A kit according to claim 30, wherein said primers are 18F, 19F and

- 34. A kit according to claim 29, further comprising an oligonucleotide probe which specifically hybridizes to one or more additional mutant or wild-type genes, wherein said additional gene codes for a protein associated with an additional genetic disease.
- 35. A kit according to claim 34, wherein the additional genetic disease is selected from the group comprising: Canavan's disease, Tay-Sachs disease, Goucher disease, Cystic Fibrosis, Fanconi anemia, and Bloom syndrome.
- 36. A method of detecting a FD mutation in a sample, comprising isolation of RNA from a tissue sample, amplifying the RNA using primers in exons 19 and 23; determining whether said sample contains a mutant product or a wild-type product, wherein the identification of a mutant product indicates the presence of an FD mutation in said sample.
- 37. The method according to claim 36, wherein said RNA is isolated from neuronal tissue.
- A method of detecting a FD mutation in a sample, comprising the utilization of an antibody capable of detecting a truncated protein product that is indicative of FD.
- 39. A method of producing a transgenic animal expressing a mutant IKAP mRNA comprising:
- (a) introducing into an embryonal cell of an animal a promoter operably linked to the nucleotide sequence containing a mutation associated with FD:
- (b) transplanting the transgenic embryonal target cell formed thereby into a recipient female parent; and
- (c) identifying at least one offspring containing said nucleotide sequence in said offspring's genome.

- The method according to claim 39, wherein said mutation is the FD1 mutation.
- 41. The method according to claim 39, wherein said mutation is the FD2 mutation.
- The method according to claim 15, further comprising a determination of whether said individual is homozygous or heterozygous for said mutation.
- 43. An oligonucleotide for detecting a mutation associated with FD, said oligonucleotide having a sequence selected from sequences which detect an FD mutation or bind to a region flanking said FD mutation.









FIG. 4A





FG. 5

FIGURE 6

IKBKAPgenomic.seq Length: 66479

1 CCAGTGCTGC GGCTGCCTAG TTGACGCACC CATTGAGTCG CTGGCTTCTT 51 TGCAGCGCTT CAGCGTTTTC CCCTGGAGGG CGCCTCCATC CITGGAGGCC 101 TAGTGCCGTC GGAGAGAGAG CGGGAGCCGC GGACAGAGAC GCGTGCGCAA 151 TTCGGAGCCG ACTCTGGGTG CGGACTGTGG GAGCTGACTC TGGGTAGCCG 201 GCTGCGCGTG GCTGGGGAGG CGAGGCCGGA CGCACCTCTG TTT GGGGGTC 251 CTCAGGTAAG CGATCCATCC AGGGTAGGGG CACGGGAGTG GACCTCTCCG 301 CCGGCGGTGT CCGGGTGAAG GAGACCCGGA GCCTCCTCTG CCTGCTGCGG 351 GCCGGGGACT GGAGTGCGGG CTGCACCACC TCTTTCCTAG AGCCTTAAAT 401 TCTTTTTGCA GCCTTGCCAC CTGCTCCATC GGGGGCGCTG GGAG GCGCGA 451 CAGCCCAGGG ATGCCTGCTG CCCCTCCAGC CGGACTTAAC CCAGCCTCTT 501 GATTGCTTGC AGGGGGTTGA TAATAACGCT GAAAGCGAGA GTAT TAATTC 551 ACGATGGAAG GCGGCGGTTA ATAGAGGCTC GGGTGCTGTG GTG CGGGTCC 501 TITCTCGCGT GTGAGACTTT TTCGTGGAGG TGGTGTCCTC TGTGCTTCTC 651 CATCTAACGT GGTGTTTTAC GTGGCTTTCT CTCCCGTTAA CGATGATCTC 701 CGTGGAGACA GTGGCTGAGT AATCTTCAGA TCCCAGTACT TAGC AAGTGC 751 TCAGTCGGTG TTGGATGTAG GCCACAAACC GGATCGTAAA GAATTCAACT 801 GTATATTGAC AGCCACGGAA CTAATCAATG AATAGATCCG TATGAAGAGT 851 AAGCAAAAG GCAGCAAAGA CAGTTTTTCA GCTTGGGGAC ATAGAGTAGA 901 AATGGTCTGT CCCCAAATAG TGGGAACTGT CATTTGGGGG AAGAATAGCA 951 AGTTCTTTGC TTTCCAGGTC GCATTTGATG TGCATGTGAG ACATGCTTGT 1001 GATTCTATCA GGAGGTTGAA AATGTGGGTT TAGTGGTAAG TITTGGGCTAA 1051 TTCAGTCAGG GCTAGGCATT TAGGCCTAAT CAGCGTATTG GTGATCTACC 1101 TGGTATATGT AATCATGCAT GTGATGTCTA GCCAAGAGGT GGATAGTCGA 1151 AGGAGCAAGG GAAGAAAATG AAGCAGTTAT CAGGAAATTA AGAGAGAATC 1201 CACGATTGAC CTTTGGTGTG GAGGGATCTT TAGCACATTT AAGAACTGCG

	AAGAGTTTGA ATCAGTGGAG GCAGGAAGGT TGGAGGTTGC AGATG TCCAA
	GAAAGAGTAC TAATAGGCCT AGGTCCTGTG GCAATATGGA GGATATTCCT
	TTCCTAGCCT GGAAAGAAGT GGAGGGAAGT CTTCCTCCGA GAAGA TAAGG
401	GAATAAGGCT GATGGGTGTG AAATTTCAGA GAAACTAGTT TTGAGGCGTT
1451	TTTATGATGT TTAAAGATGA AAAACGAGCA GGCACGGTGG CTCAGGCCTG
1.01	TAATCCCAGC ACTITIGGGAG GCAGAGGCGG GTGGATCACT TGAGGTTAGG
	AGTTCAAGAA CAGCCTGGGC AACATGGTGA AACCCTGTCT CTACT.AAAAA
1601	Tacaaaaatt aactgggcat ggtgccgggc gcctgtaatc ccagc tactc
1651	CGGAGGC*GA GGCAGGAGAA TCGCTTGAAC CCGGAAGGCA GATGTTGCGC
17	TGAGCCGAGA TCGCGCCATT GCACCCCAGC CTGGGCAATA AGAG CGAAAC
. 1	TCCGTCTCAA AAAACAAAAA AACCTGCATG ATATGTTAGA GGTTCAAGTA
1801	ATTTCTAGCA GTTCTTGAAT ATAATTGTCA CCAAAACTTA CTAAAATCAT
851	TGTCTTCCTC ACTTCCATCA TATATAAACT TACCTTTCTC TTATCCCACA
1901	TTATATATTA TATAATTCCT ATGACACTTG ACATTATCTT CTGTGTA.CTA
1951	TTAGGATTGA TTCATCTTTA TTCTTTCTAT GTCATACATA TGTGGGGTGC
2001	CAAGATGAGA GAAGTCTCCT TGGATTAAAG TGACAATAAG ACCGGTGTGG
2051	TCCTTGTAAT TGCTACCCCT AACATAAGTT AGGGACTTAC AATCA TAAGC
2101	CTTAAAGGGA TCTGAATATA AATAACTAGC ACAGTAACAT TTTTTTCCCC
2151	TACTTAGGTA ATGTTATGCA TITAAGCAAG CCTGATTTTG CCAGA CCAAA
2201	GTAGATGTCT TGTTTAGCAC TCTTTTCTCA CGTTTTATAT TGTCCT GGGA
2251	AAAGCCTGGC CAGAAGAACA AAGTTACTGG AAGTAGTTAT GTCAGGTCAT
2301	CAGGGTCCTT GAAATGTTGG TCATCATTTT GAAGTAAATT GTTGTCATGT
2351	CCCAGTATTT TCTCTTCCCC TTTAGAACAG TAAATGCTTT TCTAT CTTTG
2401	ATTTCAGTTT TTTTATGAAT GTATAAAACC AGTTTATAAA TGAATA.GACC
2451	TGGTGAATAT TAAAGTCATT TCAGATTCTC TTCAACTGCC AGTATATAAA
	AATGGATTTT CAAATAGTGC TAATCAGTGG GATACCCTTT TGTTTTTCCT
	CATGATTITA TAAAGATGTC CTAATATGCA AAAATAAAAT GTTTC CCCAT
	TO THE STANCE OF COMMANDER A TARCTON TATAL TACATOTTT

2651 TTGAAGAAA CATTCTAAAG TTGAGAATCT TGCCTCTCCT AAAAGAACA 2701 TAAAATAGGT TTCAGAATTC CTAATTTGTA GACCATAACT GTATAG AGTG 2751 GGTCAGGTTG CTGCTATAAT CCATACATGG GTGTGTACTC AGAGAGGTAA 2801 GTTTTTCTT TTCTTGGTTA TTCTGATTCT GACTACCACT TCTTCACCCC 2851 CTGAATCATT TCATTTAAAT AAATATGGTC ATTTATCACT ATTAAGCTAT 2901 TTATTTTCT CTTAGAGATT AATGATTCAT CAAGGGATAG TTGTAC TTGT 2951 CTCGTGGGAA TCACTTCATC ATGCGAAATC TGAAATTATT TCGGA CCCTG 3051 AACTGAACAG GGGACGGTGC TCATTGGTTC AGAACATGGC CTGATAGAAG 3101 TAGACCCTGT CTCAAGAGAA GTAAGTTACT GATGTAGAAT GCCAGCATGT 3151 GGGTATGACC CTTGATTTCT CTTCTTCCAA ATTTCTTTCC CCACA TGGTC 3201 TITCTTTATA TCTTATTGAA TITATATCCT CCCAAATAAA CATCITTTGC 3251 TTCATATATA TGCCATGTTA GACATAGCTT AAATCGTAAT CCTTCTTTAA 3301 CTCTGCTGCT ATTITAACCT AAGTCAGTAG AACTCTGACC TTACT TTTTG 3351 AGTGTGTGCC GTACTTTTA CCCTCTTTGT CATGCAAATT CTGTT TATAA 3401 GAGTGGTTTT TTTTTTTTT TTTTTGAGAC GGAGTCTCGC TCTGT CACCC 3451 AGGCTGGAGT GCAGTGGTGT GATCGTGGCT CACTGCAAGC TCCGCCTCCC 3501 CGGGTTCACA CCATTCTCCT GCCTCAGCCT CCCGAGAAGC TGGGACTACA 3551 GGCGCCGCC ACCGCGCCCG GCTAATTTTT TGTATTTTTA GTAGATGTGC 3601 GGTTTCACCG TGTTAGCCAG GATGGTCTTG ATCTCCTGAC CTCGTGATCC 3651 GCCTGCCTCA GCGCCCGGCC AAGAGTGGTT TTTAATTGGG AAT GAACACG 3701 AAAGTTGCCC ATGGAGCTTT CTAAAAGTTT GAGCCCACAT CTCATGTCAA 3751 CTAAATCAGA ATCTTTAGTG TTGGCTCCTA ACTATATGTA CTTTAAAAAC 3801 CTCTGTGGGT TGGTTTTGAT ATGGTCCCTT GATTATGTTC TTCT.ACTAAT 3851 ACATTITAGG CAGTTACATC CTTTAGTGCC TTTTCCCCAT ACTA TAGAAA 3901 TCTTAGAAAA GCATAGCTAT TAGCATCATA TTTTAGTGGA CAAT TTTAAA 3951 GAGACCAGGC TTATTGTTTT TGTTTTTGTG TTTGTTTGGC AAAA AGGTCA 4001 CATTACCTAT TITTCTTGTT AGAGATGACA GAGTAGTGAT ATTTCTCAAA

4051 TGAAAGTTTG GATTTTCATC TAGAAAAAAT ATTTTTGAAA GCTTTTATGT 4101 AATAAAAGAA GCATTAAAAA GTATTTCTGG AAATGTTATC AATTAT TCTT 4151 GAAAGTAGAC TGGGTTAATT TGCTTGTGTT TACTTTGGTG AAAGGTGAAA 4201 AATGAAGTTT CTTTGGTGGC AGAAGGCTTT CTCCCAGAGG ATGGAAGTGG 4251 CCGCATTGTT GGTGTTCAGG ACTTGCTGGA TCAGGAGTCT GTGTGTGTGG 4301 CCACAGCCTC TGGAGACGTC ATACTCTGCA GTCTCAGCAC ACAA CAGGTA 4351 AGTGGAAGAC TCCAGTGAGG GGGGAGTCTC AAGCATCCTC AAATAGGTTA 4401 CTTGCTATTT GTGGAAGTTT TCAAATCAGT AGCCATAATA GTTACACTTT 4451 TGCTAATTAA TTTTTGCATT ATATATTTCT TTATTTAAAA AATTGTTAAC 4501 ATGGCTTTAT CTATATGTTA AGATTCTTCT AAAACTGAGT TTTGTCTGCT 4551 GCATCTATTA ATCAGAGTGA TCAGAATGTT CCAAATGAGA ATATATTTTT 4601 TTAAAAGTTA AAACTGGCTA TTCTTATGTG GTGTAGATCA CCTCTTATCA 4651 GACCCTCATC TTGAGTTGCA ACCTTTGTTT CTCAATTTAG GAAGTCTTTG 4701 TITATCTGAC TTAGATTTTC TGTTATGAAT GTTGATTGGC TAAATT TAGA 4751 GTCCCTGAAG TCTAGGCACT AAAGTAAATA CATTGTCATT ACCTGCACAT 4801 GTGATGACTG CCAGTAGAGC TAGACTTCAA GCAATTGCTT CTTTCTCTAC 4851 TITAGTGTAT AGTTGAGTTT CTGATTTCTA TCCTCACCTT CTTAACAGCA 4901 AGGGTTTCAA ATTACACTTG GCTGATTCTT TAAATCTTCT TCCAT TACTT 4951 CATTAGTTGT GATCTCCTTA ACATTGATTA TGTCACAGAA GTTAGAGTAT 5001 TACTAATAGT AGGATAATGA TAGCAGCTTA CATTTATTAA CTATCATGTG 5051 CCTGGCACTT TITAAAGTGC TTTTCATGCA AATTTATTTA ATCTTCACCA 5101 TGACCTTATG CAGTAGGTTG TTGTTTCCTA TTCTTCAGAA GAGGCAGTTA 5151 AGGCACAGAG TGCTTAAGTA ATTAGACCAG GGTCACACAG TAATCAAATG 5201 GGGTTTGACC CTAGCAGTCT AAATCTGGCA CCTCTGCTCT TAACCATTCC 5251 ATTTAGTACA ATCATAAACC TTTACTTGCA GTTCATGGTG GGAAATATCA 5301 AACTTGTCAT ATACAGCTTG TTTTTTTTC GTATTTGAAA GATAGATGCT 5351 TITACTTTCC AAACATTTTG TAGCATTGTT TCCTGGTTAC TGAGCTCTTC 5401 CAGTCTATTT ATCTTCATTT AATGGTGCTG ATTCTGCCCT TTAGTGGCTT

5451 CTCAATTGTC TGAAAGGTAG AGCCCACTAT TGTGCCTTAT AAGCCC CTTT 5501 CACTATCTGT TCCCCACATT CCTTTTTAGC CTCATCCCCC CATTGTTCCT 5551 GTGTGTACGT AAACCTTATG TTTTAGTTGC AGCTGATTTT TAACTGCTCT 5601 TTTTTCTGGC TTTGTGCCTC TACACTGTGT TTTCTTCCTG GTCTCTCTTT 5651 CCTGTCCTTA TTACCACTCT TTGAAACACG TCAGAAAAAC TTTTTCTGGA 5701 CTTTGGGCCA CTTGTCATTC CCTGTGCTGA GACGCATTTT GCTTTCCAGA 5751 GATCTTGGTC ATTGCTGTTA TCCTCTGTAG GGTCTTCTTT TATCTCCCTC 5801 GTGAGACAGC TCTGGGAAGA AAAAGATATT TATTTCTAAT CCCTGTGCCT 5851 AATAACAGGT CTATTCTCTT GATATCCATT ACTGAAGAAA TGTTTGTTGA 5901 GTAAGTTCTT GTTTTAATTT TTAAATATAA ATTTTTAATT TTTATGAGTA 5951 CATAGTAGGT ACATATATTT ATGGGCTACA TGAGATGTTC TGATACAGGC 6001 ATGCAGTGCA AAATAACCAC ATCATGGAGA ATAGGATATC CATCCCATCA 6051 AGCGTTTATC CTTTGTGTTA CAAACAATCC AATTACAGTC TTTTAGTTAT 6101 TTTAAAATGT GCAATTACTG TTGACTGTAG TTACCTTGTT GTGCTA.TCAA 6151 ATAGCAGGTC TTATTTATTC TATTTTTTT TGTACCTATT AACCATCCCA 6201 ACTTCCCTCA GCCCCTCACT ACCCTTCCCA GCCTCTGGTA ACCATCCTTG 6251 TACTCTCTGT GTCCGTGAGT TCAATTGTTT TGATTTTTAG ATCGCACAAA 6301 TAAGTGAGAA CATGTGATGT TTGTCTTTTT GTGTCTGGTT TATTTCACTT 6351 AATGTAATCA TCTCCAGTTC CATCTATGTT GTTGCAGATG ACAGGATCTT 6401 ATTCTTTTT TATGGCTGAA TAGTACTCCA TTGTGTATAG TACCA CAATT 6451 TCTTTATCCA GTCATCCATT GATGGACACT TAGGTTGCTT CCAAATCTTA 6501 GCTATTGTGA ACAGAGCTGC AACAAACATG AGAGTGCAGA TATCTCTTCC 6551 ATATACTGAT GTCTTTTCGT TTTGTTTTT TAATTGTTTT GATTGA.AGTT 6601 GCAGTCAGTT TTTACTGAGA TGCTAGTGTT TGAATCTCTC TTTT CAATTT 6651 TCTCTGTCTC AGCTGGAGTG TGTTGGGAGT GTAGCCAGTG GTATCTCTGT 6701 TATGAGTTGG AGTCCTGACC AAGAGCTGGT GCTTCTTGCC ACA GGTAAGC 6751 TTGTTACTGG TGCCTCACTG GCTTTTTTAA AACATTATTC CAGA TGTCTT 6801 ACAGGCTTCA TCAGCTTTAG GCTGCTTGAA TTTCAAAAAA TTTCTTTGAA

6851 CCAGTATAAT ACCAATTATG AACCAGTATA ATACCAATTA TGTATGTGTG 6901 TGTGTATATA TATATAAAAC GTAGAGTGAT TTTTTTTTGG TGACTGAAGT 6951 TTTGCCTCTT AGTCTATCAT TATAAAAAGT TGTTTCATGT AACTTTTTAA 7001 GTCTTTGGGA GTAAGAAACA AAGTCATAAA ACTTGGGGAG GCTGCTAAGT 7051 CCCCAGTTAG AGTTAAAAAT GTCAGCAATA TGTATTTTAA CTTAT TCTAA 7101 GAGTTGCTGT ATGGACACAT TCTAAAAGCC CTTCTTGGGT TCTG TTGCTG 7151 TTTTTCCCCT TTAAGTCTCA TCATTCCAGA TGAGTTTAGT AAACCAGCTC 7201 CACTGATGAC ATTTATATTT AGAGGTATCT TGGGGACAAG GAGTGTTGAA 7251 GTTAGTGGAG GAGGGCTTTG TGGACTTTTA AGTTCAACTG TACACACATT 7301 AATAGCTGAG CATAAGCACC AGGTGACTTA TCTAGGGAAA GCTTTTTGGG 7351 GTTTTTTGTC ATTGTTGTTT TTTTAAGTCA AAGCATTTTG GATGAATTCT 7401 GTCTGCTCTG TTCAGACTAA CTCCAGCTCC TTAGCTTACA GTGCCATAGG 7451 TACTTAGGAA TGGCAAATTT GTTACATGAA AACAAAATCA TTTTT GTTTG 7501 TGTTTCTCTA AGGTCAACAG ACCCTGATTA TGATGACAAA AGAT TTTGAG 7551 CCAATCCTGG AGCAGCAGAT CCATCAGGAT GATTTTGGTG AAAGTAAGTA 7601 TAGCTTTGTG CAATATTTTG TGACCTACGT TTCTCCCAT TTTTGACCAT 7651 TTCCTTGTGC ACTAATAGCC ATGTCATTAG GCCAAAGAAC TGTGAAAGTT 7701 AAACCCCCAG CTATTAAATG TCTATTAGCC CAGTTCCTTC AGCCCCATCCC 7751 AAATCTTAAA AGGCCTACTG ATGCCTCTCC AGGTCTGAGG GTT TAAGGTC 7801 ACTTAGATAG TTATTACCCA AACCCTAGGA AAGTCTTAGG CTGGGCTTTC 7851 AGTGAAAGGG ACTGTACAAG GTAGTATTTC TGGGATACAG TTT TAGGGAG 7901 AAGAAAAGAA GAAAGATGGA ATAGAAGGCT GGTTTTTGTT ACTACGATTA 7951 GATCCAATCT GCATTTCCAT GGGAACAATC AGATTATTTT CTTG CTAAAA 8001 TCTAGCCAAG GTCATCTGGG CATTAAGGCT GTGGGGGGTAT TGAAGGGCAG 8051 TGCAGGAGAA GAGAGACGCT TATTAAGCAT AAGCTTTGGC CAT CTTGAAG 8101 TCACAAAGTA GCTGGCCTGA TTGAAGAGGG ATGGGGAAGA AGATGTTCCA 8151 ACTICIGITA TGGTCTAACT TCCTGCCTTC TTGCTCCATC AACTICTGAGA 8201 AATCATITAG ACAACITCTA CCCATTTATT TACAAATAAT GTATT TGTTC

8251 AGAAATAATT TTGGAGGGCT GGGCACAGTG GCTCATGCCT GTAATCCCAG 8301 CACTITTGGA GGATGAGGCA GGAGGATTGC TTGAGCCCAG GAGTTTGATA 8351 CTAGCCTAGG CAACGTAGGG AGACCCAGCA TCTACAAAGA ATTTAAAAAAT 8401 TAGCTGGGCT TGGTGGTATC AGCACAGTAA TGACATGATG TGCAGGTACT 8451 GGGGTAGCAT AAGGGAAGGA AACGAGTAAC TAGAGAGGGA TGATTTATTT 8501 CCCCTAGGAG GCCAACTTGA GCTGAGTCTC AGCTGAATTG GTGTTGGGTA 8551 GGTGAGGGAT AAGGGTGGGG AGTAGTCAGC TGAATTGGTA TTGGGCAGGT 8601 GAGGGATAAG GGTTTGGAGT AGTCAGCTGA ATTGGTATTG GGTAGGTGAG 8651 GGATAAGGGT GGGGAACAGT CCAAGCAAGT GAATGTGTCC ATTTCAAGTG 8701 TCCATTTCAA GGGAGGGTTA TTTCATAGAA ACATTGTGGG TTACTCAGGG 8751 AACTGTGAGT AATTCAGCAT TGCTGAAGTG GCAGAATGTG AGTGTAGAAT 8801 GAAATAAATG GAACAGATTT GATTGAGTTT GTAGTAGGGA ATATGGACAT 8851 TGAGTTATAG TTGATCAGCC ATTACAAGTT TTGATGATAA GAGGTTTAAA 8901 GAGATTTATT TAATAGAAAG ATGGCTCGTG ATGGCATATT TTTGTTGTTTT 8951 TTGTGTGTGG AGAGGGAAGA GATGAGAGGC AGGGTGATCA GGTAGGAGGT 9001 TGCTACAGGA ATCCAGATGA AAGATAAGGA AGGTTTGTGT GGGGCTAGAA 9051 GCAGGAATCA TTCAGGAAAA AACTTGATTC ACAATGAGGA TGGGAGTACA 9101 TTTTTTAGAA TTAGCTGGGA AACTTTTTTA GAATATATGT GCATGATTCC 9151 CCTTCTGCCC TAGGCCAGTT TGAGAAATAC CAATTTAGAA AGTGAAATAA 9201 ATAGGCTTTG CGTATGTAAG GTGAATAAGA AAAAGTTGAG CAGGACTCCA 9251 GCCAGAACCT CAGGTGTTGG GAATAAAGAT GCCAGTAACA GGGAAGATGG 9301 AGAAGTGCTG GTCTGTAAGG GGTGGGTGGT GAGATCTGTT TTGGATTTGT 9351 TGAAGGACCA TATGTGATTG CCATGTGGAG TATGCAAATA TAAGGCTGAA 9401 GCTCAGGAGA GGCCAGAGCT ATGGACTGAG AGTAGTGGGT ATGTAGGAAA 9451 TTCTGACAGT TTTGGGAACA GATGGACTGT CTCAGGGAGC AGATGCTGTA 9501 CAGGAAGAGT CTAGAATCCA GGGTGGAACT CTGGGGCATC CAGCTTTGAG 9551 GACAGTCAGA GAGAGAGTAA CAGCACACAG TATACTTTGG GATGGGAAAG 9601 TGCTCTGGGC CTGGTGTTTC CCACTGACTT TTTCACACAA ATCCTAATGC

594221 1

9651 AGTAAATCAA AGGAAATGTA GGCCAAGTTA AGATCTTAGG TCTCAGAAAT 9701 GTGTTTCTCA GTACAAAAAA AAAAAAATCA TTCTATGGAG TGATGAATAT 9751 TTTTCCTCTA TCCTGGGGTC AGTAGACTTG TTCTGAAAAG GGCTAGGTCA 9801 TGAATATGTT CAGCTTTGCA GGCTGTATGA TCTGTGTTGC AGCTGCTCAA 9851 TTCTAATGTT GAGGTGTGAA AGTTATACAT GATACATAAG CACATC TATG 9901 TTCCAGTAAA CGTTTGTTTG TAAAAGCAGA TGTAGGCTGT AGTTTT GCAA 9951 ATCCCTGCTG TAACCCCATC ATTTCTTGTC TTCCATTGGA AAAGTT CTCT 10001 TTCTTCATTC CTTGGTCCTT AATCTTTCTG TGGAAACTTG CAGATAGAAG 10051 CCTGGGGGTT TGCACCAGGA TAGTCACTAC CATTTGTACG CAGCAGCAAT 10101 TGAGGTACTG TAGCACTTGG ATGTGAGCAG ACAGGAAATG GTCATATGGA 10151 CCCATAATTT ATAGGAATTG CAAACAGCCC TGCTTCATCA GAATCAGAAT 10201 CAATGGCAGG AGGAAAGTAT TGGGTCCTGG ATTAGGTGAT GTTTTCAGGA 10251 CCATCTTTAT TGTGCTTCTT GCAAATGGAT CCTACCTCCA GGAACAGAAG 10301 GGTTGTGTTG TTTCAGCAAC TCTGCCTAAT AGTTTATATA AGAGAAGTGT 10351 TACGATCTAG AAAGAACCCC AGTCAGCCTG GAAGGCAGAA GAC CTGTGTT 10401 CTACTTTTTG GCTCCACCAT TAGGGAGGGT CTCAATCTCT AAGT CTATGT 10451 GAGGAGCTGT TTTGTGACCT GCAGCCCCTC TATCACCAGT GAGAGCTTGC 10501 AATCAGAATT TTATTCCCAG TTCTCATCTT GGGGTTTTAT GTTCCGGACA 10551 TATTTTGTAA ACTCTTTATG TTTCATTCTT CTTACTTATA AGGTGAGGGT 10601 GAGATOGOTG ACTTGTGTCA TOAAAGAAAC TTGGAATATG TAAGATGGCA 10651 GTAAAATGCT TTCCAAAATA AGGAAGGGCA TTTCAAATTC TTCA.AAGTCA 10701 CTGCTGCATA TAATATGAAA TGGGTTTTGT TTGTTTGTTT TGAGATGGGG 10751 GTCTCGCTGT GTTACCCAGG CTAGAGAGTG CAGTAGTACA ATCAGGGCTC 10801 ACTGCAGCCT TGAACTCCTG GGTTCAAGTG ATCCTCCTAC TTTAGTCTCT 10851 TGAGTAGCTG GGACCACAGG TGTGTGCCAT CATGTCCAGC TTATTTTGTA 10901 TACTTTTTGT AGAGATGGGT GTCTCCCTAT GTTGCCCAGG CTGGTCTCGA 10951 ACTCCTGGAC TCAAGTGATC CTCCTGCCTC AGCCTCCCAA AGTGTTGGGA 11001 CTATAGGCAT GAGCCACCAT GCCCAGCCTG AAACATAGGT TT CTCAAATA

11051 TTGACTGCTG GTCAATTTAT TGAGAGGCGT TAGAGGACCT GAGT AATTGC 11101 CAATGACTAA CTTCATGAAG AATAGCAGTG AAACTGTTTT TGTTTCATTT 11151 CATGTGGCTT ATTAGTTGTC TTGCCAATTG TTCTGTAGGC AAGTT TATCA 11201 CTGTTGGATG GGGTAGGAAG GAGACACAGT TCCATGGATC AGA_AGGCAGA 11251 CAAGCAGCTT TTCAGATGCA AATGGTAAGT TTGGTTTGAT GGAT AAAAAG 11301 CCTTGACTGG AACAAATGTA AGTTTGCCAC CCACCAGGAA CTCTTTGGTG 11351 TCCACTTAGA TGCCAGTAAT GAACAGTTCT CTTCTGCTTT AGTAAAACTG 11401 CCTAGAACCT TCAGGAAATG AATCCCTCTA GAAAGATCCT TTTTTTCCTT 11451 GTTATTGCCA AGTTGCTTTG TGATTTATTT TCATAGTAGC AAATA.ATTAT 11501 AACCAATATT CATCACCCAG TTTAAAAAAT AAAACATCAC AGACAAAGGA 11551 AACCCCCTGT GTATCCCGTC CCGATGTCCC TCCCCTTCCT CTCCAGAGAG 11601 AGCTGCCATC CTTCATTCAC ATGCATGTTC TCATACTTTT CCCATATATG 11651 TGTATATTAG ATATTTTTCT TTTTCTGTTG GATGAAACTC TTTGTT TTCC 11701 TTACTTCTGG ATTGGAAAAT TCTGAAGACC ATATAATGAT GTCTTGATGA 11751 CTCAAGGCAG GACTTTTTAA TCTTCTAATG TAGGCGGGGC GGC CCCTGAA 11801 GGCAGAGGTG TGTGGACACA AGAAGAGTGC AGACTCTTGG GG CACCTGGG 11851 GAAGTAGTGT CCGTGTCACA TTAAATTCAT TTAAACTCTT ATATTTTATT 11901 TTAATTTATA CAATATGAAT ATTTTTTAAA ACTATGAATT GAAAAGTATT 11951 ACCCTTGAGT AAAATTAATG CCCCAAGAAG ATGTGCCATA TITACCCTCT 12001 GGCACACTAC CAAGTACCCC CAGGGGCATT ACAGATCTCT GTTAGAAAAG 12051 TACAGATTAC ATTATCCTCA TAACATTTAG AAGCTATGAG ACCTTGGCAG 12101 GGAAGTTTCC TAATGTTTCT GAGCCTCAGT ATTCTCTGTA AAGT GGACAA 12151 CATAATGTCT CCTTACAAGG GTTGAGATGG GCAGGTAATA GCA TATATAA 12201 AACAGCTATC ATAGCATCAG CACAGTGTAG GCACTCAAAT GGTAGTTGCT 12251 GCTTTTGTTT TAGTAGACAA ATAATTTTTG AAACTTTTTA AAGCGTAGTT 12301 TITATTTCAA AACAACTTTA TTGTGAGTAA AATATGCATA GTGGGTCTAA 12351 TTTAACATTC TGAAAGCTAT TGACTTATTA GAACAGTAAA GGATTATTAG 12401 AGGGCAGAAA CATGGAGTAA GTACTCTGAG ACACAACCTT GC TTCTTTGG

594221_I

12451 GGGTGATCCA CTACAACTGC CCAGCTTTGG ACAAGTGGTT TTCATGTTCC 12501 CCTGATTTTT AAGTGATTTT TTTTTTTTTT GGCAGGACTT AAAAGGTATC 12551 CTTGACTAAA CAGGAACTTG ACCAAGTAAA TAGTTGGTGC AATTTGAATA 12601 TTCTTTCTTG CTATAAGCAA CAAGTAAATT ATGGTACAGC TTTCTAAGAC 12651 CATATCTTTT CGATTTAAAA ATAGCACTTT ACTCATACAT GTTATGACAT 12701 GGGTAAACCT CATAAAGATT ATGCTAAGTG AAAGAAGCCA GTCA.TAAAAG 12751 ATCACATATA ATATGATCCC ATTTGTATGA AGTGCCCAGA AGGGGCAAAT 12851 TGGGGAAGGG GTGACTGCTA ATGGATATGG GGTTTCTTTT GGGGATGATG 12901 AAAATGCTCA AAATTTAGAT TATGGTGATG GCTATTCAAC TITGTAAATA 12951 TACTITAAAA ACATTGATTC TTACCACTGA GTTTAAACAA CCAAAAAAAA 13001 ATCCCAAGGT GCATTGAATT GTGTACTTCA AATGGGTGAA CCTTAATAAT 13051 ATGTAAATTA TATCCCAGTA AAGGTGTTAA AAAATAGTAC TTTAAAGGAA 13101 TCTATGGTAG TTTTGAAAAT AAGGCAGTTT TCCATACTTT GTTAAACTCT 13151 GGAGAAGATG ACACTTTACT ACTGGTACCT GCTAGAGTAA GACTTATCTA 13201 GTATTAACAA AATTAGGGTT TATTAATGGT ATAGGATGAT CCAGGTAATG 13251 GGGGAAAAAA ACCGAGCATC CTGTTATCTA ATGTACTATC CAGTAAACTA 13301 CTCTAGCTTT TTTTCATGAA CTTTTTCTAA AGGCTTTCTA GGGCCTCGTC 13351 TTGGTTTGAA AGTTCACAGC TACCCTTCAG AAAAGAAAAC AAAAATCCAT 13401 GGAGTAGGCA GATACAAGTA CTCATGTGAG CATAATTTAC TIT GATTTTT 13451 TAAGTTGTGT TATTCTAGCC CTCAGCCTGT TCCCTGCCTG GGCTCTCCTA 13501 GTGCCCAGTA ACACTGATTC AAGAGGTTGC ATTTAGCTGG GCACAGTGGC 13551 TGATGCCTGC AATCCCAGCA CTTTGGGAGG CCAAGTTGGG CA GATCACCT 13601 GAGGTCAGGA GTTCAAGACC AGCATGTCCA ACATGGTGAA AT CCTATCTC 13651 TACTAAAAAT ACAAAAATTA GCCAGGCATG GTGGCAGATG CCTGTAATCT 13701 CAGCTACTTG AGAAGCTAAG GTAGTAGAAT CACTTGTACC TGGGAGGCAG 13751 AGGTTGCGGT GAGCCAAGAT TGTGCCACTG CACTCCAGCC TGGGCCATAA 13801 AGCAAGACTC CGTCTCAAAA AAAAAAAAAA AAAAATTGGG TGA.GAGGGAG

13851 GAATTGAGGA GGATACCAAG GGTTGGGCCT GAACAAATGG AAGCATAATT 13901 ATATGTAGAA ATTTCTATGA GCTACTCTTC TAGAATAGAT GACTCAATAA 13951 TACCCTGCTT GCCATCTACG TTTTCTGTCC TTAATTATTT CCAGTTCTAT 1001 TTCATATAAT GCCTATTTCA GGCCTTAACC CTTCAGTAAA GGAGGTTTGG 351 TITICTATACC CTAGGACAGT TTCATTGAGA ATAAATTTTG TTAGGC TACC 101 TATGTATTCC CTACTGTGCA GACTACAGTA CAGTACTAGC AGAATTCTTA 151 GGCTGTTACT AGAATATGAT GATGAATGCC CGGGTGGTCA TCTGTTCTCCC #1 ACCCGGTAGA GTTGGCTTCA GGATTGAGAT ACACGTGGCC CTGGAGGAGA 254 . STTTCTTCC CGTCATGCTG CAGAATGAGA ACATTTCCAT GTTTT CGTCA * TTGTCTGCTG CTGCCTTTAC CACCTCTGTG GCTCCTCCCT ATTCACCTTG TTCACATCTT / ACTCATCTG TGCCCTGTTG TGAAGCTTAC ACAAT ATGTA .01 AACAAAACTC TACCCTGTTG GACAAATGGA ACACTTGTTT CCTTGTTGTA 451 GTTACCTGAT AGGTTCCTTA GCTCATTATA TTCAGGATCT AGATCTGTAG 4501 CTCTTTTCCT CTTTTGCTGT TCTCAGAGGC CACTTTTTT TTTTTTAATG 14551 CCGAAAGGAG GATTTGTTT GTTTTACATT TTTTCTTCT TTTTGATGAT 14601 TTCTGCGTTC TAAGAACCAA CCCTTGGATG GTTTCTGATT CTAGAGGCAG 14651 GCTTTCAAAG TAGCTTAAAC CTCTTAAAAA ACATCTGTAT CTAGTGGTCT 14701 GAGGCTTGTT TGATTCTGGG ATACTTAAGG TCCCCCAGTA ATATTGGTGT 14751 TTGTTCCCCT TTTTAGCATG AGTCTGCTTT GCCCTGGGAT GACCATAGAC 14801 CACAAGTTAC CTGGCGGGGG GATGGACAGT TTTTTGCTGT GAGTGTTGTT 14851 TGCCCAGAAA CAGGTATGGA AATATATTGC AGTTAAACAA CAATAAAAAA 14901 TTTTTATCTT ATTAAAATTA AGGAAAATTT TCTTTCTTTT GCTTTGAGTA 14951 GGGTATTAAT TATACATATG AGGCAAGGAT GTGCTGCTTT AAATGTGAAA 15001 TGAGGTTAGA GTTAAGAATT AGAAGAGTCC TTTGAGGCCA TTTGGTCCAT 15051 CCTCCTACCT GGTGGACACA AATTTGTAAC AAAATTAATC TAATTGGCTA 15101 TGTAAAACCA TGGCAGTTTT TATTTGTAAG GAAGGTGTTT GAATAGTTCT 15151 GAATTGACAA CTTTTATCAT AATGTTTTAA GTGTGTATGT GTGTTTGACT 15201 CCACTCCCGC ACAGGGGCTC GGAAGGTCAG AGTGTGGAAC CGAGAGTTTG 15251 CTTTGCAGTC AACCAGTGAG CCTGTGGCAG GACTGGGACC AGCC CTGGCT 15301 TGGAAGTGAG TGGGAGAAGA AACCTTAGAG AAATTCTTGG AACCAGAGTA 15351 GAGGTGGTGG TACACATGGA TACAGATGAT ACAGATGTTT GTGTA.ACACA 15401 AAAGGATTTT TACGTTTCTT CATTTGGTTA TAAGGCTGTA TCTATCTTTG 15451 TITICTTCTTT TTTTTTTTC TTATTCCCTG AAGTCTGAAT TCAACTCGAA 15501 TAGTAGATTT TACGCTTCTT CACAGATTTC ATTGTTCCAA GGCCGCATAT 15551 ATTTTGCATT CCTAACTCTT AAAAGGCTGT GGTTTTAAGG CAGGGTATAT 15601 ATGAAGCCAT TGTACAGAGC AGAAAATGGT GTTTAGAAGG GAAGGCCCAG 15651 TTTGCAAGGC TCTGTGGGGC AAATGGTGCT TTTGTGGAAA TTAGGGAAAG 15701 AGCCTCCTTC CTTGGCACAA AATTCCTACA GCAGAGGATC TGCTTGCCAA 15751 GGAGCATGCA GGCTGGATTC AGACCCTGCT CTTTCCTTCC ATTCTCCTCC 15801 TTGGCCCAGT ACCCTTGTGC AGGTTACAAT TTGCCTGTCA TATGTGGCTG 15851 CCTGATTITA GATAGAAGAT GTATCTCCTC TGTTTCGGTG ATATCTGTTG 15901 TATGTAGACC TCTTGTTTCC CACCAGTATC TGAATGGTAT TATAT GATAG 15951 AGCAGAAGAG AAATGTATTT GAATTAAAAC CCTAGAGACA AATA TGAATA 16001 AGATGAGGCA ATTAAGATGT TTTCAACATT TGGTGAAGTC TTAAAAAAGA 16051 CCTACTGGAG CATAGAATAT TTGCTGAAGT TGTATAATGG AAGGAGAAAT 16101 AGATTTTGAT TTTTAGGACA TTATACCTGG AATGGTTTAG ATAACTTATT 16151 ATTTTTAAAG TCATCCAAAT GCAATGTAAA TATGTAAGGT TTTGT GGGCA 16201 AATGGAGCCT CTGTGTAAAA CAGGAAAAGG CACTCTTTCC TCT GGGCAAG 16251 TACAGTCCCA CAGTGGGATG AACCGCTCGC CGAGAGACAA GGGACACATG 16301 GGATTTAAAA CTTCCTTGGA TAAAGATATT CATTAATTCG TTCATTCATT 16351 CATTCATGTT TGCTGGAAAA AAAACTCTTC TGGATTTTAT CTAT TCTTTA 16401 GTTAGGTGAG CTTTCGATAT TGTAACACTC TGAGTTTGCT TTAAGACCCCT 16451 CAGGCAGTTT GATTGCATCT ACACAAGATA AACCCAACCA GCAGGATATT 16501 GTGTTTTTTG AGAAAAATGG ACTCCTTCAT GGACACTTTA CAC TTCCCTT 16551 CCTTAAAGAT GAGGTTAAGG TAAGTGCCTG AGTTTGTTTC ACC CTCGAAT 16601 GTAGAGGACT TTCCATAGCT ATAGAGGGAA TTTTTTTTT TTTTTTTGA

594221 (

16651 GATGGAGTTT CATTCTTGTT GCCCAGGTTG GAGTGCGATA GTGCAATCTC 16701 GGTTCACTGC AACCTCCGCC TCCTAGGTTC AAGTGATTCT CCTGC CTCAG 16801 TTGTATTTT AGTAGAGACG GGGTTTCTCC GTGTTGGTCA GGCTGGTCTC 16851 AAACCCCTGA CCTCAGGTGA TCCACCCGCC TCTGCCTCCC AAAGTGCTGG 16901 GATTACAGGC GTGAGCCACC ACGCCTGGCC TATAGAGGGG ATTTATATTT 16951 GATATGGATA TATAAATAGT AGCTTTAGAG TAAATAGTAA TAAAAA TGGT 17001 GGCTTCCTAG AACTGATTTT TATTTAATAA AATATTGTTT TTCCAGT GAT 17051 TTTGCAAATA ATAGCATTTG TCCCCCACCT TAGATAAAAC AGAAG TAGGA 17101 AATAAAAATG CTAGTTTTTA TTGTTTATTT TGACAAAAGC ATAATTT TTC 17151 CAGTAATGAA GATGTTTTTC ATTTATAACA TTTAAATCTT AAGTGGTTTTG 17201 TATACCATTA AGATTCTTGC TGAAGTGAGA ACACATCAAA TGGTA.TCTCT 17251 GTGTAAAATT TTAAACATCC TAAGTTGAGA GACGAGTTTA ATGAA.CTCCC 17301 ATGTAACTAT TACTCACTTT CAGTAGATAC CAACATTTTG CAAAACTATT 17351 TTCATCGGTC CGCAACTCTT TGGCCTATAC ATATATATAC TTACA TATAT 17401 TITTATTICC TGGAGTTTTA ATTCTAGAAA TCATATTTC AATATT TATT 17451 TATAACAGTT AAGGACATTT TTCTTTACAT AACCATAATT CTATTA_TTAC 17501 ATCTTATCTC TGTGTTGTCT AACACCCAGT CCATATTCCA GTTTCTCTGA 17551 TTGTCTAAAA ATGTCACCTT GTATTTGGTT AAGTTTCTTA AGTCTCTTTT 17601 AATCTTTAAG CATAATGTAT TTCTTTTTT TAAGTCCTCT ACATAA TAAT 17651 GACATATTT ACAGATTTGT TTAATGCCTC TGTAGGTTAG TGATTTACAG 17701 CTAGGGATGA GCTCAGGTAG TGGGATTATT TGATTTGAGA GAG GAAATAC 17751 AGCTATTATA AAGATTTGGA AGTAAATCCA TAACTGAAAG CCAA TGACAG 17801 ATCTTTTTC CCTTCTAGGT AAATGACTTG CTCTGGAATG CAGA TTCCTC 17851 TGTGCTTGCA GTCTGGCTGG AAGACCTTCA GAGAGAAGAA AGCTCCATTC 17901 CGAAAACCTG TGGTAAGACA GCTGTAGTAC CCCAGCCTTC TGCCCCATAA 17951 AACGTAGTTG AAAGTAGACA GGTATGGGAT TTCCTTCATC CCTTCTACTT 18001 AGTCCCTTAG TAGAATCAAA GATGCTGAAG TGGGTAGGTG GAAATGGGGG

18051 TGGTTAGGTT TTGATTGATT GTGGATTTCA GTCATGTATT GGTTGGGGTT 18101 CTCTAGAGAA ACAAATAATA CATATATATA ATTCGTCCCT CAGTATTCTC 3151 GGGGGATTAG TTCTAGGATT GCCCATGGAC GCCAAAATCC ACACATGGTC 10x 01 AAGTCCTGCA GTCAACCCTG CAGAACACTC AGATATGAAA AGTCAGCCTT 1825) TIGTATACTT GGGTTTTGCA TTCCTCAAGT ACCATATTTT TGATGTGCGT 18301 TTGGTTGCGG GTATAGAATC CACAATATGA AGGGCCGACT GTATTCATTG 8351 AAAAAAATAC GAATATAAAT GGACCTGTGT AGTTCAAGCC TGTGT TGTTC 401 AAGGGTCAGC TGTACTTACA TAGAGAGACG GTGAGAGAGG GAATAGGGTG 451 GGGCGGAGG GAGAGAGAGT AATAGAGTGT GGATAGATTT ACTTTAAAAG :01 ATTAGCTAAT GTAGGGGATG GCAAGTTTGA AATTTGTGGG GGCAGGTTGG . I CRESCIBERA ATTCAGGIAA GAATTGATET TECTETTTE AGIA TEAAAT J1 CTGTAGGGCA GGCTGGAAAC TTAGGGAGGA TTTCTGTTAC AGCCTTAAGG 51 CAGAATTTCT TCTTTTCTGC GAAGCCTCAG TTTTTGCTTT TAAGGTCTTC 18701 AGCTGAATGA ATGGGACCTT CCCACATTAT GGGGAATAAT CTGCTTTCCT 18751 TATAGTCAGC CGATTATAAA TATTAATCAC ATCTACAGAA TACCTTCACA 18801 GCAACATCTG GAGTTTAGCA GATAGCTGGG TGCCATAGCC TAGCCAACTT 18851 GACACAATAA AATTAACTGT TGTAAGTCAT CACGTGCTTT CCCTAGTGCA 18901 TGGTATTACC ACAGAAAAAA CACTAACCAA AGGAATTCTG TGGACGTGAA 18951 AGAAGATTTA GATTAAGCGT AAAAGTAAGA ATATTTTTAT AGCTT TTAAA 19001 ATGTATAAGT GTGTGGTTTT AAGTATTAAA TAATACTTGA AAATGTTAGA 19051 AAATAAGATG AGAAAAAAAT CTCATAGTTC TACCACTTCG TAATAATCAC 19101 TATTCAAATT TTCTTGTCTT CTAGGTTTTT CATGTATATA TCTCAGTATA 19151 GCTATCATCT TGTTTTTGTT AAAAGTGTAG TAGGTATGGG CCAGGTGCGG 19201 TGGCTCATGC ACTTTGGGGG CCCAGCACTT TGGGAGGCCG AGGCGGGCGG 19251 ATCACGAGGT CAGGAGATCG AGACCGTCCT GGCTAACACG GTGTAACCCC 19301 ATCTCTACTA AAAATACAAA AAATTAGCTG GGCGTGGTGG CAGGCGCCTG 19351 TAGT CCCAGC TACT CAGGAG GCTGAGGCAG GAGAATGGTG TGAACCTGGA 19401 GGAGGCGGAG CTTGCAGTGA ATGGAGATCG TGCCACTGCA CTCCAGCCTT

19451 GGCGACAGAG TGAGACTGTC TCAAAACAAA ACAAAAAAAA GTGTAGGTGT 19501 GATACATCTG CATCATTTTA AATTGCTGTA TAATACTCGT TTATTC TCGT 19551 TCATTAAATC TCATGCTGTT AGACATTTAC AGTTTTGTCA TTTCTC ATTA 19601 TTGTAAACAG CAATGCATGG TACATTTTTG TTCATAAATC TTTTTA CTTG 19651 ATTATTTCT AAGTAGCTTT CAAACTCTTT AATCAGTAGA ACCCCCCCCC 19701 TTTTTTTTTTTTTGGAGA CGGAGTCTCT CTCTTTCCCC CAGGCTGGAG 19751 TGCAGTGGCC CGATCTCGGT CACTGCAAGC TCTGCCTCCC GGGTTCACTC 19801 CATTITICCTG CCTCAGCTTC CCGAGTAGCT GGGTCTACAG GCGCCCGCCA 19851 CCAAGCCTGG CTAATTTTT GTATTTTTGG TAGAGGCAGG GTTTCACCGC 19901 GTTAGCCAGG ATGGTCTCGA TCTCCATCTC GTGATCTGCC CGTCTCGGCC 19951 TCCCAAAGTG CTGGGATTAC AGGCGTGAGC CACCGTGCCC GGCCTCAGTA 20001 GAACCCTTTT AACTGCAATG TTAAGAAACT CATTATTCAT TCAACACAAT 20051 AGTTCTTAAC CCTGGCCACA CCTTTAGAAA AAAAATGATATTCAGGCTTC 20101 ATCTAAGAGT TCAGTTCAGT GTGTTGGAAT GGAGATTATA CGTAAGTATT 20151 TAATTAAAAA CCAAAAGCCC CCAAGTGATT TTAAACAGCC GCAGTTGAGA 20201 ACCACCGATT AACCAGTGTG TCAAGGGATG GCACTGTGAT ATG CTGAGCA 20251 TAAAAATATT GCACAGGATG AAACCCTGTC TCTACTAAAA ATGCAAAAAT 20301 TAGTCCGGCG TGGTGGTGCG CGCCTGTAGT CCTAGCTACT CGGGAGGCTG 20351 AGACAAGGGA ATCGCTTGAA CTGGGAGGCA GAGGTTGCCG TGAGCCGAGA 20401 TTGAGCCACT GCACTCCAGC ATGGGTGACA GAGTGAGACT CCATCTCAAA 20451 AACATGTATA TATATATATA CACACACAC CACATTGCAC AAGA.ACAGCC 20501 ACAACATCTG TGCTCACAGA ACATCAGCAT GTGGTCTAAC TTCAAAGTGT 20551 TGTAATAATG CGGTTTGAGA CTAGGTTATG TTTGCTGTGA TCACTAAGTT 20601 AAGCATTAGT GAGCAAGGAG ATTGAGAAAA TCCTTAATAT AAA TAATATT 20651 TCTTAATATA ACTATAATTC CTAATATAAC TAAGGTCTTA ATTTA TATGT 20701 CATCTGTTTA GTAAAGGTTG GTTTTGGCAT GATTAAGTCT TGCTTGCTTA 20751 ATAGATGTTG GAAGGATAAT TTCATGCTTA TCTTCTTTGG ACAGCTGAAT 20801 CAGGATTAAT ACCCAGATAG CCTTGAACAT AAGTGCTTGC AAAGCACCTG

594221 1

20851 AAAGAAAATA AGCATCTTAA GCCCAATACA ACACAATGAT GCTAGTTCTAG 20901 ATCTTGGATT AAGTGTTTTA ATACTTTTAC TCTAATTGCC AAGTTATCTT 20951 CTTCCTAAAT CTTCATGAGA AAACCCACTA AAAGAATGCT TTTTCCTGGT 21001 AGCCTTCCAT TGTGATCATA AAGTTTGGAA GTAAAGTTGA AAATAAACAT 21051 GTGGGCCAGG CACGGTGGCT CAGGCCTGTA ATCTCAGCAC TITGGGAGGC 21101 CGAGGCAGGC GGATCACAAG GTCAGGAGAT CAAGACCATC CTGGCTAACA 21151 CGGTGAAACC ATGTTTCTAC TAAAAATACA AAAAAAAAA ATTAGCCGGG 21201 TGTGGTGGTG GGCGCCTGTA GTCCTAGCTA CTCGAGAGGC TGAGGCAGGA 21251 GAATGGCATG AACCCGGGAG ATGGAGCTTG CAGTGAGCCG AGATTGCGCC 21301 ACTGCACTCC AGCCTGGCCG GCAGAGCGAG ACTCTGTGTC AAT AAAAAAA 21351 AAAAAAAAC GAAAATAAAC ATATGAATAA AAGTTAAAAA TAGAAAAAA 21401 ACAAGAAAAT AAACATATAT TTCTGACCTT ATTGATTCTT GATATTTTAT 21451 CTGCATGGAA AGCTATTTTT TGGCAGTTAT TATTGTTCTT ATTTTAGAGA 21501 CGAGGCTGAG CAGGAAGGGT CCTTTGAAAA AGAAAAGATT GCC CTTGAAC 21551 CCCTCTGGCA AGTGGGATGA AGTCTGCTTC CCAGCCTCTA ACGGCCTTCT 21601 TITCATTTTC CCTTGCAGTT CAGCTCTGGA CTGTTGGAAA CTATCACTGG 21651 TATCTCAAGC AAAGTTTATC CTTCAGCACC TGTGGGAAGA GCAAGATTGT 21701 GTCTCTGATG TGGGACCCTG TGACCCCATA CCGGCTGCAT GTT CTCTGTC 21751 AGGGCTGGCA TTACCTCGCC TATGATTGGC ACTGGACGAC TGACCGGAGC 21801 GTGGGAGATA ATTCAAGTGA CTTGTCCAAT GTGGCTGTCA TTGATGGAAG 21851 TAAGCTCCTG GGAAGTGTGT CCATGAGCCT GCAAGGGGTC CTGAGCCTAG 21901 GGCCTGCAGA TGTGGTGGTT TGACTGGAAC AGTGGGGAAT CT TTATTTGT 21951 TTTGGCTGTT TGGGTTACTT GTTTTTTAT TGAATGGGAT ATAA GGTGGG 22001 GTATGTTCTC TCCTGAGAAC CATTGTCCCC CCTCCCCCAC CAGTTTCCTG 22051 TTATACTGCA TCTGTGGCCT TCACACGTTT ACTTGCCTGG CCTTTGAAGA 22101 CACTGAAAAC TTTGACTCTA GGTAGAGAGG ATGACAACAG TACAGTCTTG 22151 TGGGATTGGG TGTGTTAGCT TTATCTGTTT GCCCTGACAC AGATTTATAA 22201 TTGACCCTTA TACCACCCCA CTTGTGTTGC TTTGTTTCCT GATACAAATG

22251 CTTGCTGATA TATACCTCTC CAGTATGTTC AGTTCATGCA TAAACGTTTG 22301 CCTAATATGA AGATTAGGTT TATATTTTAT AATGAGGTAG AAGGTT TTTT 22351 TAGGGGGTGG GGTGGGAAGG GCAAGACTGA AGAGTGAAGT AGT CACCTTA 22401 ATGAATAGTT TCATTGCTGA TATGAAAGGG AGCACTGGCT TCTAAGATTG 22451 TAATGTGAGG TGGATATTAA TTCATATTCT GTGTAATATT CTACAT AATA 22501 CTGATTTTAT AGTCATGTAT TCTATATAGA GAACTTAATC AGATCTGCGT 22551 TATTACCAAA TCCACACATA GGAAAGTGCT TTAAGGATTT TGAAAGTATT 22601 AATTCCCTTG GTTTAGTGTG GCTTGGTTGC AGGCCCAGGT TTAAAGCTAG 22651 AGGTCTGACC TCTTGGCCTT TTTGCCTTAG TCCCTGGCAC CTGAAACTCC 22701 AGGTACTGAG ATGGACTCCC CTAGGCCTAG AGGTGACAAT AGCCAATTAT 22751 GGACAGAACC CATGACATTT CCCCATCCCA CACTGTTTTT AGACTTGTTC 22801 CTGAGAAAAA CATTGAAAGT TATTTTTTTG TGAATTGCCA TTATTGTTTA 22851 GATATACTGT GATGTTCAGA TGGCTTATCT TACAAATTGA ATATCCCTAG 22901 GTCTAATCCT CTTCTTTCTT TTTCACTGCA GACAGGGTGT TGGTGACAGT 22951 CTTCCGGCAG ACTGTGGTTC CGCCTCCCAT GTGCACCTAC CAA.CTGCTGT 23001 TCCCACACCC TGTGAATCAA GTCACATTCT TAGCACACCC TCAAAAGAGT 23051 AATGACCTTG CTGTTCTAGA TGCCAGTAAC CAGATTTCTG TTTA TAAATG 23101 TGGTATGTTA TAAAACTTTT GCCAAGATGT TCTGAATCAA GTCCCTTCTA 23151 CTCCTACATA AAAGCAAATT ATAGTTTGGT GTTGCCATAG GTCTAGTGTT 23201 TCTCAAAATT TITAAGTCTG CAGTTGATAT CATTATCATT ATGAT ATTTA 23251 ATTGCCTTGG GTTTTTGTTT TTTTTTTTTTTAATCCTATA CTGGT TTGTA 23301 CGAGCCATTC CTTTTCCCTT ACTGACTTGA AGAGTCAGTT ATTTAAGAAT 23351 AACATTGGAC TCTGGAAATA ACATAGTATG TTATACATTG TTAACATGTT 23401 TTACTCTTTT CATAGCCTTT ACACATATTT TCAGTTGATC TCATCCCTCC 23451 TAGGAGCTGT GTCAGAGATG GGGTTTTCCT CTTTTGTAGA TGAGGGAACA 23501 CAGTGTCAGA GGTTTTGTAA TTTGTTTGAA CAAGAATGGA CAAGGACCTC 23551 AACACAGGTG TTCTAGCTCC TAATCCACTT GTCCTGCCAC AGCCCCATTG 23601 CTGTCAGTTC TTCATTACTT TCCTGATGTG CTGGAGAATC TGAAATTTGT

23651 TTTTACTTGT GAGTTCTGTG GTTATGTCAT AAATTCTGCT GGCATATGGC 23701 AGTGTTAGCC TTGTTTTCAA ATATCTTTTG AATTCTCAGA AAAAGCCTAG 23751 ATAGTTGCCA AGAGAGAATA ATCAAAATTA ATTAATTTAA ATGGGAAGTC 23801 CTTACTTTCA TATCAGCTTT TCTGTTAAGT CAGCAGCCCA CTGTGTACAT 23851 GGATCCTATC TGGATGTATC ACCAGTTTCT CTGATTATAG TTTCAGTGTG 23901 TAAAATGCTG TTACAGTCCT CCTTAAACTT TTCAAAATAG CTTTAAAAAA 23951 AAGTGCAAAT ATGTTCATTG TCAAGGCAAA AAGAATCAGA TGTAAGCTTT 24001 TGTGGGACTT AACTGTATGA TGCTAATGAG TTTATATGTC ACTTTATGAT 24051 GTATGGTATG TTTTGTTCTG CATTCACTTA AAAAATAGCT TTATATCATT 24101 CATCTATTTA AAGTGTACAA TTCAATGGTT TATATGTGTG TGTATGAATA 24151 TATATACATA TGTATATGTA TATATATGTA TATTCACAGA GTTGTACAGC 24201 CATCACCACG ATCAATTTTA GGACGTTTTT ATCTCCTCAG AATGAAACCC 24251 TGTACCACCC TGCATTCATT TTACTTGAGA GAAAACTCCC TGTGATGAGA 24301 TAGGACAGGT TGAGAGCTCC ACTTTTGAAA GATTGTTCGG CATCAATATG 24351 TGGGGTTGGC CATAGGTCAG GGGCACCTGG AGGCAGAGAT TCTAGTTAGG 24401 AGAAGCTGTT GTCAAGTGTC CAGGCAGGAG CTAGCAAGAG CTTGAGCCAG 24451 AGCAGTGTTC ATAGAAATGG AAAGAAGAGA AAGATCATAA CAAATCCATG 24501 AAGTAAAAAC CCTGAGAAGT TAAAGAACCC ACTGGGGAGA GTT TGGATAT 24551 AAGAGAATCT GGAAAAAGAG ATCTTGGACT GGAACAGGTC AGGGCTCCGT 24601 GCCCAAGTGG AAGGGAAATT AAGAACTTGG AGTCAAGTGG TAGACATTTG 24651 AGTGGTGTGG AGACAAGTTC GTTGCCAAAG TTTTCAAAGA TGGTGTTTGA 24701 TGCATCCTGA GTATCACTCC TTTTTCCCCC TCATTGCTTC TTGATTGTTT 24751 ATTATATGCC AGGCTTTTTT CTAGTACTTG GCTTGTTGTA CTAGAAAACT 24801 AGTTGTACTT TGTCTACAAC TTGTTGTTCT AGGTGTAGAC AAAA GATATC 24851 AATTAAATAT GATCTATCAG ATGGCAAGTG CTGTGGAGAA AAATTAAGCA 24901 AAATAAGGGG TAGGGAGAGC TTAAGGATAA GGGTTTACAG GGGGAAGGTG 24951 TCTTTCCTAT TTAGTGTGAT CCCAAAGGCC TCTCTGTGAA GGTGACATTG 25001 AAGCAGAGAC CTGGTGAGAA TCACAGTGGG AGCCACGCAG ACATCTGGGG

594221 1

25051 TAAGAGCGTC CCAAGCATTC TATGCTTGAA GGCAAAGAAG AAAAAAGAAA 25101 GAGCGTTCCA AGCAGAGTAA AAAGCAACCA CCGAAGTGCC TGTTGTGTTT 25151 AGGAAATAGC CAGGAGGCCA GGGTGGCTGC AGCAGAGCAA AGGAGGGGAA 25201 GGTGGTGGGT GAGTTCAGAG TGGTGATGGG AATCTGCTCT TGTAGGGCCT 25251 TGCGGCTTTT ACTCCGAGTG AGATAGGAGC CACCAGAGGG CTTAGAACAG 25301 AGGAGTGCAG TGTTCTGGCT GAATTTTTTA AAGGCTTGCA TTGGCTGCTG 25351 TGCAGTGAAT AAACTGGATG AAGAATAGAA AGAAAATGTC TTTTAAGCAG 25401 GTGCTTAGGA CTTTGGAGAA TTTGAGGATA TTGAGAGGTG GTTGAAGACA 25451 GTGGAGGAAA TTGTCCACAG CACTGGGCTG AGAGGGTAGC CCCTTCACCT 25501 GGTCTTGCTG AGATGTGGCC TTTGTCAGGG AAGATTATGA CTGATGTGTT 25551 CTTAAGAGGA AAGCAGAGAT TTTAAGGAGG TTGAGATGTG ATTATTTTCT 25601 AGATTGCTGT TTGCCTTCTA GAACTCATTA ATTGCAGACA CCATCCCCTT 25651 AGTATTAGGT GAAATCTTAT AATTTACGAT GATAATATTT GCATTTTTGT 25701 TITCCAGGTG ATTGTCCAAG TGCTGACCCT ACAGTGAAAC TGGGAGCTGT 25751 GGGTGGAAGT GGATTTAAAG TTTGCCTTAG AACTCCTCAT TTGGAAAAGA 25801 GATACAAGTA GGTTCTTAAT TATCTTGGGC TTCTGGGAAC AGAATCAGCC 25851 AGCATGCAGT CCTAAATTCA GCCATCTGAT AACAGTTCTA TGCCTGTTGC 25901 TGAGTGGAAC AAGAAATAAA GACAACACCC AGGCCCTGAC TTTCGGATCT 25951 GATTGGAGAA GCCAGTCATG TAGTTTGTCT GAATGCCATA TAATTTGATA 26001 GGTAGCAGGA GAGCATGAGT TGTAAGCCAG CCTAGGACCT ACTCCCAATA 26051 GCGCTTGGTT CTCCAGGAAA AATCATGTGG GAAAGATGGA GATGACAATG 26101 ATAAGGCGGA GCTGCATTCT CTTACATAAA TGGGGATGTA TGGGTTGTTA 26151 ACATGGATGA CCTAATGCAG CCTCTGTCTT TGCTCCATCC CAGAATCTAG 26201 AACTTCTGGG TGCTGTGCTT TGAGGCTCCT GGGATGGAAA TCAGAATGCA 26251 TTCTTCCATT GAAACAGTAT TGTAAACAAT TGGATGTTAT TGAATACCTC 26301 AGGTACACTA TAGGCATTTG CAAAATGACC TAGAAACCAA ATTATAATGC 26351 CACATCTGTG AGAGAACTTT TTTAAAAAGT ACCACTTATT GAGTACTTAC 26401 AGATTAAAAA AACAAAGTGT AGAGGTTAGG TAACTTACCC AAGGTCATGG

WO 02/059381 PCT/US02/00473

26451 ACCTGGTAAC TAGAGAATTT AGGGTTTGAT TCTATTCTGT TTGATAAGTC 26501 CATGTTCTTC ATTACTAAAC TACTCTGCCT CCAGGGAACA TTTATTGTTA 26551 GATTAATAGA AATAATTAAC TGAGTACAAC AAATAGCAGA ATTTAATAAA 26601 TAATGTTTCT TAAATATATG TGATATATTT AATAAATACA GCAGAAGTGT 26651 TCAACCTCTG TATGATTTTG AGGCTGCCTG TATAATGCTT AGTAGTTTTT 26701 AAAGAGCATT TACATGCATT ATTTCACTTC ATAGACTTGA AACCACTAGA 26751 GTAGAGATAG AGGACAAATT AGAAAGTATG AGGCAGTTTA GAATATAGTT 26801 TCATTTAAAA AAAATTGATG GGGATAATGC CAATTCGTCT GAGATTTCAC 26851 AGAAGACATG AGTACTCATC GTGATCTTGG GGAAGGGATA GGTT TGGGGT 26901 TGGCAAAGAA TTGGGAACAT TGGGTCTGGT GGGGAAGAAA GTGTCAGTGA 26951 AAACCAGAGG TGGGACTGAT CCTCCATGGG ATACTCTATG TGAATGCAAT 27001 GGAGAGCCTG AGTCCGGGGA GAGATGTTTG AGGAGGAAGA TCAGGCTAGT 27051 GACCAACTTC TTCAGTGGGA GCTGCGGATT TGCCACCTGA TCTAAAAGGC 27101 AGGAAGTAGC CATTGTCGGT TCCTACGTGA GGTGACAAGA ACAGTGCGCT 27151 GGTCAGGTGT ATAAATGCTA CCAAAGAATG CATTAGAGAC ATGGAGACCA 27201 TCTCTCAAGC TAGTCAGTCA GTTTAATGTG AGGTGCTTAG GAAA.GGACCC 27251 ATTCTACTGC AAGTGACATA CCTGCCAGAG CCTGGTTTGA ATGCTGGTAA 27301 GTCATGGCAG TGGAAAAGCT CTGGGGTTCA TTAGTGTAGG GACTAGGGCT 27351 GGTAATTTTC TTGTGTAGTC AGTTTCCTCA AGTGTTCTCT TCAAATTTAA 27401 AGATTTCAGG GTATGAGAAA TTTAGGGAAA ATATAAAAAC GTATTCTTAA 27451 GCCAGACAAA GATTAATTTT AGATTTTGTA GTATTTGGTA GTATCTCAGG 27501 TTTTGTCCCT CCAAATAATT AGGAGTGGAC TGTATACAAG ATGCTTCAGT 27551 CTTCCTTCAT CCAGGAACGT CTCAGTGGTT TTTAAGTTTT ATTCATGTCT 27601 TGGATATTCT TCAATATTTA CAATAGAATC CAGTTTGAGA ATAA TGAAGA 27651 TCAAGATGTA AACCCGCTGA AACTAGGCCT TCTCACTTGG ATTGAAGAAG 27701 ACGTCTTCCT GGCTGTAAGC CACAGTGAGT TCAGCCCCCG GT CTGTCATT 27751 CACCATTTGA CTGCAGCTTC TTCTGAGATG GATGAAGAGC AT GGACAGCT 27801 CAATGTCAGG TATTGCAGTT TTTCCCTGTA CTCCACATGT TAA GCAAATG

26/62

27851 GAGTTAGGTT TTTGTCTTTT ATGAGCATAC AACTTTTGAC TTCTATT GAT 27901 CAAGGTTGAG GAGCAGTAGC TTTCTTGTTA GACACACTTA ACAAGAAGGT 27951 TAAGTCTAGT TATGAGCCAT GTCAAAATAA CAGACCAAAA ATATAT CAAA 28001 AAGTGGTGAA AAATAGGATA AATATTAGTA GATGAAGCAA CTTTTTAAAG 28051 ATATGTTAAA TATTTTAATT TAGCATCTAC CCACATTTTT CCAGCGT GAT 28101 TGTTATATGT TATAATTGAT TTTAATAACT GTCAAGCATA ATTAGAGTGG 28151 CTAATTCTCA TGGGCTAATG TGATGGGAAG AAATTTTGTA TAAATGCAGT 28201 CATGCGCATA TATGTGTGTG TGTGTGTGT TGTGTGTGTG TATACATACC 28251 TTTTCTATGT TTAGATACAC AAATACTTGA CATGGTATTA CAATTGCCTG 28301 TAGTATTCTG TAAAGTAACA TGCTGTCCAG GTTTGTAGCC TGGTAGCAAT 28351 AGGCCATACC CCATAGGCTA GGGGTGTAGT AGGCTACACC ACCTAGGTTT 28401 GTGTAAGTAC TCTATGATGT TTGCACAATG ATGAAATCAC CTAACACAC 28451 ATTTCTCAGA CGTATCCCCA TCGTTAAATG ATGCATAATT GCACA TATAT 28501 GCTTTGTTTT GATGTGGTGA CTTCAAAATG CTTCTTCCAG CCTCCTCCTTC 28551 TATATATCCT ATTTTGTACC TGACTACATT TACCATTAGA AAGTCTCTAT 28601 TOTTOTTTGC TGAAATTTCA CTGTTCTCTG GGCCTGAGTT TTGTTTTGAT 28651 TCCTGACTAT ATCTTCATTA TGTAACAGGT TTCAGTTAAT GAATGCTCTT 28701 CTGTGTAATG TAAGCCCTGT TGTATAGTTG ATAGCATTTT CTAGCCAGTT 28751 CCCAGAACTC CTTGTTTCCA GTGTCAATAC TTGGCACCTT TGTC CACTGA 28801 CACTACTCC CAGATTACTT TGTACTTACA GCCCTACTGG TGAGATTTCT 28851 GAGAAACGTT GTTGCAAAAT TAGGAACCTT TCCTTTATAT ATATACATTA 28901 CATAAATTTA TAGACATAAA ACATTTTAAT GCAGTCATTT GCTGCTACTC 28951 TTTGACTCAT AGTCTTTCGT GATATTTTGA AAAAGCCTTT TGTTAACATG 29001 TCTAAATGCA GAATATGTTC TAGAAATATG TAGCACTTAA AGTAAGCCAT 29051 TAGATTACCT TTTGAAAAGC GGAGCAATTT ACTAAGTTTC TACTTCTTCA 29101 GATTTGAAAT TCTTCATCAT TAGCTTGTAG AGGCAAAAGC TTGATGCAGT 29151 CATCTCATTT GCTGTAAAGG AAATGAGAAG TCATTTACAG TATATTTCTA 29201 CTGCTTTGAC TTTTATTTCT CAAAAAGACT GTTTTGTTCA TATAAAATAT

594221_1

29251 TAATGCTTTT GAGGACTACA AAGTCCCTCG ATTTAGTTTA CATTTACTTT 29301 ACCTTATACT TTGTAAAAAA TACTCTTCTA AATGCTTTGT CTGTTTTAGC 29351 TTACTTATTT CTCATAATAC CTCTGTAAAG TATATGCCAT TTGCACCATC 29401 ATTTTACAGA TGAGACAACT AAGACATGGA GCAGTTAGGT AACTT GCCTG 29451 AGATCATGCA GGTGGAGCCA GGATCAAATC CCAGCGAGTC TAGCTCCAGA 29501 GTTTGTTCTC TTCTTGACAG ATAATTTATC CTCACAAAAT TTGAAGCATT 29551 TGTAGAGGAA TTCCCTATTG TTATAATGTT TAGTTTTTTT GTAGATTGGT 29601 TAAAAACTTT GAATTAAATG TTAGCATTAA CATCATTTGC TTTTATCACT 29651 ACTICITITG CICTITITIC TITITITAAT CACTACCTCT TCCTCCTCTT 29701 TTGAGAAATT CTGCTTCCGT GGCTATGGTC CAAGCTACTT GAGAAGGTGA 29751 GGTGGGAGGA TCACTTGAGC CTAGGAGGTT GAGATTGCGG TGAGCTGTGA 29801 TTGTGTCAAC TGCATTTCAA CCTGGGCAAC AGAGCAAGAC ACTGTCCAAA 29851 AAAAAAAAA AAAATAGTGA AATTTTACTT CGCTCCATTG ACTCAGGGAA 29901 AAAATGTAAT GGTGATAACA AATTCCCTTC ATCTCATTAG TGAAAATCCA 29951 CAATTTTCCA TCAATCGATA TGATAGTGAT AGAGATATTG AGTGTGCTCA 30001 TTTTCCTACA GACCAGCTGC TTTAACTATT TTAAGCAGAC AGAAATGATA 30051 TTGGTACCAT CCATGTCTAA TGAAGGCAAT ACTTTGTAAT AAGTTGCAGT 30101 AAGTTGTGGC CAGAAGAGGA ATGATGACTT CACAGTGTAA ACAACTACCT 30151 TATTGGGTTT GTGGAAAATG GTGTCATGTA GCAGATGTGG CTTTATCTGG 30201 GCTTTGGTTT GGAGTAGTTT TATCTATTCA TCTAACCGTC TGTCTCTAAG 30251 TGTATAAGTG TGTGTGTGTGTGTGTATA GTATTGGGTG TGTATATG 30301 TATTTTGTCT ACATTGTATT GAAGTAGGTA GTGCAGCATC AAAAGGAAAT 30351 TGTTGATTTT CAAAATCAGT GAAATGTCAC TATTTTTGAG AAAAATGGTC 30401 TGTTTACACT CCCTTCTCCT TTTTTTTGTC AGTTCATCTG CAGCGGTGGA 30451 TGGGGTCATA ATCAGTCTAT GTTGCAATTC CAAGACCAAG TCAGTAGTAT 30501 TACAGCTGGC TGATGGCCAG ATATTTAAGT ACCTTTGGGG TGAGTATCAA 30551 GGTGTTAGGA AAGCATGTTA TGACTTACAT AGATGCTTAG TTCTTAAGAA 30601 CATGTACTTG TATCTTGTCA GTTCAATATT GATTGTCAGG TCTTTTAACT

30651 ACCCTGGAAA ACCCTAAGCT TTAGAGTGGA ATTGGCAAGT GTATTCTACT 30701 CCTGTTTCCT CTTTTAATGA ACTAACGTAC TCTTAAAAAA GTGATTGATG 30751 ACTATCGCAG GGACAAAAAA CGAAACACCG CATGTTCTCA CTCAT AGGTG 30801 GGAACTGAAC AGTGAGAACA CTTGGACACA GGAAGGAGAA CATCACACAC 0851 TTGGGCCTGT CGTGGGGTGG GGGAGGGTGG AGGGATAGCA TTA GGAGATA 3901 TACCTAATGT AAATGACAAG TTAATGGGTG CAGCACACCA ACATG GCACA 3951 TGTATACATA TGTAACAAAC CTGCACATTG TGCACATGTA CCCTAGAACT 101 TAAAGTATAA TAAAAATATA TATATAAATA AATAATGCCA GCATTAGAGA 1051 AAAAAAGTGA TTGAAATTGC ATGTTAAGTG TTTTAGCAAA TGTTGATGTT 1101 GATGGTTTTT TGCAAAGAGC GCATCAGCTA TTTGTGAACT AGATCTGTGA ATCTTGCAGA GTCACCTTCT CTGGCTATTA AACCATGGAA GAACTCTGGT 31 GGATTTCCTG TTCGGTTTCC TTATCCATGC ACCCAGACCG AATTGGCCAT " GATTGGAGAA GAGGTAGGTG AACACGGAGC AGGAAATTTA CTTAAAGTAG 31301 TTACCCAGGG ACTGATGGCA TTAAGTAGAA AGAGCGTGGG CTTTGGAGGT 31351 GGACTTGGGT CTCCACTAAA TGCCTAGACA ATAGTGGGAA ATGATCTCAC 31401 TTTCATAAGC CACACCTTAT TCATCTATAA AATGGGAAAA TCAGT ATCTG 31451 TCTATCAGGG TTCAGAAGAC TAAATGAGAT AATATATGTG ATTAGCAACC 31501 TTTTATCCCT AGTTGTACAA ATCATTCAAA GTTAATTITA TTTAGTAGGG 31551 GAAACAGAAA TGTGATCTTG AGAATAGTTT TAGTAGATTT TTATT CAACA 31601 CATACTAGAA TGCCTATAAT TGTGGTGGAT GGTAGAATGC AGTGGCTGGA 31651 AAACAAAACC GCTTGACTAA TTCCTGCTCT TCTGGAACTT GTGATCTATT 31701 AATTYCAATG TAATGATTCC CTTTGTTGGG AGTGTGATGG AAATGGACAG 31751 AGTATACTGG TAGAGAATAC TGAGATGTTT GAGGGGTAAT TTGAGGATGG 31801 TGGCTATGAG AATGGGAGTC CTGCATCTGG TGGTCCAGGA AGGCCTCTCG 31851 GAGGCAGTGA TGTGTGTGCT GAGATGTGAA GAAAAAGAAG GCTCTGTCTC 31901 CAGGCAGAAG GAACAACAAA CTCCTTGAGC TTAGCAAGAG CTCATCTTAT 31951 TCAAGGGACT GGATGGAAGT ATTGTGGCTG GAGCTCAGTG ACAGTCATAG 32001 GAGGGAATTT GGGTTCTTTA ATTGAACAAA GATTAGAAAC TTCTTGTGAT

32051 TTTTAATAAC AGAGTAATGT GTTCTGCTTC ATGGTTTGGA CAGTGATTCT 32101 GGCTGCCCAG AAGAGACTTG ATTGGAGAGT GACGAGACTG GAA TATGGGA 32151 TCAACACCGG TTGAGTGGAG TTAGTGAGGG GAAAAAGGAG ATGGGTTTGA 32201 GATATGTGTA GGAGATGGAG ATGTCAGGGC TCACTGATGG ATTGGATGGC 32251 TTCACATTCC GTTTTGCACT GGACCAGCCA CGTCTTAGGT ATCTATCTTT 32301 AGTCCTGATT ACAGGAACTT AGGTGTGAAA TCATAGGGTG GTAGAACTAT 32351 GTGATAGAAA AGGTAGGTTT AACTGATTTG AGATAGAATT GCTTGTGATT 32401 TCAGTTTTAT TTCTTTGCAG GAATGTGTCC TTGGTCTGAC TGACAGGTGT 32451 CGCTTTTCA TCAATGACAT TGAGGTATCA AGGCTTGGTT TGGTGTTGGA 32501 TCCTTTTCAC AGTGTTAGCT CCGAGTAATC TAGCTAGCTT TCACCCATGC 32551 CTCTCTGGCC TTCTCTTGCA GGTTGCGTCA AATATCACGT CATTTGCAGT 32601 ATATGATGAG TTTTTATTGT TGACAACCCA TTCCCATACC TGCCAGTGTT 32651 TTTGCCTGAG GGATGCTTCA TTTAAAAGTA AGTTTTCAAT GTATAAAACA 32701 GAAATGGTCC CTTCTCCAAT GTCTTTTGGA GTCTTGATGA CTTT TTGAAT 32751 TCTTCATTTA TTTTGGCTTT TTATCAAGGA GTCCTAGGCT GGAG AAAATC 32801 TITAGAGITA TITTACTTAG ACCCTAATCT CAACATAATA TCTCA GITAA 32851 ATCATTCTGC ACTTTAGTAA AGACATCCAA GGAAGGGAGT TCCTTCCTTA 32901 AGCAGCACAT TCTAAAGTTA AAAACTTTTC AGGAAATTTT ATTA TGTAAC 32951 TGATCTAATA TTTTATTTGG AATTACTATG TAGATCCCCA ATGTTTTACC 33001 TTCTGTGTAG TCTTTTCCCA CTGTGCCCAC CCTCCACTGT ACA TCTGCGC 33051 TCCATCTAGT GGTTTGTAGG ATATTGGCTG CATTTTGTCT TCTGTTCCAT 33101 GCCCTATCTA TCTCTGTGTG TGTGGCGTGT ATGTGTGTGT GGCGTGTATG 33151 TGTGTGTGGC GTGTATGTGT GTGTGGCGTG TATGTGTGTG TG GCGTGTAT 33201 GTGTGTGGGCGTGTATGTG TGTGTGGCGT GTATGTGTGT GT GGCGTGTA 33251 TGTGTGTGTGTGTTCCTTAT TCTAAAAAGC CAACTTATTT TCTTTGCTTC 33301 CAACTTGGAA ATAGGGAATC TITCTTTCAT TGATATGATT ATAGTACACT 33351 GATAATGCTA AGAAATAGAG AAGTTGCCCC AATTCTTAAC TGT GTTTCTC 33401 CACATCATTT GAGAAGCTGT GTATGTGAAT GTGCATGAGG GCTCTGTAAG

594221_1

33451 AGAGAGGGCA AGTTCCAGGG ATGAGCGTGT TCATCAGCAG GGCTGATAGT 33501 CTTGAGGTTC AGTGGGAGAG CTAAGGCACA TGGTTGTTAT TTGTTCTCTT 33551 CTATTTCACA TAATGTGTGC GGTTTCAATT GCAGTTAATG GAGAGTGGCT 33601 TGTTGTGATA ATTAAGGCTT ATTAGTTAAT GGTGTGTTTA GCATTACAGG 33651 CCGGCCTGAG CAGCAATCAT GTGTCCCATG GGGAAGTTCT GCG GAAAGTG 33701 GAGAGGGGTT CACGGATTGT CACTGTTGTG CCCCAGGACA CAAAGCTTGT 33751 ATTACAGGTA AGCTGGTTTT TCAGACAAGA TAGATAGTCT GATTGTCATT 33801 CAGCCAAGTA CCAAGCATAA TTCTTGCAGG TTGTATTTTA GGCTTTCTTA 33851 TTCTTGTAT CGTTTATTGT AAACCTTTCC TTGATAGTTT TCTGTTAGCT 33901 TTATTCAAAG GAGTGTTGAT ACAGGCTGTG ACCATAAGGC TCAAAGCGAA 33951 ACTITICITG AAAGTCAAGA TAAATATAGA GAACAACAAG ATICTIGCTAA 34001 AAGTGTGCTG ATTTTAGAGA GTTGTGGTAA TTCTCTGTGA AGAGTTAGGT 34051 AAAATGGTGT ATCCTGGCTA TTTAAATGTT TTCTACTTAA TTAAA.AATGT 34101 TACTGCTTTA ATTTATTTAA GATGCCAAGG GGAAACTTAG AAGTTGTTCA 34151 TCATCGAGCC CTGGTTTTAG CTCAGATTCG GAAGTGGTTG GACAAGTAAG 34201 TGCCATTGTA CTGTTTGCGA CTAGTTAGCT TGTGATTTAT GTGT GAAGAC 34251 AATAAGTATT TTATTACAAT TTCGAGAACT TAAAATTATG AAAAGCCCTC 34301 ATTACCTATA TCATCAATCA GATTCTTAGA GGCTCTTTTT TTTTTTTTTA 34351 ACTITITAC TITAATGCAG TATTTTGTAG TGGAGATTCC TAGCAGAAAG 34401 AATCGTGACA CTCATCATAT AAAGGAGGC TTCTCTTAAC CTGAGGGAAC 34451 ACATGTGGGT TTTAGGTGGC CTGTGAACCC AGGGAGATTG TACACACAA 34501 ACCTTGTCTT TGTGTATTTA TTCAAGTAGA AAGCCCACAG CTTTCAATAG 34551 ATTTACAGCG GGGCCTATGA CCCAGAAAAG CCTGAGCTAC TCTTGTGAAG 34601 GAAATGACTG ATTTTCTGAA CCTATTTGGA GGAAACTTTG TATTTGGAAAG 34651 ATCTATACTA ATGTTTTGTT TAAAAAGTAG ACCTGAATTC CATGATGATT 34701 TTCTTTGTTT TTTTTTGAG ACAGAGTCTT GCTCTGTCAC CCAGGCTGGA 34751 GTACAGTGGC GCAATCTCGG CTTACTGCAA CCTCTGCCTT CT GGGTTCAA 34801 GCAATCCTCC CACTTCAGCC TCCCGCATAG CTAGGATTAC AG GTGTGCAC

594221_1

34851 CACGCCTGGC TAATTTTTT TTTTGTATTT TCAGTAGAGA CAGGGTTTCA 1990 CCATGTTGGC CAGGCTGGTC TCAAACTCCT GACCTCAAGT GTTCTGCCCA 151 CCTCGGCCTC CCAAAGTGCT AGGATTACAG GTGTGAACCA CCGTGCCCGG 5001 GCTTCTGTAA TGATTTTCTG TTGTATGTAT GTGAAGATGT AGTTCTCAGA E3751 CAGTCATGAT GACTAAATTA CACCTTTTAA GAAGGTAAAT GAATG TGGTA 101 CCTGATTTT TTATTCTGTA ATTTCAGAGT AGAAATCCAG TGATAGTAGC 151 TTGGCATTGG GGCTGTAATC TGATTATAAC TGGTTTGTAT CATAA TGAAA 201 ATATGCTGGG CCCATGGAGC TCAGTTTTTG TGAATATCTT TTCTATTCTT 251 TCTCTGTCTT CTCACAGACT TATGTTTAAA GAGGCATTTG AATGCATGAG 301 AAAGCTGAGA ATCAATCTCA ATCTGATTTA TGATCATAAC CCTAAGGTAA CTTTCTAAGC TGTCATTTAC TCTAGCTTAC TTTGTACTTA AACTAATATG AND ATCTGAACGA AGATGTTTTG TCCTTTTTTT GGTAGGTGTT TCTTGGGAAAT 35451 GTGGAAACCT TCATTAAACA GATAGATTCT GTGAATCATA TTAACTTGTT 35501 TTTTACAGAA TTGAAGTAAG TATTTTGAAT AATTCATGTG TATCTTTTCC 35551 ATAGTTTTCT CTCTTCTTGT TAAGGAAATC AAGCATAAAT AGCTA GAGAA 35601 GAAAAATTCC TTACTGTTCA TTTTTAAAAA TTGCTATAAC TCTTAGATGC 35651 CAGTTGGTTT TTTGCTCTTT TCCGTTCTTT TTAAAACAGC CTGTTTAAAA 35701 CTATGTCCTT AAAACATGTC ATTCAGAATT ATTATTTCAC TTGATTTTTA 35751 GGTATACATA TAAAACTACT TGTTTTTCCT AGGAGACTGA AATCAAATGG 35801 CATCTTTCTC TCTGATGATC TTTCCCCTCA ACTTTTAAT GAAACACTTT 35851 CAAAATAGAG AAAAGTTGAG AGAATTGTCC AGTAAGCAAC CTA TATATAC 35901 CCCACCTGGA TTCGCCAGTT TATATTTTTC TGTATACACA TTCT CATTCT 35951 CTATAATCTG TCCATCCATC ATTCATCTTG TTTGTAGACA AATTGCTAAG 36001 TGAGTTGTAG ACATCAGTCC ACTCTACCAC CTGTACTTCT CCTTGTATAT 36051 CATTAACTAG AGGGCATTCT TTGTGTATGG GTTGGTTTTG TTGTGTTTTT 36101 TCAGGTCATA TTTATCTACA GTGAAATGTC CAAATCTTAA GTGTGCCACT 36151 TAGTGAGTTT TGGCAAATGT ACACTTCATG TAACCTGAAC CTC TGTCAAG 36201 TTAGAGGGCA TTTACTCCTT TTCAGAAAGC TGCTTCAGAT TCCTTTCAAT

36251 CAGTCCCTGT CCCATTCCCC AGGCAACTAC TCTTCTGAAT TTTTACCAT 36301 AAATCAGTTT TGCCTGTTCA AGAACTTCAC CTAAATGGAA GCATACAGTA 36351 TTACTCTTCT GCATAAAGCT GTTTTCATTC AGCATATTGT CTTGAG ATTC 36401 ATCTGTGTTT TTATATGTAT CACTAGTTCA TTCTTTTTT ATTGGTC AGT 36451 AGTATGCCGT TGTGTAAATA CACCACTATT TGCTTATTCA TTCCCCTGTT 36501 GCTGGACATG TGGATTGTAC TACCCTGTTT GGGGCTAATG TGAC TAAAAC 36551 ATCTACAAAC ATTTGTATAA GTCTTTTGTG GACATGTTTT ATTTCTCAAT 36601 ATTITTATAA TICAACTCTT TICCAAAAGT CATTITTATT TATCATCATC 36651 AGCATGCCAG GTGTATGTTA GTAATTTGAT CGCTGGGCTA CATGTTCTGT 36701 TGATGACCAT TCCATACACA CCTGTTCTTA GAGAAGAAGA TGTCACGAAG 36751 ACCATGTACC CTGCACCAGT TACCAGCAGT GTCTACCTGT CCAGGGATCC 36801 TGACGGGAAT AAAATAGACC TTGTCTGCGA TGCTATGAGA GCAGTCATGG 36851 AGAGCATAAA TCCTCATAAG TATGTATGCT GTCACCAGGT GGCATCCTTT 36901 GAAAAACCGA AGTGTGTAGT TGTCCTTGTC CAGCCTACTT ACCTTTCTCA 36951 TTCTGGTGTT CTTCACTTAT TACCTCAGAT ACTGCCTATC CATACTTACA 37001 TCTCATGTAA AGAAGACAAC CCCAGAACTG GAAATTGTAC TGCAAAAAGT 37051 ACACGAGCTT CAAGGTAGAG ATCCGCTCAC AGAGAAAGTG CTTAAGGTGG 37101 CCGTGACTGC TACTAGTCTT CTGCAGGTGA CAATCACCAT GTCATTGCCA 37151 CACCACAGAT TTAACATGTG ACTTTTTAGT TGCCATTTTA AGACCCTTGT 37201 CAGTTTTTT CAGTGCTGCC CTCTAAAGCA TATATAAAAG TATCAGAAGT 37251 ATATATTCTT CTGATGTCCA GTTCTATTGA GAAAAATTTA TTGTCTTTTT 37301 GGTTATGTTG TTAGGTCTGT GGATTTTTTC CCCAAATGAT TGTGTTCTGT 37351 TTTGTTTTCT AAACACTGTT AGGAAATGCT CCCTCTGATC CTGATGCTGT 37401 GAGTGCTGAA GAGGCCTTGA AATATTTGCT GCATCTGGTA GATGTTAATG 37451 AATTATATGA TCATTCTCTT GGCACCTATG ACTTTGATTT GGTCCTCATG 37501 GTAGCTGAGA AGTCACAGAA GGTATGTGGA GTTCTTACTT TTATGCCATT 37551 TGGTTCTTGT TTATATATG ATAGTGTGAA ACCCTGCTTC TGGTAGTGCA 37601 GTAGCTTTTC TGCTATCACT CTGTGAGTGC AGGGCTGGAG ACAGATCTGT

37651 GAGTTTCTAG GGCCCACATT CCTAAGCCCC TGTGCTTATG AAAGTGTTTT 37701 GATTGTGAGG TTGAAGAAGT GAAGTAAAAT TGCATGGCTT TTTT TGTTT 37751 CTTTTTTTT GAGACGGAGT CTCACTCAGT CGCCCAGGCT GGAGTGCAGT 37801 GGTGCGATCT CGGCTTACTG CAAGTTCCAC CTCCCGTGTT CACGCCATTC 37851 TCCTGCCTCA GCCTCTCTAG TAGCTGGGAC TACAGGTGCC CATCACCACG 37901 CCCGGCTAAT TTTTTGTATT TTTAGTAGAG ACAGGGTTTC ACTGTGTTAG 37951 CCAGGATGGT CTCCATCTCC TGACCTCGTG ATCCGCCTAC CTCAGTCTCC 38001 CAAAGTGCTG GAATTACAGG TGTGGGCCAC CATGTGCGGC CTAAAATTAC 38051 ATGGTTATTT TTAAGATGAT GGGCATATGT GTGAGCTAAT TTCTTCTCTT 38101 ATAAAGGAAA TGTAACAAGT GGTTCATGTT CCACTCCGGT TCTCTCAC 38151 ATGGCTCTTT TTTCTAGTGG AGGGTGGGCA CATGGAGCAC AGA AGGCTCA 38201 TGGCCTCCTT TCCTATGTTG GTACATTTGC TATGATCAAA AACTTTGAAC 38251 ACCACTGGTA TGCATATTTT TTATTTATTT TTTTGCAGCC TCAGT CTCTT 38301 CCCCATGACC TCTCCAAAAA TGAAAATCGG ATCCTTCATC TCTCTGCTTA 38351 AAATACTTCA TGAGCTCCCA TTGTTCCGAG GATATAATTC AGAA.GCCATA 38401 ATACTGCTTA AAAACCCTTC CTTGACCTGG CCTCTGTGTA TCTT TCCATT 38451 CTCACTTCTT GGTATTGTCT TTTTTTCCTC TGCCCATGGA GGAAAGACAA 38501 TGCTTTTGTC CCCCTTCCCT TGCCCCTCAC CACCACATGC CTTGGTGGGC 38551 AGCATTACTT CTGCCATCCA TGGGCTTTGA CTGCTTCCAC CCT CACCATT 38601 CCCCTGGCTA ATTCTCACTA ATCTAGGTTA AAGGATGCCA AGG TGGCCTC 38651 TTCCCAGTAA GCCATTCATG CTTCCCTCCA GGGACTGGGT GAGGTGACCC 38701 TCCTATATGC TTCTGTTGCA CACAGTGCCT ACCCCTGCAG ACT ACAGTGT 38751 GTCTTTATCT AGAGTGCGGT ATTTATTTAT TTATTTTTGA GACAAGGTCG 38801 GGCTCTATCA CCCGGGCTGG AGTGCAGTGG CACCATCTTG GCTCACTGCA 38851 ACCTACGCCT CCTAGGCTCA AGCAATCTCA CCTCAGCTTA CAGGCGTGCA 38901 CCACCATGCC TGGCTAAGTT TTGAATTTTT TTTGTTGAGA CGGGGTTTCG 38951 CCATGTTGCC CAGGCTGGTC TCAAACTTGT GAGCTGAAGC AATCCATCTG 39001 CCTCGGCCTC CCAGAGTGCT GGGAATGAGC ACTTAATTAT TTGTTGTCTT

39051 GGGTTTTCTT CCTATGTTGT TCTTACATGT ATTTATCCTG TCAGCC CAGG 39101 GAAATTGCAT TAAAAACAGG AAACACCTCT CCATTAGGAA GAAAAACAAT 39151 TTGCTTACAG GGCATGGCAT AGAGCTGGAG ATGATAGTGC CAAT AAATAC 39201 TAGGTTGGCA GGGTCTCAGA GTTTTGTGTC CAACTCAGTA TAATT TTATG 39251 TTTGTTTTAA TGTGATCATT TCAGGAGAGC ATGGAATGTC ATGAAAACAG 39301 CACCAGAGC AATGTCTTAG ACTTTTAGGA GAAACTTAGA TGCAT TTGTT 39351 GAATATCTTC TAGACTGAAA CCTTATTTCC CTTATTAGCC TATGAAATAA 39401 ATGATACTGT GAGACTTAGT TAAGGAAGTT ACTATTATTC CAAGTGTAAC 39451 TTATTAATAT CCGTATGTGA AAGCATTTTT GCCAAAGCTT GTTTGATGTT 39501 CAGCTGACCC TTGCACAACG TGAGTTTCAA CTGTGCGAGT TTGAACTGTG 39551 TGGGTTTATC TAAATGTGGA TCTCTCTCAA ACACAGTTGG CCCTTTGTGT 39601 CCACGGCTTC TGCATCCACA ATCAGTGTGG ATCAAAAGTA CAATATTTGC 39651 AGGATTTGAA ACTTGCAGAT ACAGAGGGCC AACATTTTGT GTAT CCAGGC 39701 TCCATGGGGT CAAATGTAGG ACTGGGGTAT GCTTGGATTT TGGTATCCTT 39751 GGGGTGTCCT GGAACCAATT CCCCATAGAT ACTGGGGGAC AACTGTAGTT 39801 TGATTITATA TATTATATAA TATGCAGTTA ATATATAATA CACATTTAAA 39851 AATTATGTAG CTTTGGGTTT ATTGCTATAT GTAAATGCTA GTTTCTATTC 39901 CTATATATGA ATATCACAAG TAATAAAGTT CTCATTAATC ATTITTTTAG 39951 GATCCCAAAG AATATCTTCC ATTTCTTAAT ACACTTAAGA AAATGGAAAC 40001 TAATTATCAG CGGTTTACTA TAGACAAATA CTTGAAACGA TATGAAAAAG 40051 CCATTGGCCA CCTCAGCAAA TGTGGTAAGT GTGGGGATTA GTATGTTTAT 40101 CTCTACTTCA GATCTTCTTT GGAACTAGGC AAGGTATAAA TTAAACTGTT 40151 AGTTTAGACA GTGACTGATT TCACTTCCCA CTCCTGAAAA CTCTAACAAT 40201 TATGTATGCT CACGTTATTT TGTCCTGTGT TCTGAAAAGC TGAAGGTAAT 40251 CACTTTTAAT GAACTGGAGG AGCTCCCTAG GTAAGAACGT CAAGTAGATC 40301 CTTTTTTGGT TAAGAATGAG CACCTGTGAA GTTAACTTCA GTGTCTCAGA 40351 ATCAAAATTG GTTGACAGTT CTTCCTTCTC ATGCTGTTTG CAGACATGTC 40401 AGGGAAACTC TGCTTGTCTG GAGAGAGTGA TGAGGCCACC TCCCCGTGCC

40451 CTGCAAGACG CAGTTTTAAT TGACAGTGAT GGGGTGCCAG TTGTTCTTCC 40501 CATGCTGGAA CAGTTGTGAT TCTTTACTGA GGACTGATGG GGGAAAGGAA 40551 GAATCACCTG GGGTGCATGT TAAGCCTTCA GCTGCTGGCA TCCTTGGAGA 40601 ATCTGATTCA GGTGGTCTGG GATAGGACTG AGGCGTGCAT GTGTCTAATA 40651 AGCTTCCCAG GTGATGTCTT TTCAAGGAGG CTGAGAAAAC ACTGGGCTGG 40701 AAAGCTGGGA CTCTTAAGTA GGATGCTGAT CCCAATCAGT GCTGCTCTTG 40751 CCTCAGAATC TGCAGTGGTG CTCATTAAAA ATTCAAATTC CAGGATCCCA 40801 TTCTTCAGAT TCTCTGATTA TTTAGGTCTT AAAAAGTTCC TCATTTATTT 40851 TGTTTGGTGA CCATTGGTAT AAATGAAGTC CATTATGCTT CCCATGTCTT 40901 AAGCCTGTCT TTGTGTGAAT CTTTTTCCTG CAGGACCTGA GTACTTCCCA 40951 GAATGCTTAA ACTTGATAAA AGATAAAAAC TTGTATAACG AAGCTCTGAA 41001 GTTATATTCA CCAAGCTCAC AACAGTACCA GGTATGTGGT ATGTGAAAAT 41051 GAGGCTCTCC TGGTTTTGCT TTTTGCTTTA GTAGGAAAGG AGTGAGGATC 41101 CTAAGTTCAT AACACCATCC TTGGCTTCAA AATTTATCTT AAAACTAATT 41151 AGCCTCAATT TGAACTTCTT ATCTGGGAGA ATGGTCCTGA CCTGTTCTCT 41201 GATTCCTCAT CTGGAATACC ACAGCACCTT CCTCGTGGGG TTCCCTGCTT 41251 CTTTCCCACC CCTCCTCTAG CCCAACCTTA CTGCTGTAAG TCTGATTATC 41301 CTAACAAGTA CAGATCTTTC CCATATATTT CAGCATAAAG GGAAATTTTT 41351 GTTTGCTTGA AAAAGCATCC CTTTAGCTTT TTTTATATAC CACACACTTT 41401 GCTTCTAAGT TAAATGTGTT ATATGATCCT CTTAACAGCC TCATAGGGTG 41451 CTGTACACAA TITGTAGATG AGGAAGCAAC TTGCCTGAGG ATCCAGAGCT 41501 ACAAAGTGCT GGACCTGGGA TACAGAGCCC AGGCTGCCTG ACCACCCTGC 41551 CCATGCCATT AACCACCACT CTACCATGCC ACCAGCATCA CCATTTTCAG 41601 TTTGTCCTCA GACAATATAC ACATCTTTCT TTGATCAAGC CCCTGCCAGC 41651 TTCTTTAGCA CCAGCTTCTG CCACTGTCCA CATTCCCAGT TACTTGTAGG 41701 TAGTTCTACA GATGTCACAT CGTGTGATTC CTCTGTCATT TCTCTACCCA 41751 CCAGCCTTCC TTTAGCCCCA TTTGTCCATC AGAACCCTTG GGTTACTCCT 41801 GAATGCCATT CCTGGACCAG GCGCCAAACA CTGAGCCCCC AGAGCAGCCT

41851 GCCCTCGCCT TGGTGATTGC ATTTGTCAAA CTGCTGATTA GCTGGTTTGT 41901 CACCTCCACC AGGCTGTGGG CTCCTTAAGG GCAGGGACTC CATGTTGTAT 41951 TCCTCTCTGA ATCTCTGGCT AACATCCAGC CTGGAGAATC GAGGATTTGG 42001 CCAGTGGATA CCTCTTTGCC CTTGTTTTCT GTTCTCTTCC ACACTCTCTC 42051 TGCTCTAGTC ACACTGGCCG TCCTGTTACT CCTCAGACCT GCTATACACA 42101 TECCTGCTGC ATGGCCATGG TGCCTTCTGT GCCCTCTGCC TGGTGCCCCC 42151 TATCTCATCA CGTGGTTTAT TCTCCTGACA GCCATTAGAG CTCACACTCC 42201 CTGAGAGCTG CAAGGAGACT GTCCTCTGTC CCTTTACTCA CGTTTGCCAT 42251 TATGCTATAG ACTATATTTT GTCCCTAAGT CCATCCTCTG TTACTATAAG 42301 AGCAGCAACT TGGTGGTGGT TCTTATATGG TTTTTCATTT GTTTGGTTTT 42351 ATTTTTGCC TTGCTGTAGT ATCCATACTG CCCAGAATGG TGCATATGTA 42401 GTTAAGAGTA ATTATTTGTT GAGTGAATAA ATGGCACATC CTCAGTAAGG 42451 TTTTGAATGA AAAAATGACT GTACTAACTG ATCAACTGTA AGATTTTCCC 42501 AGGTAATTCT TTCAAGGGAG TTCCAAGTAT AGGAACTAAG GCAG CTACAC 42551 TGGAGCTTTA GAGAAATGAT TGTCATATTT CCTCCTCAGT CCTAAATCTC 42601 CTCTTGTCAC AGGATATCAG CATTGCTTAT GGGGAGCACC TGATGCAGGA 42651 GCACATGTAT GAGCCAGCGG GGCTCATGTT TGCCCGTTGC GGTGCCCACG 42701 AGAAAGCTCT CTCAGCCTTT CTGACATGTG GCAACTGGAA GCAAGCCCTC 42751 TGTGTGGCAG CCCAGCTTAA CTTTACCAAA GACCAGCTGG TGGGCCTCGG 42801 CAGAACTCTG GCAGGTAAGT ACAATCATTT ATATGTTTAC ATCTACAAAG 42851 GTTTTAAAAA ATTTATTTCT TTTGTTTGGT AATTTTGCAA ATAAATTTAG 42901 GGCAGAATAC TCTGAGACAG TCTTGTTCTC ACTGATAAAA ATTAATTTAG 42951 AATGCTTTAA AGGATAAGCT ACTACAGCAA GAGTCCCAGA ATGCAGTGGC 43001 CCAATATGGA AAGAAGTTTA TTTCTCTCTC CCATAGGGAT TTATAGGCCC 43051 TTCCGTTGTG TGGCTCTGCA ACCTTTTAGG CAGATGGTTG TAGCTGGGTT 43101 ATCTCCACAG CTGTGGGGAA GGAAGGAGAG TGGGGAGAAG TTAGAATCAT 43151 GGTAAAACAT TTACCTTTAA GTTGGAAATG ACCTGGATGG AAGTTAAACT 43201 ATCACCTTCT ATTCCATCTC GGCCACGCCA TGTAGCTGGA TGGGCTGTGC

43251 CCTGTAAGAA GGTAAAGATG AATTTTTGGA TGGGTCCATT CTGTTATAGA 43301 CAGTAGGTTG TTGGAATAGC CAGGAATGAG GTGGGGAAAA TAAAAGGCCA 43351 AATGTCGAAG CATTCTGAAA GCAAAGGCAG TTTAGCTGCG TCAGGGACAA 43401 GGGTTGCCCG AACCAGAGGC GAGGCTGGTA CCAGGGGCTC TAGTACCAGA 43451 GTGGAGGAAA GGGTAAGGAC ACCTATGAAA AGAGATGAGC AGAAGCTCTG 43501 GTCATCTCAG CAGTGCTTGA AGTAAAGCAA TGACTGGTAT ATTIT TTTCC 43551 CTAACTTGTA AATATTGTTG AGATCTCAAA GAAAAAAATA AAAAGCAGTC 43601 CTAAAAAAAT TCCAAACTCT ATCCTGTTAA ATTTTGTTAA ATTTATGTAC 43651 CAGTCCTTCT TTGTCATTTG CAGTATTCTT TTTTTCTTGG GATTATACCA 43701 GTGTATGGGA TTATCACTTT TCTTTTTCTG GTTATTAGCC TTTCCCAAAT 43751 CCCTCCGTTT CCATGCTGGC CTCTTTTTAC AAATGTCGAG AATTCCTTAT 43801 TTCAGGCCTT TTAGTTATTC GTTCGGTCTC CATTGTTCCT TTCTGCTTTA 43851 GAAATTTATG ATATTGGTTG TTTATACCTT CTATCTCTGT TCTTGGATCT 43901 CTTCTATTCT TTACAGCTCT TAGCTTGCTA TTTCCCATGT CTTATGAGGG 43951 AGTATTTCTA GTTTTTCTCA GATGTTTAGC AAAAGTAGGT GGGGAGGGCA 44001 GTGGTCAAAG ATGTTTGAGA AATGTTACAC ACTGGAGTCA CTCTGTGTGT 44051 ACATTTAACG TAGGCAGTTT ACACAAGAGA GCAAAAGAAA GGTAACTATT 44101 TAAATAGTGG AGGTGATTTT ACCTACTTTT TTTAGTGATA TATGCACTGG 44151 AGTGAGCATG CAATGAGAGA CCGGAATCTA CCAGCTCCTT CGAAAGCCTT 44201 GGGTTCTCTG TGCCTCTCAT TGTGGTTTAT CTCAATTGGG CTGAGAGTGA 44251 TTCTAGGATC TAAAGACACT GCATGACTCA AACATAAGTC AGCT'ACCTCC 44301 ATCTAGTGCT CAACCAAAGA AATAGTGGTC TCTTACTGTT AAGGGACGAA 44351 GTGGTTTAGT GAGAGATACC AGGTCATTTT CCCATATACA TGCTTTGGAA 44401 GCATCTITCA AGGCTAATTT TGGCTGTATA TGATTTTCAA TTCCTGTGCT 44451 AAATTTAGAT TCTAGCTGCC ATTTAAGATA GGACTCTGTG GTGTATATAC 44501 CTATTCCCTC ACAGAAATTC AGAAAGTACA TAGTTTCATA CATAATAAAG 44551 ACATATTAAA GAAGCACTTG AGCTAAAGTA TCTGTTTAAC TTTGTAGTCA 44601 ACTGCTGCTT ATTGTCTCTA CAGGAAAGCT GGTTGAGCAG AGGAAGCACA

44651 TTGATGCGGC CATGGTTTTG GAAGAGTGTG CCCAGGTAAA CTCAATTCCT 44701 CCCTTCTAAA CCCCCCAGTC AGCAAGAAAG GTCTTCTCAA TTGTA.TCTTA 44751 GTGATCATGA AAGTTAAAGG AACTGTGCAT AATTGTTAAG TCCAGAGATA 44801 GTGTTTGCCC CAGAGGTCTT ATCTTGCTGG CTTGACTTGG AAATCTAAAT 44851 TTAGTACATC TCTAAGTTTG GTGAGGTAGA ATATGAAGGT GCTCT ACTTT 44901 AACATACCAC TGGTTTGACC TTGGTAGAAA GTACTTAATT ACATC TCAAG 44951 GTAGCTGTGC TTTTTAAAAT TGAGTTTGCC AAAGTAGAAA CAATGAGAAA 45001 GGACCATTAT AAAACAGGAT CATTGAAGGC TACATACTCT TGGCTTTTTAC 45051 TCTCATTCTC CCTATTGGAA ATGTCTCTTT TACCTCAGGG ACCTG GAGGT 45101 ACAGCAGATT ATAAGGATAA GTACCCATAT GAGCATTTGG TAGTATTATA 45151 GGATTTATTA TGAAAATAAT AAAACTGCAG TAACACTGGC CACAGACTAA 45201 CAGTACACAG GTGCACAGTT GACACCAGGG ATTATTGCCT TGTAGAGTTT 45251 TGACCTTTGA TGAGAGAGTG TTTTTTACAG TTGTTACTGA TAGCACATTT 45301 ATGTAACTTA ATTGTGCTTT AAAAATATTT AATTGTCTCT TGTGTAATAA 45351 CAGTAAGTGA AAGACGATAA CTAAAATTTT ATATAATTAG ATCCTGGAGA 45401 GAATATTTGT TGGGTGATTG AATTGAAAAT ACCAGTGAAT GAAACATACC 45451 TAAAAGGGTA GATAGGTTGG GTTGGAAAGA TATACCACAT CGAGGGTTAA 45501 TTAAATGGAT AAGATGTCAT TATCTTTTTT TCTTTGTAAA GGAAGATTAA 45551 TGCATAAAAT TATTTTGTGT AATTTACATA CAATAAAATT ATGIGTTGTA 45601 CAGTTGTATA ATTTACATAT AATAAAGCTA ATTCACCAAT TITAGATGAA 45651 GAATTCAGTA CATTTGGACA TATGTTTGTA GCTGTGTAAC CACCATTGCA 45701 CTCATGATCT AGAACATTTC TAACACCCCC AAAAGTTCCC TACTTCCCCT 45751 TTTGCAGTCA GCCTTCTCCC TCCACTGCCA GCCTTTGGCA AACTGATCAG 45801 TCAGTAAAGT TTCACATTAT CTAGAATTTC ATATAAACAG AACCATATGG 45851 TATGTAGTCT TTTTAATCTG GCTCCTTTCA CTCACATAGT GCATTGGAGA 45901 TGCATCCATG TTGTAGTTTA TTCCTTTGTA TTGCTGAATA GTATCCCATT 45951 ATATGTATAT GTCAGAATTT GTTGATTTAC CAGTTGATGT ACATTTGGAT

46001 TGTTTCAGT TTGGGGTTAT TATGAATAAC GCAGCCATGA ACATTCTAGT

46051 GCAGGTCTTT ATGGGGACAG GAGTAGGAAT GCCACATCCC GTGGTAAGTG 46101 GATGTTTAAC TTTTTAGGAA GCTGCAGAAC TAATCTGCAG TGGCC GTATC 46151 ATTTTGCATT CCCCTCAGTG ATATGTGAGA GTGCTTCAGT GACTC CTATA 46201 CTCACCAACA CTGGGTGTAT TACTGTGACA CTAGATGTAT TATCTATTGC 46251 TACGTAACAA CTTACCTTAA AAGCTGGCAG CTTAAAACAA CAGAC CCTAT 46301 TATCCCACTT TTTCAATGGG CCAAGAATCT TGGCTGGGCT TAGCTGGGGC 46351 CTCTGGCTCA GGGTCCTTTA CAAGGCTGCA ATTAAGGTAT TGGC CAGGGC 46401 TAGAGTCATC TCAAGGCTTG ACTAGTTTTT AATTTCATTT TCTAATGTTT 46451 TATTACTAGT ATATAGAAAT ATAGCTGAAG TGTTTTGCAG GGAGGCTGTA 46501 TAATTGACCT TGTATCCTGC AACCTTGCTA AACTCATTTA TTAGTTCTAG 46551 AAGCTCTTGG GTGTATTCTC TAGGATTTTC TACATCAACA AACAT GGTTT 46601 CTATAAATAT AGTTTTATGT CTTTCTTACA ATCAATACTT TTTTCTATCT 46651 GTATTGCATT TTCTAGGGCT TCCAGTGTGG TGTTGAATAG AAGTGTTAAG 46701 AGTGAACATC CTTGCCTTTT TCCTGATATT GGAGAAAATT CACTTGTCTT 46751 TTAGCATTAA GTGTCATGTT TGCTTTTTTA AAATTTTATT CTATAT TATT 46801 TTATTTTTGA GACAGAGTCT TGCTCTGTCA CCCAGGCTGG AGTGCAGTGG 46851 TGTGATCTCA GCTCACTACA ACCTTGACCT CCTAGGCTCA AGCGATCCTC 46901 CCACCTCAGC CTCCTGAGTA GCTGGGACTG CAGGAACATG CCACCATGCC 46951 TGGCTAATTT TTGTATTTTT TGTAGGGATG GGGTTTTGCC ATGT TGCCCA 47001 GGCTGGTCTT GAACTGTTGG ATTCAAGCAA TTCGCCTGTC TCAGCCTCCC 47051 AAAGTGCTGG GATTACAGGC ATGAGCCTCC GTGCCTGGCC TGATATTTGC 47101 TTTTTTTTTTTTTTAATG CTCTCTATTG CAGAGTTGGC AAACT ACAAC 47151 CTGTGACAAA TCCAGCATGC CACCTGTTTT TGTAAATAAA GCTTTATTGG 47201 AGCATAGCCA TGCTCATTAG TTTACATCTT GTGTATGGCT GCTTTAACAC 47251 TACAGCAGCA GAGTTAGAGT TGTGACACAG ATAGTTTGGC CCATAAGGCC 47301 TATATTTACT GTCTAATCTT TTACAGGAAA AATTTGCCAA TTCCTGCCCT 47351 CTTGGTTTGA GGAAATTCCC TTCTGTTCCT TGTTCTGAGA GTTTGTATCA 47401 TGAATGGGTG TTAAATTTTG TCAAATGCAT TTTCAACTAT GAAGGGTTTT

47451 GTTTTTAGAC GAGTGATATG GGGGACTAGG TGATTGATTT TCTACTGTTA 47501 AACCAACCTT GCATCTCTGG GTTCAACCCC ACTTGGTATT ATAGATTTAT 47551 TACCCTTTTT CTCTTGTGGC AGATTAGATC TACTAAAATT TTCTTGAGGA 47601 TTTTGTGTT TGTGTTCATG AGGGATATTG TAGTTTTTTC GTGTCTTTGC 47651 CATGTTTTGG GTATCAGGAT AATGCTGCTG TCATTGAGGG GTGACAAAAA 47701 TGAGGGGTGG TGTCCTTTAC ACTTCTGTTT TCTGGAGGAT TTCAT GTAGA 47751 ATTGGTATGA GAGTCTAGCT TATGGTTAAA AACCTATGTG TGATGTTTCA 47801 GACCTGACCA TAAACAATTA CAGACTTTAC CTAGGAGGCC ACATGGGGAA 47851 AAGCTGCCCT CCCTACACCA GACTTGGCGT ACTGCCAATG CATTACAGTT 47901 TCTAAAGGGA GTTGCAGTCA AGGACTCAGG GCCCCCTGTT AGTCATGCTC 47951 TTGTAACAGT ATTTGCATTG AGAGTCCTGG CACTTTCATT CTTAGGTCTC 48001 TCTATCTGAG GACATGGGCC AAGGTCTTCT TCAGGCACCT CTGCCAAGGC 48051 CTGTTTATGC AAGAAGGAGT GGAAAAACCT TGACATTTTT TTCCACTGTG 48101 ACTCACTACC CAGTACTTTT CCACCCTTAG CCCCCTTCCT TTGCACCCAT 48151 ACCCCAAGA TCCATCAAAC TGCTAAAGCC TTTTTTTCCA AGCTCCTTCA 48201 ACAGTGAACC AACCCTCATG TCTGTGTGGA TCCAGCTGAC TCTTGACTAG 48251 TGAGTTGTTC CTTGGGAAAA AATGGAACAG AGAGAGTTGG TGC TTTCCCT 48301 GGTTTTAGCC TCTTGCTTAT ACCAATGCAA TGCCTGAAGG CTTAATTCAT 48401 TITCTCCCAG CTCTTGGGAG ATATTTTTTT CTTTAAATGT TTAGTAGAAT 48451 ATACCAGTAA GGCCATCTCG GCCAGGAGTT TTCTTTAATG AAA GTTTTTC 48501 ACTATTAGTT CAGTTACTTT AGTAGACATT AACCTATTCA AGTTTATCTG 48551 TGTCTTCTGG AATGAGCATT GGTAGTTTAT GTCTTTCAAG TAATTTGTTC 48601 ATTTCATCTA AATTGTCAGA TTTATTGGTA TGAAGTGTTT ATAG TATTCT 48651 CTTATTTTAC TGTCCGTAGG GTCTATGGTG ATGTCCTGTC TTTCATTGTA 48701 GATATTGATG TGTCTTCTTT TTTCTGATTA TTCTGGCCAG AGGTTTATCA 48751 ATTITATIGA TCITATIANA GAATGAACTG TITCATIGIT TITCTCTATG 48801 ATTTTCTGT ATTCTATATC ATTCTTTTT TATTATTTA TTATTT TATT

48851 TGCTCTTTAT TTTTCTAGTT TCTTAAGGTG ATGGCTTACT TTTATTT TTT 48901 TCTTATTTTT TTCTTTTGTT GTTGTTGTTT TTTTAAAGAA ACAGGGTCCC 48951 ACTCTTGCTC AGGCTGGAGT GCAGTGGCAC GATCATGGTT CACT GCAGTC 49001 TCAAACTCCT ACATTCAAGC TGTCCTCCCC CCTCAGCCTC CAGAGTAGTT 49051 GGGATTACAG GTGCATGCCA CCATGCCTGG CTAATTTTTA ATTIT TITTG 49101 TAGAGATGGG GTGTTACTAG TTGCCCACGC TGGTCTGAAA CTCCTGGCCT 49151 CAAGTGATCC CTCCACCTCT GCCTCCCAAA GTGCTGGGAT TCCATGTGTA 49201 AGCCACTGTG CCTGGCCAAG GTGATGGCTT AAAGCTATTG ATTT GAGATG 49251 ATTCCTTACT TTATAGTTTA AGCATATAAT GCCATAATTT TCCTCAAGCA 49301 CCGTTTTAGT TACGTTATAC AAATTTTGAA ATGTTTTGTT TTCATTTCCT 49351 AATTTCCCTT GTGATTTCTT TATTGAACCT TGGCTTATTT AGAAGTATGT 49401 TTAACTTGCA GATATTGGAG ATTTGCCAGC CATCTTTTTG TTATTAATTT 49451 CTACTTTAAT TITGTTGTGA TTAGAGAACA TACATTTTAT TAATIT AAAT 49501 TTATAATTTA TTTTAATTTA TAATATGGTC TGTTTTACAG AATGTTGTGT 49551 GTGTATTTGA AAATAATATG AAAGCTACTA TTATTGGATG GAGTGTTCTA 49601 TAAATGTCAG TTAGATTAGG TTGATCATGC TGTTCTAGCT TTTTATATCC 49651 TTATTGATTT CCTCACTACT TGCTCTATCA ATGACTGGGA AAGTGTTGAA 49701 GTCTCCCAGT ATTTGTCTAT TTCTCCTTTG ATTCTACCAG TGTTTGCTTA 49751 ATGTATTTTG AAGCTCTGTT ATAGGTGCAT ACATGTTTAT GAGTATGTTA 49801 TAGATGTATT CATTTTGATA TCCTTCTTTC TCTGTTACTA TTCCTAATTC 49851 TGAATTIGAC TITAATGTTA TTAATATAAT TCTTCCAGCC TTCTCTTGGT 49901 TAGTCTTTTC ATTGCATATC TTTTTCTATC CTTTTACTTT TAATCTAGCT 49951 GAATGTAGTC TTTATTTTGA AAGTGCGTTC CTTGTTGATA GCATTATTGG 50001 TTCTTTTTT TTTTTAAATC TAATTTGACA ATCTCTGTCT TTTAATTGGA 50051 GGGTTTAGAC ATTTGCATTG AATGTGATTA CCAATATAGT TAGATTTAAA 50101 CCTACAGTCT TGCTGTTTGC TTTTTGTTTG TTTCATTGAT CCTTTGTTTC 50151 TTGTTTTTT CTTTTTTGC TTTCCTTTGG ATTTAGTATT TTTCATAATT 50201 CCATTITACC TCCACTGTTG GCTTATTAGC TATACTTCTT CATTITCAGTA

50251 TTTTAGTGGT TGCTGTAGGA TTTATAATAA ATATCATTAA CTGACCATAT 50301 CTTCAGATAA TCGTATACTA CTTCATATAT AGTGTAAAAA CCTTACAAGA 19351 GTATTCACTC CATAATACTT TGTTATTGCT TTTGCTTTAA GTGATCAATG 30401 ATTGTTTAAG GAAATTTTTT AATGACCTTT CATGTTTATT CTTTTTT TTT .0451 TTTTTCCAAA AGATTCAGTA TTTTCCGAGT TTTCAAAAAC TGCTGG CCAC 1501 TCAAGTGGA TCAACAAAA TTTAAGAGCT AAAACTGTAA AACTCTTTGAA 05:21 GGCTGGGCAC AGAGGTTCAT GCCTGTGATT CCAGCACTTT GAGA_AGCTGA 101 GGTGGGACAA TCACTTGAGC CCAGGGGTTT GAGACCAGCC TGG GTAACAT 351 AGAAAGACCT TGTTTCTACA AAAAATAAAA ACACAATTAG CCAGG CATGG 701 CGGTGTGCAC CTGTAGTCCC AACTTCTTGG GAGGCCAAGG TGG CAGGATT 51 TCCTGAGCCT GTAAGTTTGA GACTGCAGTG AGCTGAGTTC ACGCCACTGC 0801 ACTTCAGCCT GGACAACAGA ACAAGACCCT GTCTCAAAAC CAGAACGAAA 30851 CTATAAAACT CTTAGAAGAA AACAGGGCTA AATCTTCATG ACTTT GGATT 50901 TGGCAATGGA TGGTTAGAAT TAATACCAAA AACACAATCA ATAAATTGAT 50951 AAATTGGATT TAATAAAAAT TAAGAACTTT TGTGTATCAA GGACATTGTC 51001 AAGAATGTGA AAAGACAGCA TATAGAATGG AAGAAGATAT TTGC: AAATCC 51051 TATATCTGAT AAAGGTTTAA TATCCAGAAT ATGTAAGGAA CTCCTGCAGC 51101 TCAACAACAG AAAGCCAGTT AAATCAATTT TGAAATGAGC AAACGCCTGT 51151 AAACCCAGCT GCTTGGCAGA TTGAGACAGG AGGATTGCTT GAGGCTAGGA 51201 GTTCAAGACC AACCTGGACA ACATAGTGAG ACCCTGTCTA AAAACATTTT 51251 TTTAATTAGC TGGGTGTGGT GGCATATTCC TGTAGTCCCA GCTACATGGG 51301 AGACCGAGGC AGGAGGATCA CTTGGGGCCA GGCAGTCAAGGCTGCCGTGA 51351 GCTGTGATTA TGCCACTGCA TCCCAGCCTG GGCGACAGAG TGAGACCCTG 51401 TCTGAGAAAA AAAAAAAAAA AAGAACAAAA AAAAATTTAG AAGATTGCTA 51451 TTCTAGTCTA CTATTTTTC AAAGGGTGGT CTTGTTAACA ATTCTGGAGC 51501 CCACCTAAAC CTGCTAAATC AAACTTGGTA GTAAAGCTGG GGA GATGGGC 51551 ATGTCTAACA GACGTTTCTG GTGGTTTTGA TGTCCAGGCG IGCAGAGAGA 51601 TGATGCTTAC CTTGTGTTTT GTCATTATTT TCAGGATTTA CACCCCTTCC

51651 TTGTCTTTTG TATCAATATT TATGGAGTCA TGAACTCTAG GATAGG €ATG 51701 ATGTTGAGAA CTAGGAGTTC TCCCCTGGCC AGGGAGATAG AGGC AGGTCT 51751 GTGGTTAGTT TTGTAGTTGG CTGTGATGAC ATCTGACATG CTCTC TTCAC 51801 TTGTTGTCTT CTTCCTGTTC CCTTGTCAGG ATTATGAAGA AGCTGTGCTC 51851 TTGCTGTTAG AAGGAGCTGC CTGGGAAGAA GCTTTGAGGC TGGT AAGAAT 51951 ATTCCAGGTC AGTTGGAATC TCTTGTCTTC TGAGGTTCAT GAAAT AAGTA 52001 GAAATAGGTC AGGTTCCTGG CTTAAGGAAA AGCGGTGTTA CTAAAATCAT 52051 TTTTATCATT CTTGATAATA ATTTGAAATA TTACTGTCTT TTACTGA.AAT 52101 GAATTGAATT TCCTTGGCTG CCTTGTAGGA GGCCTGTTTT TCAGGAAAAT 52151 ATTCTGATTA CCTCTGAAAG TAATCCATGT CTTTCTAAGT ATCTTAACTC 52201 TCCAGTGACT AGAAGTTTTC CTTCCTAAAA TATCGTGTTT TTCCTTCTAG 52251 GTATGCAAAT ATAACAGACT GGATATTATA GAAACCAACG TAAAGCCTTC 52301 CATTTTAGAA GGTGAGGGTT CCATTTTAGA TAGAATTCCT CATTTGGAAG 52351 AAGGTGAGGA GAGAGAGATG AGAGAGTCTC CTCCTATTTA CTGTGTTTTC 52401 TTAATAATAT GTCATGTAGA CTCAATCAAA ATTACCACCT GGATATAATA 52451 TTTAATTCTC ACTAGAATTT TTAAATATGC TGAACTATTA AATGGTAACA 52501 AAATATTTAA ATGTTAGAAA CCTGTGATCA AATATGATTA AGAATCTTTG 52551 TATTTGGAAA TAGTAAACTT GAATATGAAC TATATTAGAT AATAA TATAA 52601 CACTGATAAA TTTCTGGCAT TTAATAATCA TGTTGTGGTT ATATAAGATA 52651 ATATCCTATT ATTCTCAAGA GATAAATGCT GAAATATTTA GGAATGAAGG 52701 ATCATATCTC TGCCTTACTC TTAAAAGGTT CCACAAAAGT ATTAATGAAT 52751 GTGTGTATGC ATGCAGAGAA ACAGGAAGCA AAAAAATGTC AAAATGTTAG 52801 TAATTGGTAA ATCAAAGTGA AGGGTATATG TGTGTTCATT GAACTCTTAC 52851 AACTITTATG TAGGTTTCAA CGTTTCAAAG TATTTTTTAA AAGTTACCTT 52901 TTCAAATGAA GTTTGTGGTT CTTAGAGAAC ATATGAATAT TACCAGTTCT 52951 AGAATACTCA GATGGTCACT GTGACCTCTT AAAAGCAAAG TGGAGAAGGA 53001 CATCAGTTTG ACTTATAGAA ACCTTAGGGA GTGGTTGATT TTAAGTTCTG

594221 I

53051 CATTTTTATG CACATCTACC CTGTAAGTAA CGTCTGGCCT TTCTGACATT 53101 TACATGTATG CACATTCTTA CCTTGTCTGC ACCCCCTTCC TCCAT CCTAA 53151 TTAAAACGTT GCTGGGGTAC TTTTTATGTC ATTCACTTTA GGTACCTCTA 53201 ACTGGGTACT GAAAACATCA TTCCTCATCT ATAATAATCT AACCAGCTCT 53251 TACTTAGATT TTCACCACTA ATGAGAACCT TTCTTAGATA AATGCCGATA 53301 ATTCATCTAC ATAGGCCCAA AACCTATTAA TAAAATGCAT CCTTG GATAG 53351 TAGTATTITG CTTTTTTAAA ATGTATTCTA CTAGTGTTAT TTTTCTCTTG 53401 TGTATTTTC CATTGGACAA TATTTATTAG ATACATTTTT TCCACA TCCA 53451 TGGGCATTIT GATGGATGTT TAGCCAGAAA CATTTAGGTA ATTTTCTTCT 53501 TATTTTGTT AACTGAGCTC CCCTCCCCTA CCCCCCCTTT TTTTGTTTGT 53551 TTGTTTGTT TGTTTGTTTG TTTTGCCAAT CCTCCCTTGC TTTAGGTATC 53601 AAGTCTTCGT TCAGGTGATT TTACAAGTTC AGTGGTAGCG CATA TTCTCG 53651 GATAATGTTG ATGAACTCTA AGATCTGGAA TCTCAGTCTC TAATTTGTTA 53701 ATGCTTATTA AGGAAAAAGA GCTCGCTTGG AAAACCTAGT AACCTCTTTC 53751 TTTTGCTGA ATTTTAACCC TCCTTCACTG CTCCCCGCCT TTAGTTTTTT 53801 CTCTTTGCTT AAACCTCATG CTCAAACTAT TTTCCATTCT GCATCTCCAG 53851 CCCAGAAAAA TTATATGGCA TTTCTGGACT CTCAGACAGC CACATTCAGT 53901 CGCCACAGA AACGTTTATT GGTAGTTCGA GAGCTCAAGG AGCAAGCCCA 53951 GCAGGCAGGT CTGGGTGAGT ATCTGCGTGA AGGCCATCGA CGTGCGGGG 54001 CAGTGGGGTT GGGTAACGCC ACACATTGTC TAGATTGCTT GGTGATCCGC 54051 CTGCAATCTG ATTACTGTGC CATGGGCAAG TGTGAGGCTT CTGTGGAGCC 54101 CCTTCAGGGC CCTCTGTGTC TGTGTTTGTG TGTTGGTGAA GGGCAGGACC 54151 AAGCATGAAT GGGGAGAGCT CTGCCAGACA TTCCCACCTA CC CCCATTCA 54201 CCCAGAGCAG CTGACCACTT CCGTGTCTAA CAAAATGAGT TTCCTCATTT 54251 CCAGAAAAA GTTCAGGAAA CTACTGATTT ACATTAGTAA TTACTGTATT 54301 TAATATTATC TCATTCATTT TGAGATCAAC TTTGCAATCA TTTTCATCCA 54351 TCCTTTGATA TGCACCAGTT GACTCTAGTT AGTTCATTTA CCGCCCTGAA 54401 AGTAAACCA CACATTAGCA GGCAGTGTTT TCATCGGCTT CTGGTTCTTC

594221_1

54451 TTTTCTAGAT GATGAGGTAC CCCACGGGCA AGAGTCAGAC CTCT TCTCTG 54501 AAACTAGCAG TGTCGTGAGT GGCAGTGAGA TGAGTGGCAA ATACTCCCAT 54551 AGTAACTCCA GGATATCAGC GTACGTATCA CATTGATTCA GCACATTGAC 54601 TATATCCTGG GCATATAGGG AAAGTGGAAG CAAATAGATT GGTT TTCTAC 54651 TGGGACGGTG TAGTGGGAGT GGGGAGAATA TTCTTCAGCG CTGTGTGGAA 54701 GTTGTTCAGA CACTTTCCCA GCATATCTGA GACATTAAAC TTGGCATTGG 54751 AAGGTTTTCT TCCTCAGCTT TGTGGCTTGT GTGTTTTCCC ATTCC CCACG 54801 AGGCAGTTCC TCCCCTGAAT GCTCAGTTTA TATTAACATC TGATTTTATT 54851 TTTTGAACAA ATGTTGTGAC TAAATTATAG GCACTGAAAA AATGA.AAAGA 54901 TAAGCTTCTT CAATTCAAAA TCAGGATTGG AAGAGACCAT AAATGTAAAA 54951 TAAGTCATAA CACTTTTACC AAATATAGTA ATTTGTCAGA AATATTTATT 55001 CAGCACTCAT ATGGTAGGTG CAGTAGATGT TACCAAAAAC TTATAAGGAG 55051 ATATGAGTTA TAAGAGTTTA TAGTCTTGCT TGGGATGTGT AAAGCAATGC 55101 AAGATTATAT ATTCAAACTG AATTTTGCTT TAGGAATTTA AAATGGAGAT 55151 CTGTGAAGTT GTGTGGGGTC ATCAGCAACT GCAAGAAAGT AGC CAGGCAA 55201 GGTAGCACAT GCCTGTAGTC CTAGCTACTC AGGAGGCTTA AAAATATCTG 55301 AGAAGCACAG CCTCAAAGAA GGCAGTCCGC TGGAGGACCT GGCCCTCCTG 55351 GAGGCACTGA GTGAAGTGGT GCAGAACACT GAAAACCTGA AAGGTATATT 55401 CTCAGTCCTG ATGATGATTC CTGACCACAA ACAATAGTGA ATAGGCAGTA 55451 CAGACAGGCA GAGTTCAGTA GGTGATTAAG CTACCATTTT CCCAATTTGA 55501 GGAAAGATGA GAACTTTTAG CAGGAAGGGT CATGTCTGCA CACATTCCTG 55551 AAGCAGCCCT TCTTAGCTGG TAACTGAGAA GCCTTCCTCC ATTTGGCATC 55601 CCCCTAACTG AACTGGGAGA GATGCTTAAG CCAGGATAAA GAATTGTGGG 55651 ACACTGCTTT CTGCGTAGGC CCCCAGCGT GCTTGATTTT CTTTTTGTAG 55701 TACATGTGTT TAATTATTCC AGCATTTGGG AAGAAAAAG ATAATGTGGG 55751 AGAAAGGACC TGCAGTGGGA TCATAGAAAT TTTTGGCTTT GGATAGAAGC 55801 TATGTATGAT TOTGTCAATG GAGCTGGGAA TATAACTTAC CAC TOTTTCA

55851 AATTTCTTCT CTCTAGATGA AGTATACCAT ATTTTAAAGG TACTCTTTCT 55901 CTTTGAGTTT GATGAACAAG GAAGGGAATT ACAGAAGGCC TTTGAAGATA 55951 CGCTGCAGTT GATGGAAAGG TCACTTCCAG AAATTTGGAC TCTTACTTAC 56001 CAGCAGAATT CAGCTACCCC GGTAAGTTTT CTCAGAGACG GTGTGCATTT 56051 TTTTCATCAT TTTCATGGGT TATTGTATTC ACACAATCTC CAAGTCAAAA 56101 AGTTTTCCTG TTCTTAAAAC ATAAGATGCC ATAGTTAAAT TATCTTAGCA 56151 TITATGTGTA AGCTGTCAGT AAGATTTGAT ATTTGCCTGT AGAGTGACTA 56201 GTATACCTTG GCATAGGTTA AATGGACTGT CATTTTCCTT TCTGGATGAA 56251 GTAGCTGTCA TGGAGAAAAT GGGAAAGTCA CATGATTGCT CCTGGCCTTC 56301 AATGAGGTTG GAGTGGGGAG AGATGGGGGA AGATGGGGTC AGAGACGGCC 56351 TCTCACTITC CTTTCAGAAC TCAGGGATGG GATCAGGCTT TAAAGGGACC 56401 CCAGGCAATT GCTTTTCCTT TTGTTTTATG AAAAATTTGA CTTGTCACTT 56451 CTATGTTGTT ATGATGGACT TTGCGGGTTG TGTTTAAGGC TGAATCAGCT 56501 TTGTATCGCA GAATTCTAGT ATATTGTCAT CTGTTTATTA TTTATACCTC 56551 TGTTCACTCT CTTATACTTC AAGTCTATTG TTAAGAGTTT TTATTTGGAT 56601 TCAAAAAGGC TGGTGTATCA GTCAAGATCT AGAAAGGAAA ACAAAGCCT 56651 ATCTATTATT TTATCACAGA ATTTAATATA TGGATTTGTT AAATAA GTAT 56701 TAGAGGACTA AACAAGGCAA AAGGGAAATA CAGAGGAAGG ACATTGAGAT 56751 AGTAACTGTA GGAAGCAGCT TTACCCTCTA GCTGAGGGAA CAGGAGGAGT 56801 TGTTGGGAAT TATTAGAATT TAGAAGCCTG GAAGTGGGGC CCTGTAGAGC 56851 TGGCTCTTGA ACCTCTGAGA GGAGGGTGCC AGCCAGCTAA TCCTGGCATT 56901 TCTGAGGGAG CTGGTTCCAA GCGTACAGAA GTAAATGGAA ACTGGAAGGA 56951 ACAGCTGCTG CTGGGGGAAA AGCCAGCCGG TCGGGCCAGG TGTGGTGGTG 57001 GCTCACGCCT GTAATCCCAG CACTTTGGGA GGCCAAGGCA GGCGGATCAC 57051 CTGAAGTCAG GAGTTCGTGA CTAATGTGGC CAACATGGAG AAGCCCCGTC 57101 TCTACTAAAA ATACAAAATT ACCCGGGCAT GGTGGCGCAT GCCTGTAATC 57151 CCAGCTACTC AGGAGGCTGA GGCAAGAGAA TCGCTTGAAC CTGGGAGACA 57201 GAGGTTGTGA TGAGCCAAGA TCGTGCCATT GTACTCCAAC CTGGGCAGCA

57251 AGAGCGAATC TCCGTTTAAA AAAAAAAAA AAAAAGCCAG CCAATCACGG 57301 AAGAAATCTA GAAATCTTTT GTTCATCCTC CAGCTTTGTA CTCCCCCTCT 57351 GGTGTTCACT GTAGGCAGGA CATGATGGGA AGCCAGCAGC AAGGAAGAAT 57401 ATCTTCAGG TGCCCAGCCC CAGCACCACA AGCAGTGGAT AGAAGGGTGG 57451 GTTGGAGCTG AGAGATTACA AATCAGCTCA GTGTTTAGAA ACACATACGC 57501 TTATCATGTC TTGATTTCCT CATTTAGAAA TGGGCATAAG ACTTCTCTGT 57551 GTGCTTCAAT AGAATGCTTT GAAGGTTAAA TAAGAGGGTG TGTGTAAAAG 57601 CACTITACAA ACCGITGAAA TAAAAGCAAC TAGGAATCAG GGCCCCAGAA 57651 CTTCTTGAAT TTATTATAAT AGGTATTTCT TAGAAGAAAT GTGATCATCA 57701 TCTTCAAAAC TGTAGTACTT TTGAAGATAA TTGTTTTTGT TTTTTGAGAC 57751 AGGGTCTCAC TCTGTTGCTC AGGCTGGAGT GCAGTGATCA CCGCTCACTG 57801 CAGCATCCAC CGCCCCGGGC TCAGGTGATC CTCCCACCTC AGCCTCTTGA 57851 GTAGCTGGGA CTACAGGCGC ATGCCACAAC ACCTGGTTAA TTTTCAAATT 57901 TTCTGTAGAG ACAGGGTGTC ACCAAGTTGT CCCCGCTGGT CTTGAACAAC 57951 TCCTGGGCTC AAGTGGTCTG CCCACCTCAC CTCTCCAAAG TGCTGGGACT 58001 ATAGGCATCA GCCACCATGC CCGGCTTGAA GATAATAATT TATAATACCA 58051 CTCCCATGAG TGATCTTCTC TTCTGATCAC ATATTCACAT TAAGGTCTAT 58101 TITATTITAT TITTITCTTG CTCTGTCACC CAGGCTAGAG TGCAGTGACA 58151 GTATGATCAA TCATGGCTTG GTGCAGCCTC GAATGCCTGG GCTAAAGCAG 58201 TCCTCCCACC GCAGTCTCCT GAGTAATTGG GACCACAGGT GCACCACCACC 58251 ATGCCCAGCT AATTTTAAAA TTTTTTCCTA GACATGGGGA GAGGGAGTCT 58301 TGCTGTGTTG CCCAAGCTGG TCTTGAACTC CTGGCCTCAA GTGATCCTCC 58351 TGCCTTGGCC TCCCAAAGTG CTGAGATTAC AGGTGTAAGC CACCATGCCT 58401 CCCACATTAA GTTCTAAGAC ATCAATTTTA TGATTGTGGT TTTGATTGGT 58451 GAAGTATGGT TGTGGTATGT GCAGGATACC GTGAGTGACT TCTCATGGCA 58501 TTGCTCTTGA GAGTGTGCCA CCAAGGGTCT GCACTAACCA GGGGTGTGCC 58551 CAGAGGCTCG CTGCAGGCTT GAAATTCCTG CGGAGTCTTG TGTTTTACCT 58601 GGAGCACATG TGCACAGTTT CCATTCTGCT CCATAGTATG CACATGTTTG

58651 TATTTATTTC AACCTAAAAA TGTTTGTTTC CCATAACTCT TTGCGTATAA 58701 TIGATACTCT ACGTATTTGT AGCCTCTTTT ACTCTTTCC CTTTCCTCAG 58751 GGAGTGGTTT GCTCATTTAG AAAAGGCCAA GATATATCAC TGTAGAGTTT 58801 CGTTTCTTTT CTTTTCCTCC ACCCCCCATC TTTACCTTGT TCTGGGAGAA 58851 AGGAGAATTA GAAGTCTGAG TTGCAGCTGG AGAAACTGGC AAATTAAAAT 58901 CACATTGGGA AAGAGAATTA CTGTGTTTCA CACCATACCA GTAGAAATGA 58951 CAGGCTGTTT TCTGCTGGTA GGGATTTGGC CTTTGGTATT GGCAGTCTTG 59001 AGAAGTATTA GATAATCTTT GCTGATACAG TCTATTTTCT CCTCAGGTTC 59051 TAGGTCCCAA TTCTACTGCA AATAGTATCA TGGCATCTTA TCAGCAACAG 59101 AAGACTICGG TICCTGTTCT TGGTTAGTAT TTTTTCTCAT TTAATATTAC 59151 AATACTAAGC AGAAGGACTA TCTTTCTGTA AGTATTGAGA AGATCAGCAG 59201 TATAAGGAGA GATTGGATAC AATTTTTCAC TACAAAAAAT TGACTACAAT 59251 TCTTCCTCAA TTCTAAGACC GCATCTTTAG TATGATCAGT TTCATGCTTC 59301 TAGCGGTGGG GGACCTGGTG CAGGAAAATC CAGCATGACC ATTGTATGTG 59351 TAATTTTTAA AAATATTTAT GTGGCATATG CTTGTTCATA AAGGCACACC 59401 ACAGTTCCAG TTTCAGTCTA AACTGTCTAC ATTTACATAT ACATCAAAAG 59451 ATTCTTCTGA AGCATCATTA CTGGCTATTG GCAGTTATGC TTTG CATCTT 59501 GGGGGCATTT TCATAAACCT TGCTTATGAG TGGGACCTTT TTAT TATGTT 59551 TAGGATTGAC AATATAATTT GAAGGCAAAT CCAAAGAATA TTAGCATTTT 59601 ATACATATTT CCTGTTTAGT TATGCATGAA GTGTTTTATT TGTTGAGGGG 59651 AGATGATTCT CAATTAGATT ACTTATTTCC CTAAAAATTA AAAAC CCTAA 59701 GCGCTTTCTT TTGAAAGTTG GTTAGAAACA TTTGATGAGT CAGCTTGGGA 59751 CTTTCAGTAT ITGCCCTTAC TTATAGTTGG ATCAATGAAG CATCTTAGCT 59801 TIGAAAAGTG AATGATAGTT TCTAAAATAA TTGGCAGTTT TAACTGCTAT 59901 CGAAGTGCTA CACTGTAATA GCATTTTGAT GACATTTGAA GTAGCCTGTG 59951 GGGATTCAAA TTAAGTTTGA CTTTAACAGC TTATGTTGCT ACCAGGAAGA 60001 ACAGCTACCT TCCATCCCAG CTAAACTCAT ACATCCAGAC TGT AACTACT

60051 GTATTCCTAG CTCCTCTTCT GTCTAGAGAA TGGCAAGGTT CTTTT GGTAT 60101 GCAGTTTCGA CATATCCACT TATTCCTTTT TTTTTCTTAA GTTTTTTCAT 60151 TTAGAAAAAA AAACAGATGG GGTCTTAATA TGTTGCCCAG GCTGGTCTCA 60201 GCCTCCTGGT CTCAAGTGAT CCTCCTGCCT CGGCCTCCCA AAGT GCTGGG 60251 ATTACAGGCG TCTGCCCCTG TGCCCAGCCC ACTTATTTCC CAGA TGCTAG 60301 GAACTTACAT TAGACCTGAG GCCATTTGGT CATTGTTTAT TTTGTGCTGT 60351 AGTCCAATCC AGTTGTGATT TCTGCCTCCT GTGTTCCTCG TTGCTGGCCT 60401 GATGCTGACC TTCAGGTTAG GTCAGTCCCA TCATTCCCCA GGGTATTCTA 60451 GATGGCTTTC CCACTTCAAA GAGCACTTTC TTGTTTTCCA GCTGAGCCTT 60501 AAAGACACTC TGTAATATTT GAGAGCCCCT CATTATCTGA GTGTTTATTA 60551 TCATTACCCT TGTGGTTTCA AGGATGTATA GGAAAAGGTA AGTTCCTATA 60601 ATTCAAAAAT TGCCACTGAT GAACTAATCA CAAAATTAGT GCCACTCAAA 60651 TATTACTCAG CTGCCCCTCC CCAGCTAACA ATAGTTAAGT ATATTGGCAC 60701 ATCCCCACAA GTGAAATCAA TGACTTGATG GGTCATTTCT GATT GTTTCC 60751 TGCTTTGATG CAATACAATA TCATGCAGAT CAATTGCAAG TCTTGCAAAA 60801 ATTTAGTATT ACATAAAATA GATTAAAATG ATATTGGAAA AGTACTTGAA 60851 TCACAGCTGG GTTGGACTTG TTGCAATTGA TGACAAAATA AGTGCTTCAA 60901 ATGATTTTGA CTATCAAAGG ATTGAGAGAG GTCCTTAGAA AAATTGAAAA 60951 GCCCTCAAGT TATTTTTATA AAAATGGCCT TTTTTGTGTG CTGTGAAATC 61001 CACATATGGA AATGTGAAAT ATGTCATGTC CTGCTGTCAT ATAATTTGTC 61051 AGAATAATTA CTTTCTTGCC CAAAAGTCTG TACTTTGTGT TTATTTCAAG 61101 TTAAGTCTAG AATCAAATAT AGTTGTAGTT ATGCCTAATT TTAAAAAATG 61151 AGATAGAGCA CATTATTTIT GTAACTAGTT TTTTTTTTT TTTTTCAGAC 61201 AGAGTCTTGC TCTGTGGCCC AGGCGGGAGT GCAGTGGCGC AATCTCGGCT 61251 CACTGCAAGC TCCGCCTCCC GGGTTCACGC CATTCTCCTG CCTCACCCTC 61301 CTGAGTAGCT GGGACTACAG GCGCCCGCCA TCACGCCCGG CTAATTTTTT 61351 TGTATTTTTA GTAGAGACGG GGTTTCACCG TGTTAGCCAG GATGGTCTCG 61401 ATCT CCTGAC CTCGTGATCC ACCCGCCTCG GCCTCCCAAA GT GCTGGGAT

61451 TACAAGCGTG AGCCACCGCG CCCGGCCTGT AAATAGTTTT TTTAAGATAA 61501 AGTCTTATTC CAACTITAAT TGGAATTTAT GAAATACCTT GTTGAT AGTG 61551 AATTTATTTA AGTAGCCTTT TTTCAGTATT GATATTCTTA TATCTTT ATG 61601 GCACCATTTA GTGGAGAGAA ATGTAAACAA ACATAAAGAT GTAGTATTAA 61651 ATCATAACTG CATAAAATTA ACTGTAGTAT GTACTGCACT ACTGT.AATAA 61701 TTTTGTAGCT ACCTCCTGTT GCTATTGTGG TGAGTGAGCT CAAGTGTTAC 61751 CAATATCTGC TTAAAATGCC ATGTGCCGCT AACCATCTCC ACATGAGCAG 61801 CACATGAGAG TCTCCATTAA TTGCATATGG CAGCGAAAAG TGATCTCTTG 61851 CATTGTCGTG TATTTTTTAT CACGTTTAAT GTAATATCGT AAACCTTAAA 61901 TAACACCATG AGACCTATAG GAAGTACCAC AAGTGTTGCT CCCAGGAAGC 61951 AGAGAAAAGT CATAACATTA CAAGAAAAAG TTGACTTGCT CGATATGTAC 62001 TATAGATTGA GGTCTGCAGC TGTAGTTGCC CACCACTTCA AGAT AAATGA 62051 ACCCAGTGCA AGGACTATTA TAAAAGAAAA GGAAATTTAT GAAGCTGTCA 62101 CTGCAGTTAT GCCAGCAGGC ATGAAAACCT TGTACTTTTT GCAAAATACC 62151 TTTTTATGTT GTATTGAAGA TGCAGCTTTT ATGTGGGTGC AGGATTGCTA 62201 TGAGAAAGGC ATACCTATAC AACTATTATG ATTTGAGAAA AAGCACAGTC 62251 ATTGTATGAG AACTTAAAGC AAAAAGATGA AGGATCAAAG CTGGAGAATT 62301 TAATGCCAGC AAAGGATGGT TTGATAATTT TAGAAAGAGG TTTGGCTTTG 62351 TAAATGTCTG GATAATAGGA AAAGCAGCTC CTGCCATCCA GGAGGCAGCA 62401 GCAAAGGCAG TCAGGTTTAT GATCAGGACT GCCCTTATCT GTAAAGCTGC 62451 TAACCCCGA GCCTGGAAGG GAAAAGATTA ACACCAGCTG CCAGGCTTTT 62501 GGTTGTACCA TACAACAAGA AGGCTTGGAC AAGGAGAACA CTTTTTCTGG 62551 ATTGGTTCCA TTGTCGATTT GTCCCTGAAG TTAAGTAGTA TCTT GCCAGT 62601 AAGGGGACTG CCTTTTAAAG TTCTTTTGAT ACTGGAGAAT GCCCGAGGCC 62651 ACCCCAAACT CCATGAGTTC AACACCGAAG ACATTGAAGT GATCTACTTG 62701 CCCCCAAACA CACATCTCTA ATTCAGCCTC TAGATCAGGG TGTCATAAGG 62751 ACCTTTAAGG CTCGTTACAA ACAGTACTCT ATAGAAAGGA TTGTCAAATG 62801 TATGGAAAAG AACCTTGACA GAACATGAAA GTCTGAAAGA ATTACACCAT

594221_1

62851 CAATGATGCC ATCATTGTTA TAGAAAAAGC TGTGAAAGCC ATCAA GCCCA 62901 GGACAATAAA TTCCTGCTAG AGAAAACTGT GTCCAGATGT GCATGACTTC 62951 ACAGGCTTTA CGACAGCCAA TCAAGGAAAT CATGAAAAAG ATTGTGGATC 63001 TGGCACAAAA AAAAAAAAAA AAAAAAAAA TGGTGCATGA AGGATTTCAA 63051 GATAGGAATC TTGGAGAAAT TCAAGAGGTG ATAGACATCA CACCGGAGGA 63101 ATTAACAGAA GATGACTTGA TGGAGATGAG TACTTCCAAA CCAGCGCCAG 63151 ACAATGAGGA AGATTACATA AAAGAAGCAG.TGCCAGAAAA TAAATTGACA 63201 TTTGTTCCAA AGGTTCCAAT TATTCAAGAC TGCCTTTGGC TTCTT TTACA 63251 ACATGGATGA TTCTATGTTA TGGGCACTGA AACTAAAAGA AACTGTGGAA 63301 GGATTGGTAC CTTAGAGAAA TGAAAAAGCA AAAACATCAG AAATTATGGT 63351 GTATTTCTGT AAAGTTAGTG ACACTGAGTG TGCCCACCTC TCTTGCCTCC 63401 TCTTTAACCT CCCCTACCTG TTTCATCTCT ACCACCCCTG AGACAGCAAG 63451 ACCAACCCCT CCACTTCCTC CTCTACTTCA GCCTACTCAA CGTG GAGATG 63501 ACAAAGATGA AGACCTTTAT GATGATCCAC TTCCATTTAA TGAATAGTAA 63601 TTATTGTAGG AATGTAGTAT ATAATACATA TAACATACAA AACATTTGTT 63651 AACTGACTTT TTATGCTGCC AATACACTGC CGAACAACAG TAAGCTATTG 63701 GTACTTGAGT TTTGGAGATT CAGAAGTTAA ACATGGGGCC AGGTGTGGTG 63751 GCTCACACCT GTAATCCCAG CACTTTGGGA GGCTGAGGTG GGTGGAACGA 63801 GACCAGGAGT TTTGAGAGTA GCCTGGGCAG CATGGTGAAA CCTTGTCTCT 63851 ACAGAAATTA GCCAGGTATG GTGGTGTACA CTTGTAGTCC CAGCTACTTG 63901 GGAGGCTGAG GCAGGAGAAT CGCTTGAACC CAGGGGGTCG AGGCTGCAGT 63951 GAGT CATGAT CGTGCCACTG CACTCCAACC TGGGCAACAA AAT GAGACCC 64001 TGTCTCAAAA AAAGAAAAAA AAAAGGTATA TGCAGATTTT TGACTGTGCA 64051 GGGGGGTCCG CACCCATAAC CCTACATTCA AGGATCAACT GTAATTTTTC 64101 ATGCCTGCAT GGCTCATATG TACAGATTTA CTGCTGGAAG TITATCATAA 64151 ATAATGCTGA AAAAGAAAAT CCTTATATAT ACATATTTTC TCCTATCTCT 64201 GCTTGCAGTA TATGATTCCT GGTTAGAAAA GAAACTTAAC AAA TCTAAGT

64251 GAAAGAGTGC CTGGGAGTTT TAGGTTACAA TGACAGAATC TTTTCCTAAC 54301 CCTCTCTCTC CATTCACTTT TTTTAAAGCA GGGGCATCTT TATTGATCAA 1351 CATGTTTGTC GAAUTTCAT CATAAAGTAG TTCCTGTCCA TTAACTT CAC 101 TTACTGAATA TGTGCTATCA CATTTTGCTA TTCCTTAAAA ATTGAGCTAG 51 ACTITACATA TAGTGAAATG CAGAGATTTC AGGTGTACAA TTTGAT GAGT 11 TITAATAAAT GTATACAGCC ATGTGACTGC TGCCACCACC CCTCC CACCA 33: GTTTGAAATA CAGAACATTC TTCCACTTTG AATCACTGGG TGAGCATGCC 01 TGAGGTTGAA ATGCAGTCCC TCCTCTCAGG GCGGGGCCTC CAGGTTGTGT 31 TTGCTCTGAC CTGGAGGTTG CAGGGGTAGC AGACACATGA ACTCTGGCTC IGATEG ICTT ATTECTECAA ACTCCACCTE CCTAGTTTGT TTAGTTTAGA CTGCCT CAGCGCCCTC CAACAAGAGT ATGTCTGTCA CAAT TTCCCT TCCTTTCTTG CTTTTAGATG CTGAGCTTTT TATACCACCA AAGATCAACA 51 GAAGAACCCA GTGGAAGCTG AGCCTGCTAG ACTGAGTGAC TGC AGTTAGG 4901 AGGGATCCGA CAGAGAAGAC CATTTCCACT CATTCCTGTT GTCCTACCAC 34951 CCCTTGCTCT TTGAGGGCTG GCTATTGAGA ACTGGAAAGA GTAAAATGAT 65001 AACTTACCTT AGCATTGCCA AGAACTTCAG CAGACAACAA GCAATTCTAT 65051 TTATTTTATG TTGTGTATAC ATCTTGATCA TTAGCAAGAC ATTAAGCTTT 65101 AACCATTATG GCACCATTIT GTGAGAATGA TTGTTCTTTC ACTIGGGCTG 65151 TTTGAGAGCA TAATTATGGT AATCATGAGA TTAATGTTTC ATGAT TTCTA 65201 CCTCCAAAGT GTGAAGACAA GTAAAACAAT GTTTCTAAAT TGTCTTATTT 65251 TGTTGGCGGA GAAGATTACA ATGGCTATTA GTGCTACATT TGGTCAAATG 65301 TAATCACTTA AATAGCTTCT TGTCACCTTA AACTAAAGCA GAATAAAAAG 65351 TATCCTTTGA AATTATAAGC CCTCCTTTGC TGACAGCTAT TATTTTGTAA 65401 CATCTTACCA GGTCATGTGC TTTCAGTTAT AACTGGGCTG AGCCTCCTAT 65451 AATTACAATG TCTATAGGGA CTGTTTTACT GCCTGTGTAT TTTCTGCTAG 65501 AGAGTTAGCA ATGTTAGAGC TAGAACAGAT TAGAATTTCT AAACAGTATC 65551 ATGCACAGTT GGTGTGAGTG ATCAGTGTGC ATTGTATGGC ATG CATGGTT 65601 GTGAATTATT CTCTGTTCTC CAAATACTGT TTCTTTAACT CAGATATTTT

5651	TGTTAGTGTC TAGGCCACTT CATTTATTTT TCGTCATGGT ACTTTACTGA
5701	CTTCTCTTTA TTCAATTCTC CACGCCCTCA CCAAAAAAAA CTGTCTCAAA
55751	ATGAGAATAT TITATTTTCA TGGTGAGTCT AGAAAACGCC CACTTCATTC
5801	TGATTAAAAA TTCTTCCATG TTTTAAATAT CAGAACCAGA CCTTTCTTAC
5851	TGTGTATCTT AGCCCATTTG TGTCTCTATA ACAACAACCA GCTTTC AAAG
55901	GAACTAATAG AGTGAAAACT CACTCATTAC CACGAGGATG GCACAAGCG
5951	TTCACGTAGG ATCTGCCCCT GTGACCAAAA CACCTCCCAT TGGGCCCCA
6001	TTCCAACACT GGTGATCACA TTTCAACATG AGGTTTAGGG AAACA.AATGC
6051	CTAAACTACA GCACTGTACA TAAACTAACA GGAAATGCTG CTTTT GATCO
6101	TCAAAGAAGT GATATAGCCA AAATTGTAAT TTAAGAAGCC TTTCCCAGTA
6151	TAGCAAGATG TTAACTATAG AATCAATCTA GGAGTATTCA CTGTAAAATT
6201	CAACTITICT GTATGTTTGA ACATTTTCAC AATCTCATAG GAGTTT TTAA
6251	AAAGAAGAGA AAGAAGATAT ACTTTGCTTT GGAGAAATCT ACTTT TTGAC
6301	TTACATGGGT TTGCTGTAAT TAAGTGCCCA ATATTGAAAG GCTGCAAGTA
	CTTTGTAATC ACTCTTTGGC ATGGGTAAAT AAGCATGGTA ACTTATTG
6401	AAATATAGTG CTCTTGCTTT GGATAACTGT AAAGGGACCC ATGCTGATAG

66451 ACTGGAAATA GAAGTAAATG TGTTTATTG

FIGURE 7

1	ccagtgctgg	ggctgcctag	ttgacgcacc	cattgagtcg	ctggcttctt	tgcagcgctt
	cagcgttttc					
	cgggagccgc					
	gagctgactc					
	tttgggggtc					
	tcacttcatc					
	tccagggaat					
	agaacatggc					
481				aagtggccgc		
541	gctggatcag	gagtctgtgt	gtgtggccac	agcctctgga	gacgtcatac	tctgcagtct
	cagcacacaa					
661	gagtcctgac					
721				gatccatcag		
781	gtttatcact	gttggatggg	gtaggaagga	gacacagttc	catggatcag	aaggcagaca
841	agcagctttt	cagatgcaaa	tgcatgagtc	tgctttgccc	tgggatgacc	atagaccaca
901	agttacctgg	cggggggatg	gacagttttt	tgctgtgagt	gttgtttgcc	cagaaacagg
961	ggctcggaag	gtcagagtgt	ggaaccgaga	gtttgctttg	cagtcaacca	gtgagcctgt
	ggcaggactg					
1081	agataaaccc	aaccagcagg	atattgtgtt	ttttgagaaa	aatggactcc	ttcatggaca
	ctttacactt					
1201	ttcctctgtg	cttgcagtct	ggctggaaga	ccttcagaga	gaagaaagct	ccattccgaa
1261	aacctgtgtt	cagctctgga	ctgttggaaa	ctatcactgg	tatctcaagc	aaagtttatc
	cttcagcacc					
	ccggctgcat					
	tgaccggagc					
	cagggtgttg					
	actgctgttc					
	tgaccttgct					
	aagtgctgac					
	tagaactcct					
	tgtaaacccg					
	aagccacagt					
	gatggatgaa					
	aatcagtcta					
	gatatttaag					
	tggatttcct					
	agaggaatgt					
	tgcgtcaaat					
	ccatacctgc					
	gagcagcaat					
	tgtcactgtt					
2461	agttgttcat	catcgagccc	tggttttagc	tcagattcgg	aagtggttgg	acaaacttat
	gtttaaagag					
	tcataaccct					
2641	gaatcatatt	aacttgtttt	ttacagaatt	gaaagaagaa	gatgtcacga	agaccatgta
2701	ccctgcacca	gttaccagca	gtgtctacct	gtccagggat	cctgacggga	ataaaataga
2761	ccttgtctgc	gatgctatga	gagcagtcat	ggagagcata	aatcctcata	aatactgcct
	atccatactt					
	agtacacgag					
	cttgaaatat					
	ctatgacttt					
	tcttccattt					
3121	caaatacttg	aaacgatatg	aaaaagccat	tggccacctc	agcaaatgtg	gacctgagta

Figure 7

					tataacgaag	
3241	atattcacca	agctcacaac	agtaccagga	tatcagcatt	gcttatgggg	agcacctgat
3301	gcaggagcac	atgtatgagc	cagcggggct	catgtttgcc	cgttgcggtg	cccacgagaa
3361					gccctctgtg	
3421	gcttaacttt	accaaagacc	agctggtggg	cctcggcaga	actctggcag	gaaagctggt
3481	tgagcagagg	aagcacattg	atgcggccat	ggttttggaa	gagagtgccc	aggattatga
3541	agaagctgtg	ctcttgctgt	tagaaggagc	tgcctgggaa	gaagctttga	ggctggtata
3601	caaatataac	agactggata	ttatagaaac	caacgtaaag	ccttccattt	tagaagccca
3661	gaaaaattat	atggcatttc	tggactctca	gacagccaca	ttcagtcgcc	acaagaaacg
					gcaggtctgg	
3781	accccacggg	caagagtcag	acctcttctc	tgaaactagc	agtgtcgtga	gtggcagtga
∴841	gatgagtggc	aaatactccc	atagtaactc	caggatatca	gcgagatcat	ccaagaatcg
3901	ccgaaaagcg	gagcggaaga	agcacagcct	caaagaaggc	agtccgctgg	aggacctggc
3961	cctcctggag	gcactgagtg	aagtggtgca	gaacactgaa	aacctgaaag	atgaagtata
4021	ccatatttta	aaggtactct	ttctctttga	gtttgatgaa	caaggaaggg	aattacagaa
					ccagaaattt	
11					tctactgcaa	
	ggcatcttat	cagcaacaga	agacttcggt	tcctgttctt	gatgctgagc	tttttatacc
	accaaagatc	aacagaagaa	cccagtggaa	gctgagcctg	ctagactgag	tgactgcagt
					tgttgtccta	
5.24					tgataactta	
					tatgttgtgt	
					ttttgtgaga	
					gagattaatg	
					aaattgtctt	
					aatgtaatca	
					ttgaaattat	
					gtgctttcag	
					tactgcctgt	
					ttctaaacag	
					ggttgtgaat	
					tgtctaggcc	
					tctccacgcc	
					gagtctagaa	
5221	ttcattctga	ttaaaaaatt	cttccatgtt	tttaaatatc	agaaccagac	ctttcttact
					ctttcaaagg	
					tcacgtagga	
					gtgatcacat	
					aaactaacag	
					taagaagcct	
					tgtaaaattc	
					aagaagagaa	
					tgctgtaatt	
					tgggtaaata	
					aagggaccca	tgctgataga
5881	ctggaaatag	aagtaaatgt	gtttattgaa	aaaaaaaaaa	aaaa	

FIGURE 8

1 mrnlklfrtl efrdiggpgn pqcfslrteq gtvligsehg lievdpvsre vknevslvae 61 gflpedgsgr ivgvqdlldq esvcvatasg dvilcslstq qlecvgsvas gisvmswspd 121 gelvllatgg qtlimmtkdf epileqqihq ddfgeskfit vgwgrketqf hgsegrqaaf 181 qmqmhesalp wddhrpqvtw rgdgqffavs vvcpetgark vrvwnrefal qstsepvagl 241 gpalawkpsg sliastqdkp nqqdivffek ngllhghftl pflkdevkvn dllwnadssv 301 lavrledlqr ekssipktcv qlwtvgnyhw ylkqslsfst cgkskivslm wdpvtpyrlh 361 vlcqqwhyla ydwhwttdrs vqdnssdlsn vavidgnrvl vtvfrqtvvp ppmctyqllf 421 phpvnqvtfl ahpqksndla vldasnqisv ykcgdcpsad ptvklgavgg sgfkvclrtp 481 hlekrykigf ennedgdynp lklglltwie edvflavshs efsprsvihh ltaassemde 541 ehqqlnvsss aavdqviisl ccnsktksvv lqladqqifk ylwespslai kpwknsqqfp 601 vrfpypctgt elamigeeec vlgltdrcrf findievasn itsfavydef llltthshtc 661 gcfclrdasf ktlgaglssn hvshqevlrk vergsrivtv vpqdtklvlg mprgnlevvh 721 hralvlagir kwldklmfke afecmrklri nlnpiydhnp kvflgnvetf ikqidsvnhi 781 nlfftelkee dvtktmypap vtssvylsrd pdqnkidlvc damravmesi nphkyclsil 841 tshvkkttpe leivlqkvhe lqqnapsdpd avsaeealky llhlvdvnel ydhslqtydf 901 dlvlmvaeks gkdpkeylpf lntlkkmetn ygrftidkyl kryekaighl skcqpeyfpe 961 clnlikdknl ynealklysp ssggygdisi aygehlmgeh myepaglmfa rcgahekals 1021 afltcqnwkq alcvaaqlnf tkdqlvqlqr tlaqklveqr khidaamvle esaqdyeeav 1081 111legaawe ealrlwykyn rldiietnwk psileagkny mafldsgtat fsrhkkrllw 1141 vrelkegagg aglddevphg gesdlfsets svvsgsemsg kyshsnsris arssknrrka 1201 erkkhslkeg spledlalle alsevvonte nlkdevyhil kvlflfefde ggrelgkafe 1261 dtlglmersl peiwtltvgg nsatpvlgpn stansimasy gggktsvpvl daelfippki 1321 nrrtgwklsl ld




FIG. 1. Comparison of the amino acid sequence of Itap across several species. Alignment of the amino acid sequence of Itap (Me, materials) with that of Home acipient (H, supiem), Decaphile melengater (D, melengater), Emelengater (D, servisian), Arabidopsit indiana (A, thaliana), and Caenorhabitis elegans (C, elegans). Black boxes indicate identical AA, while conserved AA residues are shown in gray. Astresit (2) at A position 666 for mouse and human proteins indicates the location of the heterotypeous R696P mutation found in early 4 BV patients. Sequence alignments were made using Pileup and Boxshade commands from GCG Wicconsin Perketer (9-9) Of Medison. Willows.

Figure 9



Figure 9

59/62




Figure 9

TABLE 2. COMPARISON OF THE NOVEL MOUSE Ikbkap GENE WITH MULTIPLE SPECIES HOMOLOGS

Species	Gene name	No. of amino acids	Molecular weight (kDa)	% aa identity with M.m.	GenBank Accession No.
Mus musculus (M.m.)	Ikbkap	1332	149.11	_	AF367244
Homo sapiens	IKBKAP	1332	149.11	80	AF153419
Drosophila melanogaster	CG10535	1213	138.21	32	AAF54670
Saccharomyces cerevisiae	ElpI/Iki3p	1349	152.99	29	AAB67278
Arabidopsis thaliana	Unknown	1308	146.63	27	BAB08695
Caenorhabditis elegans	Unknown	1177	134.80	24	AAF60430

Figure 10

TABLE I. MOUSE Ikhkap Exon and Intron Boundaries

		Donor	Size	
Exon	Acceptor site	site	(bp)	cDNA position
1		AGgigagcattcgcccg	129	1129*
2	tttttttccctcag AA	A A graggic act gat gc	163	130292b
3	tatgctttgtgaaagGT	AGgtaggtgtaaggcct	153	293445
4	ttttctctgatgcagCT	AGgtaagetttgcactg*	82	446527
5	acatgaactcctaagCT	AGgtaagcgtttcttgg	81	528608
6	cttgaaaaactgtagGC	TGgtaaggcgggatgat	86	609694
7	ggtgtctctcttcagCC	TGgtgtctctcttcage*	97	695791
8	ctacctcctttgcagAG	AAgtgagtgagcataaa*	91	792882
9	aggttctgctttcagAC	AGgtaggggtcagagtt	124	8831006
10	ttttgtccctaccagGT	TGgtatgacagettgtg	94	10071100
11	tecetecacacacagTC	AAgiaagttgctgcgaa	231	11011331
12	cttttcattgtgtagAC	TGgtaagtggaagcagg	165	13321496
13	ttttttgttttctagGT	TCgtaagttcctaaata	100	14971596
14	ctaatatttgaacagGA	AGgtatcatggttcatc	189	15971785
15	ttttttgctttagTT	GGgtgaggatcagagtt	107	17861892
16	ttaatcttacaacagAG	AGgtgaatagacacggc	104	18931996
17	ttcatttctttgcagGA	AGgiatgiaggettggt	54	19972050
18	tettgeetgtgeagGT	AAgtaagctctcctata	106	20512156
19	cactggtattttagTG	AGgtaagctgactcttc*	116	21572272
20	gggtttatttgagAT	AAgtaagtatttattct*	74	22732346
21	tteetgteeteacagAC	AGgtacactttgcgtct	79	23472425
22	tactttctttgatagGT	AGgtaagtatttgata*	80	24262505
23	tactgtggttcttagGG	AAgtgggtgctgtgtgt .	138	25062643
24	cacttactacctcagGT	AGgtagagacetgegeg*	86	26442729
25	cttaaactccaacagGA	AGgtatgtggagttgag*	149	27302878
26	aactttttcctaggGA	TGgtaagggttttttt	124	28793002
27	unnuncagGA	AGgtatgtggtgggta*	98	30033100
28	cgtctcttgtcacagGC	AGgtaagcagggccatt	202	31013302
29	ttgctgtcttttcagGA	AGgigageteeteeceg	62	33033364
30	ctcttcccttgtcagGA	TGgtaaggaagctctga	63	33653427
31	ttetteetettagGT	AGgtgaggattacattt*	6)	34283488
32	attatgcatcetcagCC	GGgtgagtgcctccaaa*	114	34893602
33	gttcatcttctagAT	GCgtacgtacgagacct*	112	36033714
34	tgtastttctgacagGA	AGgtatggcttcagtgc	128	37153842
35	ccattlettetetagAT	CGgtaagetteeteaga	155	38433997
36	ctgttttttttggar	CGgtgtactgctcgttc	76	39984073
37	cancingcingGT	COB-Britisheding	709	4074.,4799°

Figure 11




Figure 12

